

Dynamic
Because You Have Work To Do
D074203
Dynamic
19 Pc. Metric Combination Wrench Set
Dynamic

About Us











Dynamic® Tools- Because You Have Work To Do

You are a busy professional who needs to get the job done quickly and efficiently. The Dynamic® line of tools is designed to offer just that: a cost effective way to complete your demanding projects using reliable and comfortable tools.

The ease-of-use of the tools is reflected across different product categories. The laser etching on the sockets and wrenches make the selection of the right size a breeze. Other product categories such as pliers and screwdrivers feature ergonomic and highly visible handles making the tools easy to spot in the toolbox. All tools have been designed to ensure durability and many years of service.

Most Dynamic® products are backed by a lifetime warranty and Gray's Customer Service, which consistently ranks first in the industry.

We invite you to discover the benefits of the new Dynamic® line at an industrial distributor near you. Our goal is to make your job easier, "Because You Have Work To Do"™ !

The Dynamic® Team

Dynamic

Torx® is a registered trademark of Textron.
Phillips® is a registered trademark of Phillips Screw Co.

Table of Contents

Master Sets 05

Tool Storage 10

Sockets & Attachments

1/4" Drive Chrome 16

3/8" Drive Chrome 25

3/8" Drive Impact 46

1/2" Drive Chrome 51

1/2" Drive Impact 66

3/4" Drive Chrome 70

3/4" Drive Impact 73

Wrenches

Combination Wrenches 77

Ratcheting Wrenches 83

Adjustable Wrenches 89

Pipe Wrenches 89

Torque Wrenches & Multipliers 90

Hex Keys 91

Screwdrivers 95

Electrical Tools 104

Pliers

Comfort Handle 109

Locking 114

Punches & Chisels 117

Clamping & Extracting 121

Striking Tools

Hammers 123

Pry Bars 126

Staplers 128

Files 130

Alphabetical Index 131

Numerical Index 132

Why Dynamic

Better Design For Greater Efficiency



Dynamic tools are designed to help you finish projects faster. Extensive consumer research conducted by independent companies combined with our own tool expertise allowed us to offer tools designed to address the most important hand tool requirements. The laser-etched markings on sockets and wrenches make the selection of the right size a breeze. Other product categories feature ergonomic and highly visible handles making tools easy to spot in any toolbox.

Higher Quality Standards for Trusted Reliability



By partnering with the most qualified global suppliers capable and willing to comply with our high quality standards, Dynamic offers a large number of professional users in industrial, construction and trades access to reliable tools. Dynamic is offered by a reputable company that has been in the hand tool business since 1912. This tool expertise results in each tool being carefully inspected and tested to make sure it provides many years of service. Furthermore, the vast majority of the products are backed by a no hassle lifetime warranty.

Select Distribution For Better Service



Dynamic tools are offered through a network of highly specialized distribution partners that are carefully selected to sell and service the line. These focused distributors provide faster service, experienced know how, knowledgeable advice, immediate delivery and personalized post sale service. Because getting the tools you need for the job should not be a hassle.

To locate the Dynamic retailer near you visit our website www.dynamictools.ca and click on Where to Buy.

Become a Member Of the Dynamic Community

Join the Dynamic Tools community and enjoy the benefits:

- Be the first to receive new product notifications
- Get access to exclusive offers & contests
- Ask questions before you buy
- Expand your social network

facebook.com/dynamictools

@dynamictools

www.dynamictools.ca

Warranty Policy

Limited Lifetime Warranty:

We stand behind the quality of the products we manufacture & redistribute. In the unlikely event a product fails, warranty will be granted quickly and unconditionally, providing the products were used for the application intended. Products used inappropriately or not maintained properly will not be considered for warranty.

No warranty consideration can be made if the initial inspection shows that the product has been:

- Hammered.
- Heated.
- Used with any device to create additional leverage.
- Machined or modified in any way.
- Used for purposes other than those, which it was designed for.
- Overstressed or over torqued.

Products such as ratchets, flex handles, universal joints, and adjustable wrenches require periodic maintenance and repair. When a product needs repair due to normal wear and tear, the repair will be at the customer's expense.

Products that carry a limited warranty:

The following products do not qualify for lifetime warranty:

- Staplers (2 year warranty)
- Toolboxes, torque wrenches, torque multipliers (1 year warranty)

Non-Warranty Items:

Due to the nature of the product, the following items are not warranted:

- Reducing Adaptors and Impact Universal Joints

Warranty coverage applies to original owner only.
Please keep your proof of purchase records, which will be required for warranty.

Gray Tools Canada will be the sole authority in evaluating the products and determining warranty claims and will be glad to replace products qualifying for warranty received prepaid. Gray Tools Canada shall not be liable for any damage or injury due to product failure.

If your product qualifies for warranty, please return it to your local distributor, or call our Customer Service department for a warranty inspection number and further instructions.

Dynamic

367 Piece Advanced Master Set

D096001



For complete set content see page 6

283 Piece Intermediate Master Set

D096002



For complete set content see page 7

198 Piece Starter Master Set

D096003



For complete set content see page 8

367 Piece Advanced Master Set

D096001

1/4" Drive Extension 2"
1/4" Drive Extension 4"
1/4" Drive Extension 6"
1/4" Drive Spinner Handle
1/4" Drive 45 Tooth Ratchet- Chrome Handle
1/4" Drive Swivel Head Ratchet
1/4" Drive Stubby Ratchet - 48 Teeth
1/4" Drive Sliding T-Handle
1/4" Drive Universal Joint
1/4" Drive Flex Handle
1/4" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
1/4" Drive Chrome Sockets-Metric, 6 Point, Deep: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
1/4" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
1/4" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
3/8" Drive Extension 3"
3/8" Drive Extension 6"
3/8" Drive Extension 10"
3/8" Drive 45 Tooth Ratchet Chrome Handle
3/8" Drive Stubby Ratchet - 48 Teeth
3/8" Sliding T-Handle
3/8" Flex Handle
3/8" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
3/8" Drive Chrome Sockets-Metric, 6 Point, Deep: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
3/8" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
3/8" Drive Chrome Sockets-SAE, 6 Point, Deep: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
1/2" Drive Extension 5"
1/2" Drive Extension 10"
1/2" Drive T-Handle Head
1/2" Drive 45 Tooth Ratchet Chrome Handle
1/2" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
1/2" Drive Chrome Sockets-Metric, 6 Point, Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
1/2" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 -1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
1/2" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 -1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
1.5 lb Rubber Mallet-Hickory Handle
16 oz Claw Hammer-Fiberglass Handle
16 oz Ball Pein Hammer-Fiberglass Handle
2 1/2 lb Club Hammer-Fiberglass Handle
14 oz Soft Face Hammer
Metric Hex-Keys-Regular Length: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
8" Linesman Pliers Comfort Grip
7" Diagonal Cutting Pliers Comfort Grip
8" Long Nose Pliers Comfort Grip
8" Bent Nose Pliers Comfort Grip
8" Slip Joint Pliers Comfort Grip
Aviation Snip-Right Hand
Aviation Snip-Straight
Aviation Snip-Left Hand
10" Locking Plier Straight Jaws
10" Locking Plier Curved Jaws
7" Locking Plier-Curved Jaws With Wire Cutter
6" Locking Pliers-Long Nose
5" Locking Plier-Curved Jaws With Wire Cutter
Cold Chisel 5/16", 1/2", 5/8", 3/4", 7/8"
Centre Punch 1/8", 5/32", 1/4"
Solid Punch 1/8", 3/16", 1/4"
Drift Punch 3/16", 1/4"
Pin Punch 1/8", 3/16", 1/4"
Nut Driver SAE: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Nut Driver Metric: 5, 6, 7, 8, 9, 10, 11 mm
Phillips® Screwdrivers: #0, 1, 2, 3
Phillips® Stubby Screwdrivers: #2
Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
Slotted Stubby Screwdrivers: 1/4"
Square Recess Screwdrivers: #0,1,2,3
Square Recess Stubby Screwdrivers: #1,2
Offset Phillips® Screwdrivers: #1,2
Offset Slotted Screwdrivers: 3/16", 1/4"
Offset Square Recess Screwdrivers: #1, 2
Circuit Tester 110V
Magnetic Bit Holder
Tamper Torx® Bits: T10, T15, T20, T25, T27, T30, T40
Hex Bits: 2, 2.5, 3, 4, 5, 6, 8
Phillips® Precision Screwdrivers: PH000, PH00, PH0
Slotted Precision Screwdrivers: 3/64", 5/64", 3/32", 1/8"
Adjustable Wrench: 8", 10"
Combination Wrenches SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
Combination Wrenches Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
Reversible Ratcheting Wrenches SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Reversible Ratcheting Wrenches Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

283 Piece Intermediate Master Set

D096002

1/4" Drive Extension 2"
1/4" Drive Extension 4"
1/4" Drive Extension 6"
1/4" Drive Spinner Handle
1/4" Drive 45 Tooth Ratchet- Chrome Handle
1/4" Drive Swivel Head Ratchet
1/4" Drive Stubby Ratchet - 48 Teeth
1/4" Drive Sliding T-Handle
1/4" Drive Universal Joint
1/4" Drive Flex Handle
1/4" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
1/4" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
3/8" Drive Extension 3"
3/8" Drive Extension 6"
3/8" Drive Extension 10"
3/8" Drive 45 Tooth Ratchet Chrome Handle
3/8" Drive Stubby Ratchet - 48 Teeth
3/8" Sliding T-Handle
3/8" Flex Handle
3/8" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
3/8" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
1/2" Drive Extension 5"
1/2" Drive Extension 10"
1/2" Drive T-Handle Head
1/2" Drive 45 Tooth Ratchet Chrome Handle
1/2" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
1/2" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 -1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
1.5 lb Rubber Mallet-Hickory Handle
16 oz Claw Hammer-Fiberglass Handle
16 oz Ball Pein Hammer-Fiberglass Handle
2 1/2 lb Club Hammer-Fiberglass Handle
14 oz Soft Face Hammer
Metric Hex-Keys-Regular Length: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
8" Linesman Pliers Comfort Grip
7" Diagonal Cutting Pliers Comfort Grip
8" Long Nose Pliers Comfort Grip
8" Bent Nose Pliers Comfort Grip
8" Slip Joint Pliers Comfort Grip
Aviation Snip-Right Hand
Aviation Snip-Straight
Aviation Snip-Left Hand
10" Locking Plier Straight Jaws
10" Locking Plier Curved Jaws
7" Locking Plier-Curved Jaws With Wire Cutter
6" Locking Pliers-Long Nose
5" Locking Plier-Curved Jaws With Wire Cutter
Cold Chisel 5/16", 1/2", 5/8", 3/4", 7/8"
Centre Punch 1/8", 5/32", 1/4"
Solid Punch 1/8", 3/16", 1/4"
Drift Punch 3/16", 1/4"
Pin Punch 1/8", 3/16", 1/4"
Nut Driver SAE:3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Nut Driver Metric: 5, 6, 7, 8, 9, 10, 11 mm
Phillips® Screwdrivers: #0, 1, 2, 3
Phillips® Stubby Screwdrivers: #2
Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
Slotted Stubby Screwdrivers: 1/4"
Square Recess Screwdrivers: #0,1,2,3
Square Recess Stubby Screwdrivers: #1,2
Offset Phillips® Screwdrivers: #1,2
Offset Slotted Screwdrivers: 3/16", 1/4"
Offset Square Recess Screwdrivers: #1, 2
Circuit Tester 110V
Magnetic Bit Holder
Tamper Torx® Bits: T10, T15, T20, T25, T27, T30, T40
Hex Bits: 2, 2.5, 3, 4, 5, 6, 8
Phillips® Precision Screwdrivers: PH000, PH00, PH0
Slotted Precision Screwdrivers: 3/64", 5/64", 3/32", 1/8"
Adjustable Wrench: 8", 10"
Combination Wrenches SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
Combination Wrenches Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
Reversible Ratcheting Wrenches SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Reversible Ratcheting Wrenches Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

198 Piece Starter Master Set

D096003

1/4" Drive Extension 2"
1/4" Drive Extension 4"
1/4" Drive Extension 6"
1/4" Drive Spinner Handle
1/4" Drive 45 Tooth Ratchet- Chrome Handle
1/4" Drive Swivel Head Ratchet
1/4" Drive Stubby Ratchet - 48 Teeth
1/4" Drive Sliding T-Handle
1/4" Drive Universal Joint
1/4" Drive Flex Handle
1/4" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
1/4" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
3/8" Drive Extension 3"
3/8" Drive Extension 6"
3/8" Drive Extension 10"
3/8" Drive 45 Tooth Ratchet Chrome Handle
3/8" Drive Stubby Ratchet - 48 Teeth
3/8" Sliding T-Handle
3/8" Flex Handle
3/8" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
3/8" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
1/2" Drive Extension 5"
1/2" Drive Extension 10"
1/2" Drive T-Handle Head
1/2" Drive 45 Tooth Ratchet Chrome Handle
1/2" Drive Chrome Sockets-Metric, 6 Point, Regular Length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
1/2" Drive Chrome Sockets-SAE, 6 Point, Regular Length: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 -1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
1.5 lb Rubber Mallet-Hickory Handle
16 oz Claw Hammer-Fiberglass Handle
16 oz Ball Pein Hammer-Fiberglass Handle
2 1/2 lb Club Hammer-Fiberglass Handle
14 oz Soft Face Hammer
Metric Hex-Keys-Regular Length: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
8" Linesman Pliers Comfort Grip
7" Diagonal Cutting Pliers Comfort Grip
8" Long Nose Pliers Comfort Grip
8" Bent Nose Pliers Comfort Grip
8" Slip Joint Pliers Comfort Grip
Cold Chisels: 1/2", 5/8", 3/4"
Centre Punch: 5/32"
Solid Punch: 3/16"
Pin Punch 1/8", 3/16", 1/4"
Phillips® Screwdrivers: #1, 2
Slotted Screwdrivers: 1/8", 5/32", 1/4", 5/16", 3/8"
Square Recess Screwdrivers: #1,2
8" Adjustable Wrench
Combination Wrenches SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
Combination Wrenches Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

Tool Storage



Smooth Operation
All toolboxes feature ball bearing slides for smooth drawer opening and closing.

Attractive Design
Bold colour scheme and easy to clean powder coat finish.

Professional Grade
Heavy duty steel construction.

Easy Maneuvering
Needle bearing casters with 360º breaks.

Superior Tool Protection
Tubular lock and key for maximum safety.



28" Roller Cabinet - 7 Drawers

Part No. D069201

2 Swivel/2 Fixed	5" x 2" casters
Capacity	8,881 cubic in.
Net Weight	129 lbs.
Shipping Weight	137 lbs.
D069570	Lock & key included
D069505	Drawer liner kit included
D069605	Top mat included
D069500	Ball bearing slides (pair) - small drawer
D069501	Ball bearing slides (pair) - big drawer

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	***28.00***	***18.00***	***40.00***
5 Drawers	***22.25***	***15.50***	***2.75***
2 Drawers	***22.25***	***15.50***	***6.00***

28" Roller Cabinet - 10 Drawers

Part No. D069206

2 Swivel/2 Fixed	5" x 2" casters
Capacity	10,845 cu in.
Net Weight	163 lbs.
Shipping Weight	171 lbs.
D069570	Lock & key included
D069580	Drawer liner kit included
D069605	Top mat included
D069500	Ball bearing slides (pair) - small drawer
D069501	Ball bearing slides (pair) - big drawer

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	***28.00***	***18.00***	***43.25***
4 Drawers	***10.75***	***15.50***	***2.75***
4 Drawers	***22.25***	***15.50***	***2.75***
2 Drawers	***22.25***	***15.50***	***6.00***





42" Roller Cabinet - 12 Drawers

Part No. D069203

2 Swivel/2 Fixed	5" x 2" casters
Capacity	13,378 cubic in.
Net Weight	220 lbs.
Shipping Weight	231 lbs.
D069572	Lock & key included
D069507	Drawer liner kit included
D069601	Top mat included
D069501	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	***42.00***	***18.00***	***41.00***
1 Drawer	***36.50***	***15.50***	***5.25***
5 Drawers	***22.25***	***15.50***	***2.75***
4 Drawers	***10.75***	***15.50***	***2.75***
1 Drawer	***22.25***	***15.50***	***6.00***
1 Drawer	***10.75***	***15.50***	***8.75***



Accessories not included

36" Roller Cabinet - 8 Drawers

Part No. D069207

2 Swivel/2 Fixed 5" x 2" casters	
Capacity	9,821 cu in.
Net Weight	195 lbs.
Shipping Weight	203 lbs.
D069570	Lock & key included
D069581	Drawer liner kit included
D069606	Top mat included
D069500	Ball bearing slides (pair) - small drawer
D069501	Ball bearing slides (pair) - big drawer

	Width (inches)	*Depth (inches)*	*Height (inches)*
Overall w/ Casters	***36.00***	***18.00***	***39.33***
2 Drawers	***10.72***	***15.92***	***3.00***
4 Drawers	***22.72***	***15.92***	***3.00***
2 Drawers	***22.72***	***15.92***	***6.16***





16" Side Rider - 6 Drawers

Part No. D069205

Capacity:	4,170 cubic in.
Net Weight:	77 lbs.
Shipping Weight:	84 lbs.
D069574	Lock & key included
D069509	Drawer liner kit included
D069602	Top mat included
D069500	Ball bearing slides (pair)

* Can be installed on the right or left.

	Width (inches)	*Depth (inches)*	*Height (inches)*
Overall	***18.00***	***18.00***	***33.75***
3 Drawers	***10.25***	***15.50***	***2.75***
3 Drawers	***10.25***	***15.50***	***6.00***



28" Top Chest - 8 Drawers

Part No. D069202

Capacity:	5,876 cubic in.
Net Weight:	99 lbs.
Shipping Weight:	105 lbs.
D069571	Lock & key included
D069506	Drawer liner kit included
D069500	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	***28.00***	***18.00***	***20.00***
3 Drawers	***6.50***	***15.50***	***2.00***
4 Drawers	***22.25***	***15.50***	***2.00***
1 Drawer	***22.25***	***15.50***	***4.00***

28" Top Chest - 9 Drawers

Part No. D069208

Capacity:	4,942 cu in.
Net Weight:	103 lbs.
Shipping Weight:	108 lbs.
D069571	Lock & key included
D069582	Drawer liner kit included
D069500	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	***28.00***	***18.00***	***20.00***
6 Drawers	***10.75***	***15.50***	***2.00***
2 Drawers	***22.25***	***15.50***	***2.00***
1 Drawer	***22.25***	***15.50***	***4.00***





42" Top Chest - 8 Drawers

Part No. D069204

Capacity:	7,831 cubic in.
Net Weight:	129 lbs.
Shipping Weight:	139 lbs.
D069573	Lock & key included
D069508	Drawer liner kit included
D069501	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	***42.00***	***18.00***	***18.00***
4 Drawers	***22.25***	***15.50***	***2.75***
4 Drawers	***10.75***	***15.50***	***2.75***



52" Industrial Cart -12 Drawers

Part No. D069209

4 Swivel/2 Fixed 5" x 2" casters
Capacity: 19,612 cu in.
Net Weight: 378 lbs.
Shipping Weight: 392 lbs.
D069572 Lock & key included
D069583 Drawer liner kit included
D069607 PVC top mat included
D069501 Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	***52.50***	***31.64***	***40.25***
7 Drawers	***30.12***	***15.67***	***2.95***
1 Drawer	***30.12***	***15.67***	***6.06***
3 Drawers	***24.76***	***15.67***	***2.95***
1 Drawer	***24.76***	***15.67***	***9.17***



Reverse side shown

2 Tray Utility Cart

Part No. D069101

2 Swivel/2 Fixed 4" x 1" casters
Net Weight 36 lbs.
Shipping Weight 37.5 lbs.

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	***30***	***16***	***36***

Middle Tray for D069101 (Optional)

Part No. D069103

Converts D069101 into a 3 tray utility cart

	Width (inches)	Depth (inches)	Height (inches)
Overall	***30***	***16***	***3***





3 Drawer Utility Cart

Part No. D069102

2 Swivel/2 Fixed 4" x 1" casters

Net Weight	50 lbs.
Shipping Weight	52 lbs.
D069575	Lock & key included
D069651	Drawer liner kit included
D069603	Work top included
D069498	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	***27***	***18.5***	***36***
3 Drawers	***22.5***	***16***	***3***

3 Drawer Hand Box with Ball Bearing Slides

Part No. D069001

Capacity:	1,473 cubic in.
Net Weight:	28 lbs.
Shipping Weight:	30 lbs.
D069650	Drawer liner kit
D069499	Ball bearing slides (pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	***20.00***	***10.00***	***12.00***
1 Drawer	***19.50***	***9.50***	***3.00***
3 Drawers	***17.00***	***9.00***	***2.00***





20" Hip Roof Tool Box

Part No. D069002

Capacity:	998 cubic in.
Net Weight:	9 lbs.
Shipping Weight:	10 lbs.
	Tote tray included

	Width (inches)	Depth (inches)	Height (inches)
Overall	***19***	***7***	***7.5***



Complete Assortment
Sockets are available in chrome, impact, hex, slotted, Phillips® and Torx®.

Large and Visible Markings
Laser etched markings improve size identification and provides SAE/Metric differentiation.

User-Friendly Design
Chrome sockets feature a knurl for improved grip (3/8" and ½" drive only).

Modern Finish
Electro-phosphate finish on impact sockets provides a cleaner and modern look.

Professional Grade
All sockets meet ANSI standards.

11 Piece 6 Point Standard SAE Socket Set

Part No. D004000



Set Content:
11 Standard SAE Sockets: 5/32",3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Includes Rail.

10 Piece 6 Point Deep SAE Socket Set

Part No. D004001



Set Content:
10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Includes Rail.

10 Piece 12 Point Standard SAE Socket Set

Part No. D004007



Set Content:
10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Includes Rail.

13 Piece 6 Point Standard Metric Socket Set

Part No. D004002



Set Content:
13 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
Includes Rail.

12 Piece 6 Point Deep Metric Socket Set

Part No. D004003



Set Content:
12 Deep Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
Includes Rail.

9 Piece 12 Point Standard Metric Socket Set

Part No. D004008



Set Content:
9 Standard Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
Includes Rail.

1/4" DRIVE

8 Piece Standard Length Torx® Socket Set

Part No. D004009



Set Content:
8 Torx® Sockets: T8, T9, T10, T15, T20, T25, T27, T30
Includes Rail.

28 Piece 6 Point Standard SAE/Metric Socket Set

Part No. D004004





Set Content:
10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
13 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet

Includes Metal Case.

Hand Socket Attachments

25 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D004005





Set Content:
10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet

Includes Metal Case.

47 Piece 6 Point Standard/Deep SAE/Metric Socket Set

Part No. D004006





Set Content:
10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
12 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
10 Deep Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12mm
2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet

Includes Blow Mold Case.

Hand Socket Attachments

1/4" DRIVE

Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001301	5.00	0.32	45



Quick Release Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001302	5.00	0.32	72



Swivel Head Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001306	6.00	0.30	72




Stubby Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001307	3.50	0.17	48



Dynamic Swivel Head Ratchets

Accessibility and Convenience that Make Your Job Easier



Hand Socket Attachments



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D001800	6.00	0.25



Chrome Extension

Part No.	Length (inches)	Weight (lbs)
D001002	2.00	0.05
D001004	4.00	0.10
D001006	6.00	0.15



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D001500	4.49	0.09



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D001601	1.46	0.05



Bit Holder

Part No.	Length (inches)	Hex (inches)	Male (inches)	Weight (lbs)
D001201	1.00	1/4	1/4	0.03



Hand Driver

Part No.	Length (inches)	Weight (lbs)
D001101	6.00	0.23


Hand Sockets

SAE Standard Chrome Sockets



Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/32"	D003303		0.98	0.46	0.27	0.45	0.02
3/16"	D003304	D003404	0.98	0.46	0.31	0.45	0.02
7/32"	D003306	D003406	0.98	0.46	0.33	0.45	0.02
1/4"	D003308	D003408	0.98	0.46	0.37	0.45	0.03
9/32"	D003309	D003409	0.98	0.46	0.42	0.45	0.03
5/16"	D003310	D003410	0.98	0.46	0.46	0.00	0.03
11/32"	D003311	D003411	0.98	0.50	0.50	0.00	0.03
3/8"	D003312	D003412	0.98	0.54	0.54	0.00	0.03
7/16"	D003314	D003414	0.98	0.62	0.62	0.00	0.05
1/2"	D003316	D003416	0.98	0.70	0.70	0.00	0.07
9/16"	D003318	D003418	0.98	0.78	0.78	0.00	0.08

** Meets A.N.S.I. standards*



SAE Deep Chrome Sockets



Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/16"	D003504	1.97	0.46	0.31	1.10	0.04
7/32"	D003506	1.97	0.46	0.33	1.10	0.04
1/4"	D003508	1.97	0.46	0.37	1.10	0.04
9/32"	D003509	1.97	0.46	0.42	1.10	0.05
5/16"	D003510	1.97	0.46	0.46	0.00	0.06
11/32"	D003511	1.97	0.51	0.51	0.00	0.06
3/8"	D003512	1.97	0.57	0.57	0.00	0.07
7/16"	D003514	1.97	0.62	0.62	0.00	0.09
1/2"	D003516	1.97	0.70	0.70	0.00	0.09
9/16"	D003518	1.97	0.78	0.78	0.00	0.11


** Meets A.N.S.I. standards*



Metric Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
4 mm	D003004	D003104	0.98	0.46	0.27	0.45	0.02
4.5 mm	D003045		0.98	0.46	0.29	0.45	0.02
5 mm	D003005	D003105	0.98	0.46	0.31	0.45	0.02
5.5 mm	D003055		0.98	0.46	0.34	0.45	0.02
6 mm	D003006	D003106	0.98	0.46	0.37	0.45	0.02
7 mm	D003007	D003107	0.98	0.46	0.43	0.45	0.03
8 mm	D003008	D003108	0.98	0.46	0.46	0.00	0.03
9 mm	D003009	D003109	0.98	0.50	0.50	0.00	0.03
10 mm	D003010	D003110	0.98	0.54	0.54	0.00	0.03
11 mm	D003011	D003111	0.98	0.62	0.62	0.00	0.04
12 mm	D003012	D003112	0.98	0.66	0.66	0.00	0.05
13 mm	D003013		0.98	0.70	0.70	0.00	0.05
14 mm	D003014		0.98	0.78	0.78	0.00	0.08
15 mm	D003015		0.98	0.82	0.82	0.00	0.10

** Meets A.N.S.I. standards*





Metric Deep Chrome Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
4 mm	D003204	1.97	0.46	0.27	1.10	0.03
5 mm	D003205	1.97	0.46	0.31	1.10	0.04
5.5 mm	D003255	1.97	0.46	0.34	1.10	0.04
6 mm	D003206	1.97	0.46	0.37	1.10	0.04
7 mm	D003207	1.97	0.46	0.43	1.10	0.05
8 mm	D003208	1.97	0.46	0.46	0.00	0.06
9 mm	D003209	1.97	0.51	0.51	0.00	0.06
10 mm	D003210	1.97	0.57	0.57	0.00	0.07
11 mm	D003211	1.97	0.62	0.62	0.00	0.09
12 mm	D003212	1.97	0.66	0.66	0.00	0.09
13 mm	D003213	1.97	0.70	0.70	0.00	0.11
14 mm	D003214	1.97	0.78	0.78	0.00	0.12


** Meets A.N.S.I. standards*



Torx® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T8	D002308	1.46	0.71	0.46	0.03
T9	D002309	1.46	0.71	0.46	0.03
T10	D002310	1.46	0.71	0.46	0.03
T15	D002315	1.46	0.71	0.46	0.03
T20	D002320	1.46	0.71	0.46	0.03
T25	D002325	1.46	0.71	0.46	0.03
T27	D002327	1.46	0.71	0.46	0.03
T30	D002330	1.46	0.71	0.46	0.03

** Meets A.N.S.I. standards*



13 Piece 6 Point Standard SAE Socket Set

Part No. D010000



Set Content:
13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

13 Piece 6 Point Deep SAE Socket Set

Part No. D010001



Set Content:
13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

13 Piece 12 Point Standard SAE Socket Set

Part No. D010002



Set Content:
13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

13 Piece 12 Point Deep SAE Socket Set

Part No. D010003



Set Content:
13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

14 Piece 6 Point Standard Metric Socket Set

Part No. D010004



Set Content:
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

14 Piece 6 Point Deep Metric Socket Set

Part No. D010005



Set Content:
14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

14 Piece 12 Point Standard Metric Socket Set

Part No. D010006



Set Content:
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

14 Piece 12 Point Deep Metric Socket Set

Part No. D010007



Set Content:
14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

7 Piece Standard Length SAE Hex Socket Set

Part No. D010014



Set Content:
7 SAE Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.

7 Piece Long SAE Hex Socket Set

Part No. D010015



Set Content:
7 Long SAE Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.

7 Piece Long SAE Ball Nose Hex Socket Set

Part No. D010024



Set Content:
7 SAE Long Ball Nose Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.

7 Piece Standard Length Metric Hex Socket Set

Part No. D010016



Set Content:
7 Metric Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm
Includes Rail.

7 Piece Long Metric Hex Socket Set

Part No. D010017



Set Content:
7 Long Metric Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm
Includes Rail.

7 Piece Long Metric Ball Nose Hex Socket Set

Part No. D010025



Set Content:
7 Metric Long Ball Nose Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm
Includes Rail.

9 Piece Standard Length Torx® Socket Set

Part No. D010018



Set Content:
9 Torx® Sockets: T15, T20, T25, T27, T30, T40, T45, T50, T55
Includes Rail.

9 Piece Long Torx® Socket Set

Part No. D010019



Set Content:
9 Long Torx® Sockets: T15, T20, T25, T27, T30, T40, T45, T50, T55
Includes Rail.

7 Piece SAE Flex Head Crow Foot Socket Set

Part No. D010029



Set Content:
7 SAE Flex Head Crow Foot Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

10 Piece Metric Flex Head Crow Foot Socket Set

Part No. D010028



Set Content:
10 Metric Flex Head Crow Foot Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Includes Rail.

7 Piece 6 Point SAE U-Joint Socket Set

Part No. D010026



Set Content:
7 U-Joint Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

10 Piece 6 Point Metric U-Joint Socket Set

Part No. D010027



Set Content:
10 Metric U-Joint Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Includes Rail.

16 Piece 6 Point Standard SAE Socket Set

Part No. D010008



Set Content:
11 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.

27 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D010009





Set Content:
11 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
11 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.

20 Piece 6 Point Standard Metric Socket Set

Part No. D010010





Set Content:
15 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.

35 Piece 6 Point Standard/Deep Metric Socket Set

Part No. D010011





Set Content:
15 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
15 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.

3/8" DRIVE

60 Piece 6 Point Standard/Deep SAE/Metric Socket Set

Part No. D010012





Set Content:
13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4', 13/16", 7/8", 15/16", 1"
13 Deep SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4', 13/16", 7/8", 15/16", 1"
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
15 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Blow Mold Case.

57 Piece 12 Point Standard/Deep SAE/Metric Socket Set

Part No. D010013





Set Content:
12 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4', 7/8", 15/16", 1"
12 Deep SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4', 7/8", 15/16", 1"
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Blow Mold Case.

Hand Socket Attachments

Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005301	7.60	1.46	45



Quick Release Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005302	7.60	0.55	72



Quick Release Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005306	9.00	0.85	72



Stubby Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005307	4.75	0.44	48




Flex Head Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005308	11.75	0.85	48



Dynamic Swivel Head Ratchets

Accessibility and Convenience that Make Your Job Easier



Dynamic

Hand Socket Attachments

3/8" DRIVE



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D005800	7.87	0.47



Chrome Extension

Part No.	Length (inches)	Weight (lbs)
D005003	3.00	0.17
D005006	6.00	0.30
D005010	10.00	0.54



Chrome Extension with Quick Release

Part No.	Length (inches)	Weight (lbs)
D005023	3.00	0.18
D005026	6.00	0.33
D005030	10.00	0.52



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D005500	6.46	0.09



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D005601	1.81	0.13



Adapter

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005701	1.38	3/8	1/4	0.07
D005702	1.81	3/8	1/2	0.10



Spark Plug Socket


Part No.	Size (inches)	Length (inches)	Weight (lbs)
D005401	5/8	2.48	0.21
D005402	13/16	2.48	0.28

SAE Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
1/4"	D008308	D009408	1.10	0.66	0.39	0.47	0.05
5/16"	D008310	D009410	1.10	0.66	0.47	0.47	0.05
3/8"	D008312	D009412	1.10	0.66	0.54	0.47	0.06
7/16"	D008314	D009414	1.10	0.66	0.63	0.47	0.06
1/2"	D008316	D009416	1.10	0.70	0.70	0.00	0.07
9/16"	D008318	D009418	1.10	0.78	0.78	0.00	0.08
5/8"	D008320	D009420	1.10	0.86	0.86	0.00	0.10
11/16"	D008322	D009422	1.18	0.94	0.94	0.00	0.10
3/4"	D008324	D009424	1.18	1.02	1.02	0.00	0.12
13/16"	D008326	D009426	1.18	1.09	1.09	0.00	0.16
7/8"	D008328	D009428	1.18	1.17	1.17	0.00	0.16
15/16"	D008330	D009430	1.18	1.25	1.25	0.00	0.19
1"	D008332	D009432	1.18	1.33	1.33	0.00	0.21

** Meets A.N.S.I. standards*





SAE Deep Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
1/4"	D008508	D009608	2.48	0.66	0.39	1.50	0.09
5/16"	D008510	D009610	2.48	0.66	0.47	1.50	0.10
3/8"	D008512	D009612	2.48	0.66	0.54	1.50	0.11
7/16"	D008514	D009614	2.48	0.66	0.63	1.50	0.11
1/2"	D008516	D009616	2.48	0.74	0.74	0.00	0.11
9/16"	D008518	D009618	2.48	0.78	0.78	0.00	0.16
5/8"	D008520	D009620	2.48	0.86	0.86	0.00	0.19
11/16"	D008522	D009622	2.48	0.94	0.94	0.00	0.23
3/4"	D008524	D009624	2.48	1.02	1.02	0.00	0.27
13/16"	D008526	D009626	2.48	1.09	1.09	0.00	0.43
7/8"	D008528	D009628	2.48	1.17	1.17	0.00	0.49
15/16"	D008530	D009630	2.48	1.25	1.25	0.00	0.54
1"	D008532	D009632	2.48	1.33	1.33	0.00	0.57

** Meets A.N.S.I. standards*




Hand Sockets



Metric Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
6 mm	D008006	D009106	1.10	0.66	0.39	0.47	0.05
7 mm	D008007	D009107	1.10	0.66	0.43	0.47	0.05
8 mm	D008008	D009108	1.10	0.66	0.47	0.47	0.05
9 mm	D008009	D009109	1.10	0.66	0.52	0.47	0.05
10 mm	D008010	D009110	1.10	0.66	0.58	0.47	0.05
11 mm	D008011	D009111	1.10	0.66	0.62	0.47	0.06
12 mm	D008012	D009112	1.10	0.66	0.66	0.00	0.06
13 mm	D008013	D009113	1.10	0.70	0.70	0.00	0.06
14 mm	D008014	D009114	1.10	0.78	0.78	0.00	0.08
15 mm	D008015	D009115	1.10	0.86	0.86	0.00	0.10
16 mm	D008016	D009116	1.10	0.86	0.86	0.00	0.10
17 mm	D008017	D009117	1.18	0.94	0.94	0.00	0.10
18 mm	D008018	D009118	1.18	1.02	1.02	0.00	0.10
19 mm	D008019	D009119	1.18	1.02	1.02	0.00	0.12
20 mm	D008020	D009120	1.18	1.09	1.09	0.00	0.15
21 mm	D008021	D009121	1.18	1.09	1.09	0.00	0.15
22 mm	D008022	D009122	1.18	1.17	1.17	0.00	0.16
23 mm	D008023	D009123	1.18	1.25	1.25	0.00	0.16
24 mm	D008024		1.18	1.25	1.25	0.00	0.17

** Meets A.N.S.I. standards*





Metric Deep Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
6 mm	D008206	D009706	2.48	0.66	0.39	1.50	0.09
7 mm	D008207	D009707	2.48	0.66	0.43	1.50	0.09
8 mm	D008208	D009708	2.48	0.66	0.47	1.50	0.09
9 mm	D008209	D009709	2.48	0.66	0.52	1.50	0.10
10 mm	D008210	D009710	2.48	0.66	0.58	1.50	0.10
11 mm	D008211	D009711	2.48	0.66	0.62	1.50	0.11
12 mm	D008212	D009712	2.48	0.70	0.70	0.00	0.11
13 mm	D008213	D009713	2.48	0.74	0.74	0.00	0.13
14 mm	D008214	D009714	2.48	0.78	0.78	0.00	0.16
15 mm	D008215	D009715	2.48	0.86	0.86	0.00	0.18
16 mm	D008216	D009716	2.48	0.86	0.86	0.00	0.20
17 mm	D008217	D009717	2.48	0.94	0.94	0.00	0.23
18 mm	D008218	D009718	2.48	1.02	1.02	0.00	0.25
19 mm	D008219	D009719	2.48	1.02	1.02	0.00	0.27
20 mm	D008220		2.48	1.09	1.09	0.00	0.33
21 mm	D008221		2.48	1.09	1.09	0.00	0.34
22 mm	D008222		2.48	1.17	1.17	0.00	0.37
23 mm	D008223		2.48	1.25	1.25	0.00	0.38


** Meets A.N.S.I. standards*

Hex Head Sockets SAE-Standard Length



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006052	1.89	0.87	0.70	0.09
5/32"	D006053	1.89	0.87	0.70	0.09
3/16"	D006054	1.89	0.87	0.70	0.09
7/32"	D006056	1.89	0.87	0.70	0.10
1/4"	D006058	1.89	0.87	0.70	0.10
5/16"	D006060	1.89	0.87	0.70	0.10
3/8"	D006062	1.89	0.87	0.70	0.13

** Meets A.N.S.I. standards*




Hex Head Sockets SAE-Long



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006452	3.62	2.60	0.70	0.17
5/32"	D006453	3.62	2.60	0.70	0.17
3/16"	D006454	3.62	2.60	0.70	0.17
7/32"	D006456	3.62	2.60	0.70	0.17
1/4"	D006458	3.62	2.60	0.70	0.17
5/16"	D006460	3.62	2.60	0.70	0.17
3/8"	D006462	3.62	2.60	0.70	0.26

** Meets A.N.S.I. standards*



Hex Head Ball Nose Sockets SAE-Long



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006952	3.62	2.60	0.70	0.17
5/32"	D006953	3.62	2.60	0.70	0.17
3/16"	D006954	3.62	2.60	0.70	0.17
7/32"	D006956	3.62	2.60	0.70	0.17
1/4"	D006958	3.62	2.60	0.70	0.17
5/16"	D006960	3.62	2.60	0.70	0.17
3/8"	D006962	3.62	2.60	0.70	0.26

** Meets A.N.S.I. standards*


Hand Sockets

Hex Head Sockets Metric-Standard Length



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006004	1.89	0.87	0.70	0.09
5 mm	D006005	1.89	0.87	0.70	0.09
6 mm	D006006	1.89	0.87	0.70	0.10
7 mm	D006007	1.89	0.87	0.70	0.10
8 mm	D006008	1.89	0.87	0.70	0.10
9 mm	D006009	1.89	0.87	0.70	0.11
10 mm	D006010	1.89	0.87	0.70	0.13

** Meets A.N.S.I. standards*




Hex Head Sockets Metric-Long



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006404	3.62	2.60	0.70	0.17
5 mm	D006405	3.62	2.60	0.70	0.17
6 mm	D006406	3.62	2.60	0.70	0.17
7 mm	D006407	3.62	2.60	0.70	0.17
8 mm	D006408	3.62	2.60	0.70	0.17
9 mm	D006409	3.62	2.60	0.70	0.17
10 mm	D006410	3.62	2.60	0.70	0.26

** Meets A.N.S.I. standards*



Hex Head Ball Nose Sockets Metric-Long



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006904	3.62	2.60	0.70	0.17
5 mm	D006905	3.62	2.60	0.70	0.17
6 mm	D006906	3.62	2.60	0.70	0.17
7 mm	D006907	3.62	2.60	0.70	0.17
8 mm	D006908	3.62	2.60	0.70	0.17
9 mm	D006909	3.62	2.60	0.70	0.17
10 mm	D006910	3.62	2.60	0.70	0.26

** Meets A.N.S.I. standards*

Slotted Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
SL5	D006105	1.89	0.87	0.70	0.11
SL6	D006106	1.89	0.87	0.70	0.11
SL7	D006107	1.89	0.87	0.70	0.11
SL8	D006108	1.89	0.87	0.70	0.11

* Meets A.N.S.I. standards




Phillips® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
PH1	D006201	1.89	0.87	0.70	0.09
PH2	D006202	1.89	0.87	0.70	0.09
PH3	D006203	1.89	0.87	0.70	0.09
PH4	D006204	1.89	0.87	0.70	0.09

* Meets A.N.S.I. standards





Torx® Head Sockets-Regular Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T15	D006315	1.89	0.87	0.70	0.11
T20	D006320	1.89	0.87	0.70	0.11
T25	D006325	1.89	0.87	0.70	0.11
T27	D006327	1.89	0.87	0.70	0.11
T30	D006330	1.89	0.87	0.70	0.11
T40	D006340	1.89	0.87	0.70	0.11
T45	D006345	1.89	0.87	0.70	0.11
T50	D006350	1.89	0.87	0.70	0.11
T55	D006355	1.89	0.87	0.70	0.11

* Meets A.N.S.I. standards



Torx® Head Sockets-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T15	D006715	3.62	2.60	0.70	0.17
T20	D006720	3.62	2.60	0.70	0.17
T25	D006725	3.62	2.60	0.70	0.17
T27	D006727	3.62	2.60	0.70	0.17
T30	D006730	3.62	2.60	0.70	0.17
T40	D006740	3.62	2.60	0.70	0.17
T45	D006745	3.62	2.60	0.70	0.20
T50	D006750	3.62	2.60	0.70	0.20
T55	D006755	3.62	2.60	0.70	0.20

* Meets A.N.S.I. standards





SAE Flex Head Crow Foot Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
3/8"	D008642	1.93	0.75	0.10
7/16"	D008644	2.09	0.75	0.12
1/2"	D008646	2.09	0.75	0.12
9/16"	D008648	2.36	0.75	0.17
5/8"	D008650	2.89	0.98	0.33
11/16"	D008652	2.89	0.98	0.32
3/4"	D008654	2.89	0.98	0.32

* Meets A.N.S.I. standards



Metric Flex Head Crow Foot Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
10 mm	D008760	1.93	0.75	0.10
11 mm	D008761	2.09	0.75	0.12
12 mm	D008762	2.09	0.75	0.12
13 mm	D008763	2.36	0.75	0.17
14 mm	D008764	2.36	0.75	0.17
15 mm	D008765	2.36	0.75	0.16
16 mm	D008766	2.89	0.98	0.33
17 mm	D008767	2.89	0.98	0.33
18 mm	D008768	2.89	0.98	0.32
19 mm	D008769	2.89	0.98	0.31

* Meets A.N.S.I. standards



SAE U-Joint Sockets

Size	6 POINT Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
3/8"	D008612	1.73	0.75	0.12
7/16"	D008614	1.81	0.75	0.12
1/2"	D008616	1.93	0.75	0.13
9/16"	D008618	1.93	0.75	0.13
5/8"	D008620	1.93	0.75	0.14
11/16"	D008622	1.93	0.75	0.16
3/4"	D008624	2.01	0.75	0.16

* Meets A.N.S.I. standards



Metric U-Joint Sockets

Size	6 POINT Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
10 mm	D008710	1.73	0.75	0.12
11 mm	D008711	1.81	0.75	0.12
12 mm	D008712	1.81	0.75	0.13
13 mm	D008713	1.93	0.75	0.13
14 mm	D008714	1.93	0.75	0.13
15 mm	D008715	1.93	0.75	0.14
16 mm	D008716	1.93	0.75	0.14
17 mm	D008717	1.93	0.75	0.16
18 mm	D008718	2.01	0.75	0.16
19 mm	D008719	2.01	0.75	0.16

* Meets A.N.S.I. standards

Impact Socket Attachments



Impact Universal Joint

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D008660	3/8	1.97	0.20
D016660	1/2	2.59	0.35
D022660	3/4	3.62	1.15



Impact Extension

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D005053	3/8	3	0.15
D005056	3/8	6	0.30
D012055	1/2	5	0.50
D012060	1/2	10	0.95
D019056	3/4	6	1.60
D019060	3/4	10	2.45



Impact Adapter

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005710	1.45	3/8	1/2	0.15
D012710	1.50	1/2	3/8	0.15
D012711	1.89	1/2	3/4	0.35
D019710	2.21	3/4	1/2	0.65

8 Piece 6 Point Standard SAE Impact Socket Set

Part No. D010020



Set Content:
8 Standard SAE Impact Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

8 Piece 6 Point Deep SAE Impact Socket Set

Part No. D010021



Set Content:
8 Deep SAE Impact Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

12 Piece 6 Point Standard Metric Impact Socket Set

Part No. D010022



Set Content:
12 Standard Metric Impact Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

12 Piece 6 Point Deep Metric Impact Socket Set

Part No. D010023



Set Content:
12 Deep Metric Impact Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.


Impact Sockets



SAE Standard Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/16"	D007310	1.12	0.74	0.49	0.47	0.08
3/8"	D007312	1.12	0.74	0.54	0.47	0.08
7/16"	D007314	1.18	0.74	0.58	0.47	0.09
1/2"	D007316	1.18	0.74	0.67	0.47	0.09
9/16"	D007318	1.18	0.78	0.78	0.00	0.09
5/8"	D007320	1.18	0.94	0.94	0.00	0.15
11/16"	D007322	1.24	0.94	0.94	0.00	0.15
3/4"	D007324	1.24	1.02	1.02	0.00	0.17

** Meets A.N.S.I. standards*





SAE Deep Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/16"	D007510	2.48	0.74	0.49	0.51	0.21
3/8"	D007512	2.48	0.74	0.54	0.51	0.21
7/16"	D007514	2.48	0.74	0.58	0.51	0.21
1/2"	D007516	2.48	0.74	0.67	0.51	0.21
9/16"	D007518	2.48	0.78	0.78	0.00	0.22
5/8"	D007520	2.48	0.94	0.94	0.00	0.29
11/16"	D007522	2.48	0.94	0.94	0.00	0.29
3/4"	D007524	2.48	1.02	1.02	0.00	0.32


** Meets A.N.S.I. standards*

Metric Standard Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D007008	1.12	0.74	0.49	0.47	0.08
9 mm	D007009	1.12	0.74	0.55	0.47	0.08
10 mm	D007010	1.12	0.74	0.59	0.47	0.08
11 mm	D007011	1.12	0.74	0.67	0.47	0.09
12 mm	D007012	1.12	0.74	0.74	0.00	0.09
13 mm	D007013	1.12	0.74	0.74	0.00	0.09
14 mm	D007014	1.12	0.78	0.78	0.00	0.09
15 mm	D007015	1.12	0.86	0.86	0.00	0.11
16 mm	D007016	1.12	0.94	0.94	0.00	0.15
17 mm	D007017	1.12	0.94	0.94	0.00	0.15
18 mm	D007018	1.12	1.00	1.00	0.00	0.15
19 mm	D007019	1.12	1.02	1.02	0.00	0.17

** Meets A.N.S.I. standards*





Metric Deep Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D007208	2.48	0.74	0.49	0.51	0.21
9 mm	D007209	2.48	0.74	0.55	0.51	0.21
10 mm	D007210	2.48	0.74	0.59	0.51	0.21
11 mm	D007211	2.48	0.74	0.67	0.51	0.21
12 mm	D007212	2.48	0.74	0.74	0.00	0.21
13 mm	D007213	2.48	0.74	0.74	0.00	0.21
14 mm	D007214	2.48	0.78	0.78	0.00	0.22
15 mm	D007215	2.48	0.86	0.86	0.00	0.24
16 mm	D007216	2.48	0.94	0.94	0.00	0.29
17 mm	D007217	2.48	0.94	0.94	0.00	0.29
18 mm	D007218	2.48	1.00	1.00	0.00	0.32
19 mm	D007219	2.48	1.02	1.02	0.00	0.32

** Meets A.N.S.I. standards*



16 Piece 6 Point Standard SAE Socket Set

Part No. D018000



Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
Includes Rail.

16 Piece 6 Point Deep SAE Socket Set

Part No. D018001



Set Content:
16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
Includes Rail.

16 Piece 12 Point Standard SAE Socket Set

Part No. D018002



Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
Includes Rail.

16 Piece 12 Point Deep SAE Socket Set

Part No. D018003



Set Content:
16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
Includes Rail.

19 Piece 6 Point Standard Metric Socket Set

Part No. D018004



Set Content:
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
Includes Rail.

19 Piece 6 Point Deep Metric Socket Set

Part No. D018005



Set Content:
19 Deep Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
Includes Rail.

19 Piece 12 Point Standard Metric Socket Set

Part No. D018006



Set Content:
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
Includes Rail.

18 Piece 12 Point Deep Metric Socket Set

Part No. D018007



Set Content:
18 Deep Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27mm
Includes Rail.

8 Piece Standard Length SAE Hex Socket Set

Part No. D018018



Set Content:
8 SAE Hex Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
Includes Rail.

8 Piece Long SAE Hex Socket Set

Part No. D018019



Set Content:
8 SAE Long Hex Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
Includes Rail.

7 Piece Standard Length Metric Hex Socket Set

Part No. D018014



Set Content:
7 Metric Hex Sockets: 6, 8, 10, 12, 14, 17, 19mm
Includes Rail.

7 Piece Long Metric Hex Socket Set

Part No. D018015



Set Content:
7 Long Metric Hex Sockets: 6, 8, 10, 12, 14, 17, 19mm
Includes Rail.

7 Piece Standard Length Torx® Socket Set

Part No. D018016



Set Content:
7 Torx® Sockets: T20, T25, T27, T30, T40, T45, T50
Includes Rail.

7 Piece Long Torx® Socket Set

Part No. D018017



Set Content:
7 Long Torx® Sockets: T20, T25, T27, T30, T40, T45, T50
Includes Rail.

22 Piece 6 Point Standard SAE Socket Set

Part No. D018008



Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle



Includes Metal Case.

25 Piece 6 Point Standard Metric Socket Set

Part No. D018009



Set Content:
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle



Includes Metal Case.

38 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D018012





Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.

43 Piece 6 Point Standard/Deep Metric Socket Set

Part No. D018013





Set Content:
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
18 Deep Metric Sockets: 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.

41 Piece 6 Point Standard SAE/Metric Socket Set

Part No. D018010





Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.

41 Piece 12 Point Standard SAE/Metric Socket Set

Part No. D018011





Set Content:
16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", c1-1/4", 1-5/16"
19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.

Hand Socket Attachments

1/2" DRIVE



Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012301	9.33	1.46	45



Quick Release Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012302	9.76	1.46	72



Flex Head Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012308	17.75	2.12	48

Flex Handle

Part No.	Length (inches)	Weight (lbs)
D012800	14.96	1.41
D012803	26.25	3.20



Chrome Extension

Part No.	Length (inches)	Weight (lbs)
D012005	5.00	0.50
D012010	10.00	0.97



Chrome Extension with Quick Release

Part No.	Length (inches)	Weight (lbs)
D012023	3.00	0.30
D012025	5.00	0.50
D012030	10.00	0.94



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D012500	9.75	0.15



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D012600	2.76	0.33

Adapter


Part No.	Length (inches)	Female	Male	Weight (lbs)
D012701	1.42	1/2"	3/8"	0.15

SAE Standard Chrome Sockets



Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D016312	D015412	1.50	0.86	0.57	0.67	0.12
7/16"	D016314	D015414	1.50	0.86	0.67	0.67	0.12
1/2"	D016316	D015416	1.50	0.86	0.73	0.67	0.12
9/16"	D016318	D015418	1.50	0.86	0.81	0.67	0.12
5/8"	D016320	D015420	1.50	0.86	0.86	0.00	0.13
11/16"	D016322	D015422	1.50	0.94	0.94	0.00	0.14
3/4"	D016324	D015424	1.50	1.02	1.02	0.00	0.15
13/16"	D016326	D015426	1.50	1.09	1.09	0.00	0.17
7/8"	D016328	D015428	1.50	1.17	1.17	0.00	0.21
15/16"	D016330	D015430	1.57	1.25	1.25	0.00	0.24
1"	D016332	D015432	1.65	1.33	1.33	0.00	0.31
1-1/16"	D016334	D015434	1.65	1.41	1.41	0.00	0.32
1-1/8"	D016336	D015436	1.69	1.49	1.49	0.00	0.32
1-3/16"	D016338	D015438	1.73	1.57	1.57	0.00	0.37
1-1/4"	D016340	D015440	1.73	1.65	1.65	0.00	0.41
1-5/16"	D016342	D015442	1.73	1.72	1.72	0.00	0.43

** Meets A.N.S.I. standards*



SAE Deep Chrome Sockets



Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D016512	D015612	3.03	0.86	0.52	1.81	0.17
7/16"	D016514	D015614	3.03	0.86	0.57	1.81	0.17
1/2"	D016516	D015616	3.03	0.86	0.67	1.81	0.18
9/16"	D016518	D015618	3.03	0.86	0.73	1.81	0.21
5/8"	D016520	D015620	3.03	0.86	0.81	1.81	0.23
11/16"	D016522	D015622	3.03	0.86	0.86	0.00	0.27
3/4"	D016524	D015624	3.03	0.94	0.94	0.00	0.29
13/16"	D016526	D015626	3.03	1.02	1.02	0.00	0.36
7/8"	D016528	D015628	3.03	1.09	1.09	0.00	0.46
15/16"	D016530	D015630	3.03	1.17	1.17	0.00	0.49
1"	D016532	D015632	3.03	1.25	1.25	0.00	0.54
1-1/16"	D016534	D015634	3.03	1.33	1.33	0.00	0.56
1-1/8"	D016536	D015636	3.03	1.41	1.41	0.00	0.65
1-3/16"	D016538	D015638	3.03	1.49	1.49	0.00	0.73
1-1/4"	D016540	D015640	3.03	1.65	1.65	0.00	0.93
1-5/16"	D016542	D015642	3.03	1.72	1.72	0.00	0.99

** Meets A.N.S.I. standards*


Hand Sockets



Metric Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
10 mm	D016010	D015110	1.50	0.86	0.59	0.67	0.11
11 mm	D016011	D015111	1.50	0.86	0.64	0.67	0.11
12 mm	D016012	D015112	1.50	0.86	0.69	0.67	0.12
13 mm	D016013	D015113	1.50	0.86	0.74	0.67	0.12
14 mm	D016014	D015114	1.50	0.86	0.80	0.67	0.12
15 mm	D016015	D015115	1.50	0.86	0.83	0.67	0.12
16 mm	D016016	D015116	1.50	0.86	0.86	0.00	0.13
17 mm	D016017	D015117	1.50	0.94	0.94	0.00	0.14
18 mm	D016018	D015118	1.50	1.02	1.02	0.00	0.17
19 mm	D016019	D015119	1.50	1.02	1.02	0.00	0.17
20 mm	D016020	D015120	1.50	1.09	1.09	0.00	0.18
21 mm	D016021	D015121	1.50	1.09	1.09	0.00	0.21
22 mm	D016022	D015122	1.50	1.17	1.17	0.00	0.21
23 mm	D016023	D015123	1.57	1.25	1.25	0.00	0.26
24 mm	D016024	D015124	1.57	1.25	1.25	0.00	0.26
25 mm	D016025	D015125	1.57	1.33	1.33	0.00	0.26
26 mm	D016026	D015126	1.65	1.33	1.33	0.00	0.30
27 mm	D016027	D015127	1.65	1.41	1.41	0.00	0.32
28 mm	D016028	D015128	1.69	1.49	1.49	0.00	0.36
29 mm	D016029		1.69	1.49	1.49	0.00	0.36
30 mm	D016030	D015130	1.73	1.57	1.57	0.00	0.38
31 mm	D016031		1.73	1.57	1.57	0.00	0.38
32 mm	D016032	D015132	1.73	1.65	1.65	0.00	0.39

** Meets A.N.S.I. standards*





Metric Deep Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
10 mm	D016210	D015710	3.03	0.86	0.59	1.81	0.17
11 mm	D016211	D015711	3.03	0.86	0.64	1.81	0.18
12 mm	D016212	D015712	3.03	0.86	0.69	1.81	0.19
13 mm	D016213	D015713	3.03	0.86	0.74	1.81	0.21
14 mm	D016214	D015714	3.03	0.86	0.80	1.81	0.23
15 mm	D016215	D015715	3.03	0.86	0.83	1.81	0.24
16 mm	D016216	D015716	3.03	0.86	0.86	0.00	0.27
17 mm	D016217	D015717	3.03	0.94	0.94	0.00	0.29
18 mm	D016218	D015718	3.03	1.02	1.02	0.00	0.35
19 mm	D016219	D015719	3.03	1.02	1.02	0.00	0.36
20 mm	D016220	D015720	3.03	1.09	1.09	0.00	0.38
21 mm	D016221	D015721	3.03	1.09	1.09	0.00	0.46
22 mm	D016222	D015722	3.03	1.17	1.17	0.00	0.49
23 mm	D016223	D015723	3.03	1.25	1.25	0.00	0.52
24 mm	D016224	D015724	3.03	1.25	1.25	0.00	0.54
25 mm	D016225	D015725	3.03	1.33	1.33	0.00	0.56
26 mm	D016226	D015726	3.03	1.33	1.33	0.00	0.64
27 mm	D016227	D015727	3.03	1.41	1.41	0.00	0.65
28 mm	D016228		3.03	1.49	1.49	0.00	0.70
29 mm	D016229		3.03	1.49	1.49	0.00	0.73
30 mm	D016230		3.03	1.57	1.57	0.00	0.78
31 mm	D016231		3.03	1.57	1.57	0.00	0.85
32 mm	D016232		3.03	1.65	1.65	0.00	0.93


** Meets A.N.S.I. standards*

Hex Head Sockets SAE-Standard Length



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/4"	D013058	2.44	0.94	0.86	0.14
5/16"	D013060	2.44	0.94	0.86	0.15
3/8"	D013062	2.44	0.94	0.86	0.18
7/16"	D013064	2.44	0.94	0.94	0.23
1/2"	D013066	2.44	0.94	0.94	0.33
9/16"	D013068	2.44	0.94	0.94	0.33
5/8"	D013070	2.44	0.94	1.02	0.40
3/4"	D013074	2.44	0.94	1.02	0.52

** Meets A.N.S.I. standards*




Hex Head Sockets SAE-Long



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/4"	D013458	3.94	2.44	0.86	0.17
5/16"	D013460	3.94	2.44	0.86	0.19
3/8"	D013462	3.94	2.44	0.86	0.24
7/16"	D013464	3.94	2.44	0.94	0.32
1/2"	D013466	3.94	2.44	0.94	0.43
9/16"	D013468	3.94	2.44	0.94	0.43
5/8"	D013470	3.94	2.44	1.02	0.60
3/4"	D013474	3.94	2.44	1.02	0.73

** Meets A.N.S.I. standards*



Hex Head Sockets Metric-Standard Length



Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
6 mm	D013006	2.44	0.94	0.86	0.14
8 mm	D013008	2.44	0.94	0.86	0.15
10 mm	D013010	2.44	0.94	0.86	0.18
12 mm	D013012	2.44	0.94	0.94	0.23
14 mm	D013014	2.44	0.94	0.94	0.33
17 mm	D013017	2.44	0.94	1.02	0.43
19 mm	D013019	2.44	0.94	1.02	0.52


** Meets A.N.S.I. standards*



Hex Head Sockets Metric-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
6 mm	D013406	3.94	2.44	0.86	0.17
8 mm	D013408	3.94	2.44	0.86	0.19
10 mm	D013410	3.94	2.44	0.86	0.24
12 mm	D013412	3.94	2.44	0.94	0.32
14 mm	D013414	3.94	2.44	0.94	0.43
17 mm	D013417	3.94	2.44	1.02	0.60
19 mm	D013419	3.94	2.44	1.02	0.73

** Meets A.N.S.I. standards*






Torx® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T20	D013320	2.44	0.94	0.86	0.14
T25	D013325	2.44	0.94	0.86	0.14
T27	D013327	2.44	0.94	0.86	0.14
T30	D013330	2.44	0.94	0.86	0.14
T40	D013340	2.44	0.94	0.86	0.14
T45	D013345	2.44	0.94	0.86	0.15
T50	D013350	2.44	0.94	0.86	0.15

** Meets A.N.S.I. standards*





Torx® Head Sockets-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T20	D013720	2.44	0.94	0.86	0.16
T25	D013725	2.44	0.94	0.86	0.16
T27	D013727	2.44	0.94	0.86	0.17
T30	D013730	2.44	0.94	0.86	0.17
T40	D013740	2.44	0.94	0.86	0.17
T45	D013745	2.44	0.94	0.86	0.19
T50	D013750	2.44	0.94	0.86	0.19

** Meets A.N.S.I. standards*

17 Piece 6 Point Standard Impact SAE Socket Set

Part No. D018020



Set Content:
17 Standard SAE Impact Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8"
Includes Rail.

13 Piece 6 Point Deep Impact SAE Socket Set

Part No. D018021



Set Content:
13 Deep SAE Impact Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"
Includes Rail.

14 Piece 6 Point Standard Impact Metric Socket Set

Part No. D018023



Set Content:
14 Standard Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23mm
Includes Rail.

14 Piece 6 Point Deep Impact Metric Socket Set

Part No. D018022




Set Content:
14 Deep Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23mm
Includes Rail.

SAE Standard Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D014312	1.50	0.86	0.67	0.35	0.15
7/16"	D014314	1.50	0.86	0.71	0.35	0.15
1/2"	D014316	1.50	0.86	0.79	0.35	0.15
9/16"	D014318	1.50	0.94	0.87	0.35	0.18
5/8"	D014320	1.50	0.94	0.94	0.00	0.18
11/16"	D014322	1.50	1.02	1.02	0.00	0.22
3/4"	D014324	1.57	1.09	1.09	0.00	0.23
13/16"	D014326	1.57	1.17	1.17	0.00	0.29
7/8"	D014328	1.65	1.25	1.25	0.00	0.33
15/16"	D014330	1.73	1.33	1.33	0.00	0.40
1"	D014332	1.73	1.41	1.41	0.00	0.44
1-1/16"	D014334	1.81	1.49	1.49	0.00	0.55
1-1/8"	D014336	1.81	1.50	1.57	0.55	0.60
1-3/16"	D014338	1.81	1.50	1.65	0.55	0.66
1-1/4"	D014340	1.81	1.50	1.72	0.55	0.68
1-5/16"	D014342	1.81	1.50	1.76	0.63	0.73
1-3/8"	D014344	1.97	1.50	1.88	0.63	0.82
1-7/16"	D014346	1.97	1.50	1.96	0.63	0.90
1-1/2"	D014348	1.97	1.50	2.04	0.63	0.97

** Meets A.N.S.I. standards*





SAE Deep Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D014512	3.07	0.86	0.67	0.63	0.35
7/16"	D014514	3.07	0.86	0.71	0.63	0.35
1/2"	D014516	3.07	0.94	0.79	0.63	0.42
9/16"	D014518	3.07	0.94	0.88	0.63	0.42
5/8"	D014520	3.07	0.94	0.94	0.00	0.42
11/16"	D014522	3.07	1.02	1.02	0.00	0.46
3/4"	D014524	3.07	1.09	1.09	0.00	0.53
13/16"	D014526	3.07	1.17	1.17	0.00	0.57
7/8"	D014528	3.07	1.25	1.25	0.00	0.66
15/16"	D014530	3.07	1.33	1.33	0.00	0.66
1"	D014532	3.07	1.41	1.41	0.00	0.77
1-1/16"	D014534	3.07	1.49	1.49	0.00	0.88
1-1/8"	D014536	3.07	1.50	1.57	0.55	0.88
1-3/16"	D014538	3.07	1.50	1.65	0.55	0.95
1-1/4"	D014540	3.07	1.50	1.72	0.55	0.99
1-5/16"	D014542	3.07	1.50	1.76	0.63	1.21
1-3/8"	D014544	3.07	1.50	1.88	0.63	1.28

** Meets A.N.S.I. standards*




Impact Sockets

Metric Standard Impact Sockets



Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D014008	1.50	0.86	0.55	0.35	0.15
9 mm	D014009	1.50	0.86	0.59	0.35	0.15
10 mm	D014010	1.50	0.86	0.67	0.35	0.15
11 mm	D014011	1.50	0.86	0.71	0.35	0.15
12 mm	D014012	1.50	0.86	0.75	0.35	0.15
13 mm	D014013	1.50	0.86	0.79	0.35	0.15
14 mm	D014014	1.50	0.94	0.87	0.35	0.18
15 mm	D014015	1.50	0.94	0.94	0.00	0.18
16 mm	D014016	1.50	0.94	0.94	0.00	0.18
17 mm	D014017	1.50	1.02	1.02	0.00	0.22
18 mm	D014018	1.50	1.02	1.02	0.00	0.22
19 mm	D014019	1.57	1.09	1.09	0.00	0.23
20 mm	D014020	1.57	1.17	1.17	0.00	0.29
21 mm	D014021	1.57	1.17	1.17	0.00	0.29
22 mm	D014022	1.65	1.25	1.25	0.00	0.33
23 mm	D014023	1.65	1.25	1.25	0.00	0.40
24 mm	D014024	1.73	1.33	1.33	0.00	0.40
25 mm	D014025	1.73	1.37	1.37	0.00	0.44
26 mm	D014026	1.73	1.41	1.41	0.00	0.44
27 mm	D014027	1.81	1.49	1.49	0.00	0.55
28 mm	D014028	1.81	1.50	1.57	0.55	0.60
29 mm	D014029	1.81	1.50	1.57	0.55	0.60
30 mm	D014030	1.81	1.50	1.65	0.55	0.66
31 mm	D014031	1.81	1.50	1.65	0.55	0.68
32 mm	D014032	1.81	1.50	1.72	0.55	0.68
36 mm	D014036	1.97	1.50	1.96	0.63	0.90

** Meets A.N.S.I. standards*



Metric Deep Impact Sockets



Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D014208	3.07	0.86	0.55	0.63	0.35
9 mm	D014209	3.07	0.86	0.59	0.63	0.35
10 mm	D014210	3.07	0.86	0.67	0.63	0.35
11 mm	D014211	3.07	0.86	0.71	0.63	0.35
12 mm	D014212	3.07	0.86	0.75	0.63	0.35
13 mm	D014213	3.07	0.94	0.79	0.63	0.42
14 mm	D014214	3.07	0.94	0.87	0.63	0.42
15 mm	D014215	3.07	0.94	0.94	0.00	0.42
16 mm	D014216	3.07	0.94	0.94	0.00	0.42
17 mm	D014217	3.07	1.02	1.02	0.00	0.46
18 mm	D014218	3.07	1.02	1.02	0.00	0.53
19 mm	D014219	3.07	1.09	1.09	0.00	0.53
20 mm	D014220	3.07	1.17	1.17	0.00	0.53
21 mm	D014221	3.07	1.17	1.17	0.00	0.57
22 mm	D014222	3.07	1.25	1.25	0.00	0.66
23 mm	D014223	3.07	1.25	1.25	0.00	0.66
24 mm	D014224	3.07	1.33	1.33	0.00	0.66
27 mm	D014227	3.07	1.49	1.49	0.00	0.88
30 mm	D014230	3.07	1.50	1.65	0.55	0.95
36 mm	D014236	3.07	1.50	1.96	0.63	1.28

** Meets A.N.S.I. standards*

21 Piece 12 Point Standard SAE Set

Part No. D023000





Set Content:
16 Regular SAE Sockets: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16",1-7/8", 2"
4" Extension, 8" Extension, 16" Extension, Flex Handle, 24 Tooth Ratchet

Includes Blow Mold Case.

20 Piece 12 Point Standard Metric Set

Part No. D023001






Set Content:
15 Regular Metric Sockets: 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36mm
4" Extension, 8" Extension, 16" Extension, Flex Handle, 24 Tooth Ratchet

Includes Blow Mold Case.

3/4" DRIVE

Hand Socket Attachments



Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D019301	19.69	4.34	24



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D019805	18.70	4.08



Chrome Extension

Part No.	Length (inches)	Weight (lbs)
D019004	4.00	0.92
D019008	8.00	1.63
D019016	16.00	3.06



Sliding T-Handle


Part No.	Length (inches)	Weight (lbs)
D019501	17.72	3.06

SAE Standard Chrome Sockets

Size	12 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
7/8"	D022428	1.97	1.42	1.30	0.79	0.49
15/16"	D022430	1.97	1.42	1.36	0.79	0.49
1"	D022432	1.97	1.42	1.44	0.79	0.49
1-1/16"	D022434	2.05	1.42	1.50	0.83	0.49
1-1/8"	D022436	2.05	1.50	1.57	0.83	0.57
1-3/16"	D022438	2.13	1.50	1.65	0.87	0.60
1-1/4"	D022440	2.20	1.50	1.73	0.87	0.66
1-5/16"	D022442	2.20	1.50	1.81	0.87	0.77
1-3/8"	D022444	2.28	1.65	1.89	0.91	0.82
1-7/16"	D022446	2.28	1.65	1.97	0.91	0.97
1-1/2"	D022448	2.36	1.77	2.05	0.91	1.04
1-9/16"	D022450	2.44	1.77	2.13	0.91	1.10
1-5/8"	D022452	2.52	1.77	2.20	1.02	1.15
1-11/16"	D022454	2.56	1.77	2.28	1.02	1.19
1-3/4"	D022456	2.60	1.89	2.36	1.02	1.32
1-13/16"	D022458	2.68	1.89	2.44	1.02	1.48
1-7/8"	D022460	2.76	1.89	2.52	1.10	1.57
2"	D022464	2.83	1.89	2.68	1.18	1.65

** Meets A.N.S.I. standards*





Metric Standard Chrome Sockets

Size	12 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D022119	1.95	1.42	1.14	0.79	0.49
20 mm	D022120	1.95	1.42	1.18	0.79	0.49
21 mm	D022121	1.97	1.42	1.26	0.79	0.49
22 mm	D022122	1.97	1.42	1.30	0.79	0.49
23 mm	D022123	1.97	1.42	1.34	0.79	0.49
24 mm	D022124	1.97	1.42	1.36	0.79	0.49
25 mm	D022125	1.97	1.42	1.44	0.79	0.49
26 mm	D022126	1.97	1.42	1.46	0.79	0.49
27 mm	D022127	2.05	1.42	1.50	0.83	0.49
28 mm	D022128	2.05	1.50	1.54	0.83	0.57
29 mm	D022129	2.05	1.50	1.57	0.83	0.57
30 mm	D022130	2.13	1.50	1.65	0.87	0.60
32 mm	D022132	2.20	1.50	1.73	0.87	0.66
35 mm	D022135	2.28	1.65	1.89	0.87	0.82
36 mm	D022136	2.28	1.65	1.97	0.91	0.97
38 mm	D022138	2.28	1.77	2.05	0.91	1.01
41 mm	D022141	2.52	1.77	2.20	1.02	1.15
46 mm	D022146	2.68	1.89	2.44	1.02	1.48
50 mm	D022150	2.83	1.89	2.68	1.18	1.72

** Meets A.N.S.I. standards*



10 Piece 6 Point Standard Impact SAE Set

Part No. D021000





Set Content:
10 Regular SAE Impact Sockets: 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8"

Includes Blow Mold Case.

10 Piece 6 Point Deep Impact SAE Set

Part No. D021001





Set Content:
10 Deep SAE Impact Sockets: 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8"


Includes Blow Mold Case.

SAE Standard Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/4"	D020324	2.05	1.49	1.19	0.94	0.51
13/16"	D020326	2.05	1.49	1.26	0.94	0.53
7/8"	D020328	2.05	1.49	1.34	0.94	0.55
15/16"	D020330	2.05	1.49	1.42	0.94	0.55
1"	D020332	2.05	1.49	1.49	0.00	0.57
1-1/16"	D020334	2.05	1.57	1.57	0.00	0.62
1-1/8"	D020336	2.05	1.65	1.65	0.00	0.73
1-3/16"	D020338	2.05	1.72	1.72	0.00	0.82
1-1/4"	D020340	2.05	1.73	1.80	0.00	0.82
1-5/16"	D020342	2.20	1.73	1.88	0.00	0.90
1-3/8"	D020344	2.20	1.73	1.96	0.00	0.97
1-7/16"	D020346	2.20	1.73	2.04	0.00	0.99
1-1/2"	D020348	2.20	1.73	2.08	0.00	1.01
1-9/16"	D020350	2.44	1.73	2.20	0.00	1.23
1-5/8"	D020352	2.44	1.73	2.28	0.00	1.30
1-11/16"	D020354	2.44	1.73	2.50	0.00	1.54
1-3/4"	D020356	2.44	1.73	2.55	0.00	1.65
1-13/16"	D020358	2.68	1.73	2.63	0.00	1.70
1-7/8"	D020360	2.68	1.73	2.67	0.00	1.74
1-15/16"	D020362	2.76	1.73	2.75	0.00	1.74
2"	D020364	2.83	2.13	2.79	0.00	1.94
2-1/16"	D020366	2.83	2.13	2.91	0.00	2.03
2-1/8"	D020368	2.83	2.13	3.02	0.00	2.76
2-3/16"	D020370	2.91	2.13	3.02	0.00	2.76
2-1/4"	D020372	2.91	2.13	3.14	0.00	3.20
2-5/16"	D020374	2.95	2.13	3.22	0.00	3.31
2-3/8"	D020376	2.95	2.13	3.30	0.00	3.31

** Meets A.N.S.I. standards*





SAE Deep Impact Sockets

Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/4"	D020524	3.54	1.49	1.18	1.97	0.86
13/16"	D020526	3.54	1.49	1.26	1.97	0.88
7/8"	D020528	3.54	1.49	1.34	1.97	0.97
15/16"	D020530	3.54	1.49	1.42	1.97	0.97
1"	D020532	3.54	1.49	1.49	0.00	0.99
1-1/16"	D020534	3.54	1.57	1.57	0.00	1.12
1-1/8"	D020536	3.54	1.65	1.65	0.00	1.26
1-3/16"	D020538	3.54	1.72	1.72	0.00	1.34
1-1/4"	D020540	3.54	1.73	1.80	0.00	1.39
1-5/16"	D020542	3.54	1.73	1.88	0.00	1.46
1-3/8"	D020544	3.54	1.73	1.96	0.00	1.70
1-7/16"	D020546	3.54	1.73	2.04	0.00	1.70
1-1/2"	D020548	3.62	1.73	2.08	0.00	1.83
1-9/16"	D020550	3.62	1.73	2.20	0.00	1.90
1-5/8"	D020552	3.62	1.73	2.28	0.00	1.92

** Meets A.N.S.I. standards*




Impact Sockets

Metric Impact Sockets



Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
24 mm	D020024	2.05	1.49	1.42	0.94	0.55
27 mm	D020027	2.05	1.57	1.57	0.00	0.62
28 mm	D020028	2.05	1.65	1.65	0.00	0.71
30 mm	D020030	2.05	1.72	1.72	0.00	0.82
32 mm	D020032	2.05	1.73	1.73	0.00	0.84
33 mm	D020033	2.20	1.73	1.88	0.00	0.90
34 mm	D020034	2.20	1.73	1.88	0.00	0.90
35 mm	D020035	2.20	1.73	1.96	0.00	1.04
36 mm	D020036	2.20	1.73	2.04	0.00	1.04
38 mm	D020038	2.20	1.73	2.08	0.00	1.04
40 mm	D020040	2.44	1.73	2.20	0.00	1.19
41 mm	D020041	2.44	1.73	2.28	0.00	1.30
42 mm	D020042	2.44	1.73	2.39	0.00	1.46
43 mm	D020043	2.48	1.73	2.47	0.00	1.54
46 mm	D020046	2.48	1.73	2.63	0.00	1.70
50 mm	D020050	2.83	2.13	2.79	0.00	2.14

** Meets A.N.S.I. standards*



Metric Deep Impact Sockets



Size	6 POINT Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D020219	3.54	1.49	1.18	1.97	0.86
27 mm	D020227	3.54	1.57	1.57	0.00	1.10
30 mm	D020230	3.54	1.72	1.72	0.00	1.37
32 mm	D020232	3.54	1.73	1.80	0.00	1.39
33 mm	D020233	3.54	1.73	1.88	0.00	1.48
35 mm	D020235	3.54	1.73	1.96	0.00	1.70
36 mm	D020236	3.54	1.73	2.04	0.00	1.65
38 mm	D020238	3.62	1.73	2.08	0.00	1.83
41 mm	D020241	3.62	1.73	2.28	0.00	1.94
43 mm	D020243	3.62	1.73	2.47	0.00	2.31

** Meets A.N.S.I. standards*

Wrenches



Complete Assortment
Wide selection of combination, ratcheting, adjustable and pipe wrenches.

Large and Visible Markings
Laser etched markings on combination wrenches improve size identification and provides SAE/metric differentiation.

User-Friendly Design
Offset box end on most styles provides extra knuckle clearance.

Professional Grade
All wrenches meet ANSI standards.

12 Piece SAE Combination Wrench Set

Part No. D074202

Set Content:
12 SAE Combination Wrenches: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"



Includes Canvas Roll.

14 Piece SAE Combination Wrench Set

Part No. D074201

Set Content:
14 SAE Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



Includes Canvas Roll.

12 Piece SAE Combination Wrench Set - Contractor Series

Part No. D074222

Set Content:
12 SAE Satin Finish Combination Wrenches:
1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"





Includes Canvas Roll.

Contractor Series - A superior alternative to raised panel wrenches.



16 Piece SAE Combination Wrench Set - Contractor Series

Part No. D074221

Set Content:
16 SAE Satin Finish Combination Wrenches:
1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"





Includes Canvas Roll.

11 Piece Metric Combination Wrench Set

Part No. D074204



Set Content:
11 Metric Combination Wrenches:
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Canvas Roll.

19 Piece Metric Combination Wrench Set

Part No. D074203



Set Content:
19 Metric Combination Wrenches:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 20, 21, 22, 23, 24mm



Includes Canvas Roll.

11 Piece Metric Combination Wrench Set - Contractor Series

Part No. D074224

Set Content:
11 Metric Satin Finish Combination Wrenches:
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm





Includes Canvas Roll.

19 Piece Metric Combination Wrench Set - Contractor Series

Part No. D074223

Set Content:
19 Metric Satin Finish Combination Wrenches:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18,19, 20, 21, 22, 23, 24mm






Includes Canvas Roll.



SAE Combination Wrenches - Mirror Chrome Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
1/4"	D074008	5.04	0.54	0.17	0.41	0.18	0.05
5/16"	D074010	5.83	0.74	0.19	0.50	0.22	0.07
3/8"	D074012	6.06	0.81	0.23	0.61	0.32	0.10
7/16"	D074014	6.57	0.91	0.27	0.70	0.33	0.14
1/2"	D074016	7.01	1.04	0.28	0.80	0.35	0.16
9/16"	D074018	7.48	1.14	0.30	0.87	0.38	0.21
5/8"	D074020	8.07	1.28	0.33	0.96	0.42	0.27
11/16"	D074022	8.86	1.43	0.35	1.05	0.43	0.34
3/4"	D074024	9.76	1.52	0.36	1.11	0.44	0.39
13/16"	D074026	10.63	1.67	0.39	1.20	0.49	0.51
7/8"	D074028	11.50	1.83	0.41	1.31	0.51	0.63
15/16"	D074030	12.36	1.91	0.43	1.39	0.55	0.73
1"	D074032	13.23	1.98	0.45	1.44	0.57	0.93
1 1/16"	D074034	14.13	2.11	0.48	1.51	0.61	1.13
1 1/8"	D074036	15.35	2.25	0.51	1.70	0.62	1.46
1 1/4"	D074040	16.73	2.44	0.51	1.78	0.65	1.87

** Meets A.N.S.I. standards*





Metric Combination Wrenches - Mirror Chrome Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
6 mm	D074106	5.04	0.54	0.17	0.41	0.18	0.05
7 mm	D074107	5.43	0.60	0.18	0.46	0.20	0.06
8 mm	D074108	5.83	0.74	0.19	0.50	0.22	0.07
9 mm	D074109	6.06	0.81	0.23	0.61	0.32	0.10
10 mm	D074110	6.38	0.85	0.24	0.57	0.33	0.11
11 mm	D074111	6.57	0.91	0.27	0.70	0.33	0.14
12 mm	D074112	6.85	1.01	0.27	0.72	0.31	0.15
13 mm	D074113	7.01	1.04	0.28	0.80	0.35	0.16
14 mm	D074114	7.48	1.14	0.30	0.87	0.38	0.21
15 mm	D074115	8.07	1.28	0.33	0.96	0.42	0.27
16 mm	D074116	8.07	1.28	0.33	0.96	0.42	0.27
17 mm	D074117	8.86	1.43	0.35	1.05	0.43	0.34
18 mm	D074118	9.76	1.52	0.36	1.11	0.44	0.39
19 mm	D074119	9.76	1.52	0.36	1.11	0.44	0.39
20 mm	D074120	10.63	1.67	0.39	1.20	0.49	0.51
21 mm	D074121	10.63	1.67	0.39	1.20	0.49	0.51
22 mm	D074122	11.50	1.83	0.41	1.31	0.51	0.63
23 mm	D074123	12.36	1.91	0.43	1.39	0.55	0.73
24 mm	D074124	12.36	1.91	0.43	1.39	0.55	0.73
25 mm	D074125	13.23	1.98	0.45	1.44	0.57	0.93
26 mm	D074126	13.23	1.98	0.45	1.44	0.57	0.93
27 mm	D074127	14.13	2.11	0.48	1.51	0.61	1.13
28 mm	D074128	15.35	2.25	0.51	1.70	0.62	1.46
29 mm	D074129	15.35	2.25	0.51	1.70	0.62	1.46
30 mm	D074130	15.35	2.25	0.51	1.70	0.62	1.46
32 mm	D074132	16.73	2.44	0.51	1.78	0.65	1.87

** Meets A.N.S.I. standards*

SAE Contractor Series Combination Wrenches - Satin Finish



Contractor Series - A superior alternative to raised panel wrenches.



Size	12 POINT Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
1/4"	D074308	5.08	0.60	0.17	0.42	0.23	0.05
5/16"	D074310	5.59	0.73	0.19	0.51	0.26	0.07
3/8"	D074312	6.34	0.82	0.20	0.61	0.29	0.13
7/16"	D074314	6.61	0.91	0.23	0.68	0.31	0.14
1/2"	D074316	7.09	1.04	0.25	0.76	0.34	0.17
9/16"	D074318	7.60	1.06	0.25	0.79	0.34	0.24
5/8"	D074320	8.15	1.29	0.31	0.91	0.36	0.33
11/16"	D074322	8.94	1.35	0.31	0.96	0.41	0.40
3/4"	D074324	9.84	1.54	0.37	1.09	0.45	0.44
13/16"	D074326	10.67	1.71	0.39	1.21	0.50	0.62
7/8"	D074328	11.61	1.80	0.40	1.29	0.53	0.66
15/16"	D074330	12.48	1.95	0.41	1.36	0.56	0.84
1"	D074332	13.35	2.03	0.45	1.44	0.59	1.06
1 1/16"	D074334	14.25	2.18	0.48	1.52	0.62	1.28
1 1/8"	D074336	15.51	2.30	0.50	1.67	0.65	1.50
1 1/4"	D074340	16.89	2.56	0.53	1.80	0.71	1.94
1 5/16"	D074342	18.54	2.80	0.61	1.95	0.75	2.43
1 3/8"	D074344	18.54	2.80	0.61	1.95	0.75	2.43
1 7/16"	D074346	20.08	2.99	0.65	2.17	0.83	2.87
1 1/2"	D074348	20.08	2.99	0.65	2.17	0.83	2.87
1 5/8"	D074350	21.65	3.27	0.69	2.36	0.75	2.67
1 11/16"	D074352	21.65	3.27	0.69	2.36	0.75	2.67
1 3/4"	D074354	24.13	3.39	0.81	2.40	0.75	4.85
1 13/16"	D074356	24.13	3.39	0.81	2.40	0.75	4.85
1 7/8"	D074358	25.63	3.78	0.94	2.87	0.75	6.39
2"	D074360	25.63	3.78	0.94	2.87	0.75	6.39
2 1/8"	D074362	28.50	4.45	1.22	3.23	0.92	8.60
2 1/4"	D074364	28.50	4.45	1.22	3.23	0.92	8.60
2 3/8"	D074366	29.25	4.69	1.28	3.68	1.00	10.36
2 1/2"	D074368	29.25	4.69	1.28	3.68	1.00	10.36

** Meets A.N.S.I. standards*

Metric Contractor Series Combination Wrenches - Satin Finish



Size	12 POINT Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
6 mm	D074406	5.08	0.60	0.17	0.42	0.23	0.05
7 mm	D074407	5.31	0.64	0.18	0.46	0.24	0.06
8 mm	D074408	5.59	0.73	0.19	0.51	0.26	0.07
9 mm	D074409	6.10	0.76	0.19	0.54	0.26	0.11
10 mm	D074410	6.34	0.82	0.20	0.61	0.29	0.13
11 mm	D074411	6.61	0.91	0.23	0.68	0.31	0.14
12 mm	D074412	6.85	0.94	0.23	0.70	0.32	0.15
13 mm	D074413	7.09	1.04	0.25	0.76	0.34	0.17
14 mm	D074414	7.60	1.06	0.25	0.79	0.34	0.24
15 mm	D074415	7.87	1.21	0.28	0.89	0.35	0.29
16 mm	D074416	8.15	1.29	0.31	0.91	0.36	0.33
17 mm	D074417	8.94	1.35	0.31	0.96	0.41	0.40
18 mm	D074418	9.41	1.48	0.34	1.05	0.44	0.42
19 mm	D074419	9.84	1.54	0.37	1.09	0.45	0.44
20 mm	D074420	10.20	1.60	0.37	1.13	0.47	0.51
21 mm	D074421	10.67	1.71	0.39	1.21	0.50	0.62
22 mm	D074422	11.61	1.80	0.40	1.29	0.53	0.66
23 mm	D074423	12.48	1.95	0.41	1.36	0.56	0.84
24 mm	D074424	12.48	1.95	0.41	1.36	0.56	0.84
25 mm	D074425	13.35	2.03	0.45	1.44	0.59	1.06
26 mm	D074426	13.35	2.03	0.45	1.44	0.59	1.06
27 mm	D074427	14.25	2.18	0.48	1.52	0.62	1.28
28 mm	D074428	15.51	2.30	0.50	1.67	0.65	1.63
29 mm	D074429	15.51	2.30	0.50	1.67	0.65	1.63
30 mm	D074430	15.51	2.30	0.50	1.67	0.65	1.63
32 mm	D074432	16.89	2.56	0.53	1.80	0.71	1.94

** Meets A.N.S.I. standards*

8 Piece SAE Reversible Combination Ratcheting Wrench Set (15° Offset)

Part No. D076601

Set Content:
8 Ratcheting Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



Includes Canvas Roll.

12 Piece Metric Reversible Combination Ratcheting Wrench Set (15° Offset)

Part No. D076603

Set Content:
12 Ratcheting Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Canvas Roll.

8 Piece SAE Stubby Flex Head Combination Ratcheting Wrench Set

Part No. D076607

Set Content:
8 Stubby Ratcheting Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



Includes Zipper Case.

12 Piece Metric Stubby Flex Head Combination Ratcheting Wrench Set

Part No. D076608

Set Content:
12 Stubby Ratcheting Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Zipper Case.

SAE Reversible Combination Ratcheting Wrenches (15° Offset)



Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
5/16"	D076010	5.31	0.73	0.20	0.70	0.30	0.07
3/8"	D076012	6.22	0.85	0.23	0.83	0.32	0.12
7/16"	D076014	6.57	0.95	0.23	0.89	0.32	0.15
1/2"	D076016	7.05	1.06	0.26	1.02	0.35	0.21
9/16"	D076018	7.44	1.23	0.30	1.09	0.37	0.26
5/8"	D076020	8.46	1.37	0.31	1.26	0.39	0.35
11/16"	D076022	9.13	1.50	0.31	1.34	0.42	0.40
3/4"	D076024	9.72	1.62	0.35	1.38	0.44	0.55

* Meets A.N.S.I. standards

Metric Reversible Combination Ratcheting Wrenches (15° Offset)



Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
8 mm	D076108	5.31	0.73	0.20	0.70	0.30	0.07
9 mm	D076109	5.59	0.76	0.21	0.75	0.30	0.09
10 mm	D076110	6.22	0.85	0.23	0.83	0.32	0.12
11 mm	D076111	6.57	0.95	0.23	0.89	0.32	0.15
12 mm	D076112	6.81	1.04	0.24	0.94	0.35	0.17
13 mm	D076113	7.05	1.06	0.26	1.02	0.35	0.21
14 mm	D076114	7.44	1.23	0.30	1.09	0.37	0.26
15 mm	D076115	7.83	1.32	0.31	1.15	0.37	0.30
16 mm	D076116	8.46	1.35	0.31	1.25	0.39	0.35
17 mm	D076117	9.13	1.50	0.31	1.34	0.42	0.40
18 mm	D076118	9.37	1.56	0.33	1.34	0.43	0.44
19 mm	D076119	9.72	1.62	0.35	1.38	0.44	0.55

* Meets A.N.S.I. standards

SAE Stubby Flex Head Ratcheting Wrenches



Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
5/16"	D076210	3.66	0.66	0.19	0.67	0.29	0.05
3/8"	D076212	3.76	0.83	0.22	0.82	0.29	0.08
7/16"	D076214	4.13	0.98	0.24	0.93	0.34	0.12
1/2"	D076216	4.19	1.08	0.24	0.97	0.34	0.13
9/16"	D076218	4.53	1.14	0.28	1.05	0.34	0.16
5/8"	D076220	4.80	1.30	0.30	1.17	0.41	0.21
11/16"	D076222	4.94	1.37	0.32	1.24	0.41	0.25
3/4"	D076224	5.43	1.53	0.35	1.34	0.42	0.33

* Meets A.N.S.I. standards

Metric Stubby Flex Head Ratcheting Wrenches



Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
8 mm	D076308	3.66	0.66	0.19	0.67	0.29	0.05
9 mm	D076309	3.76	0.83	0.22	0.82	0.29	0.08
10 mm	D076310	3.76	0.83	0.22	0.82	0.29	0.08
11 mm	D076311	4.13	0.98	0.24	0.93	0.34	0.12
12 mm	D076312	4.13	0.98	0.24	0.93	0.34	0.12
13 mm	D076313	4.19	1.08	0.24	0.97	0.34	0.13
14 mm	D076314	4.53	1.14	0.28	1.05	0.34	0.16
15 mm	D076315	4.80	1.30	0.30	1.17	0.41	0.22
16 mm	D076316	4.80	1.30	0.30	1.17	0.41	0.22
17 mm	D076317	4.94	1.37	0.32	1.24	0.41	0.25
18 mm	D076318	5.43	1.53	0.35	1.34	0.42	0.33
19 mm	D076319	5.43	1.53	0.35	1.34	0.42	0.35

* Meets A.N.S.I. standards

5 Piece SAE Double Box End Reversible Ratcheting Wrench Set (Straight)

Pieza N° D081203

Set Content:
5 Ratcheting Wrenches (straight): 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



Includes Canvas Roll.

5 Piece SAE Double Box End Reversible Ratcheting Wrench Set (15º Offset)

Pieza N° D081201

Set Content:
5 Ratcheting Wrenches (15º offset): 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



Includes Canvas Roll.

5 Piece Metric Double Box End Reversible Ratcheting Wrench Set (Straight)

Pieza N° D081204

Set Content:
5 Ratcheting Wrenches: 7mm x 8mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 17mm



Includes Canvas Roll.

5 Piece Metric Double Box End Reversible Ratcheting Wrench Set (15° Offset)

Pieza N° D081202

Set Content:
5 Ratcheting Wrenches: 7mm x 8mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 17mm



Includes Canvas Roll.

SAE Double Box End Ratcheting Wrenches (Straight)



Size	Part No.	Overall Length (inches)	Net Weight (lbs)
1/4" x 5/16"	D081010	4.52	0.14
3/8" x 7/16"	D081011	5.60	0.18
1/2" x 9/16"	D081012	6.86	0.34
5/8" x 11/16"	D081013	8.11	0.54
3/4" x 7/8"	D081014	9.26	0.63

SAE Double Box End Ratcheting Wrenches (15° Offset)



Size	Part No.	Overall Length (inches)	Net Weight (lbs)
1/4" x 5/16"	D081000	4.33	0.14
3/8" x 7/16"	D081001	5.34	0.18
1/2" x 9/16"	D081002	6.71	0.34
5/8" x 11/16"	D081003	7.92	0.54
3/4" x 7/8"	D081004	9.05	0.63

Metric Double Box End Ratcheting Wrenches (Straight)



Size	Part No.	Overall Length (inches)	Net Weight (lbs)
7 x 8	D081110	5.30	0.16
9 x 10	D081111	5.60	0.18
11 x 12	D081112	6.65	0.30
13 x 14	D081113	6.86	0.34
15 x 17	D081114	8.11	0.54

Metric Double Box End Ratcheting Wrenches (15° Offset)



Size	Part No.	Overall Length (inches)	Net Weight (lbs)
7 x 8	D081100	5.03	0.16
9 x 10	D081101	5.34	0.18
11 x 12	D081102	6.36	0.30
13 x 14	D081103	6.71	0.34
15 x 17	D081104	7.92	0.54



Adjustable Wrenches

Size	Part No.	Max. Jaw Opening (inches)	Net Weight (lbs)
4"	D072004	0.6	0.12
6"	D072006	0.8	0.30
8"	D072008	1.0	0.52
10"	D072010	1.2	0.96
12"	D072012	1.4	1.43
15"	D072015	1.7	2.80
18"	D072018	2.1	4.11

** Meets A.N.S.I. standards*



Aluminum Pipe Wrenches

Size	Part No.	Max. Jaw Opening (inches)	Net Weight (lbs)
14"	D080014	2	2.02
18"	D080018	2.5	3.35
24"	D080024	3	5.42
36"	D080036	5	10.40
48"	D080048	6	18.07

** Meets A.N.S.I. standards*



Torque Wrenches

Part No.	Square Drive	Capacity ft. lb.	Capacity Nm	Increments lb.	Increments Nm	Head Style	No. of Teeth	Length
D086001	3/8"	20-100	33.9-128.8	1	1.4	Fixed	32	17"
D086002	1/2"	30-250	48-332	1	1.4	Fixed	32	24"

- Each torque wrench is factory calibrated within tolerance limits of +-4% clockwise
- Factory certificate of calibration included
- Quick release mechanism makes socket removal easy
- Lock ring prevents accidental change of torque setting
- Durable aluminum handle features an easy to grip diamond knurl surface
- Dual scale SAE/Metric
- Blow molded plastic case for convenient storage





Includes blow mold case.

Torque Multiplier (1/2"F-3/4"M)

Part No.	Input Drive	Output Drive	Maximum Input Torque ft. lb.	Maximum Input Torque (Nm)	Maximum Output Torque ft. lb.	Maximum Output Torque (Nm)	Torque Ratio	Length in.	Weight with case lbs.	Accuracy	Overload Protection	Anti Backlash
D086101	1/2" F	3/4" M	220	300	1100	1500	5:1	6.37	16.10	+/-5%	No	No





Includes blow mold case.

Torque Multiplier (1/2"F-1"M)

Part No.	Input Drive	Output Drive	Maximum Input Torque ft. lb.	Maximum Input Torque (Nm)	Maximum Output Torque ft. lb.	Maximum Output Torque (Nm)	Torque Ratio	Length in.	Weight with case lbs.	Accuracy	Overload Protection	Anti Backlash
D086102	1/2" F	1" M	126	173	3300	4500	26:1	9.25	34.66	+/-5%	No	Yes



13 Piece SAE Ball End Long Hex Key Set

Part No. D043201

Set Content:
3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



9 Piece Metric Ball End Long Hex Key Set

Part No. D043202

Set Content:
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



13 Piece SAE Hex Key Set

Part No. D043203

Set Content:
3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



9 Piece Metric Hex Key Set

Part No. D043204

Set Content:
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



9 Piece Torx® Hex Key Set

Part No. D043205

Set Content:
T10, T15, T20, T25, T27, T30, T40, T45, T50

30 Piece SAE & Metric Hex Hey Set

Part No. D043206

Set Content:
Regular Metric: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm
Long SAE: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



9 Piece SAE Folding Hex Key Set

Part No. D043207

Set Content:
5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"



7 Piece Metric Folding Hex Key Set

Part No. D043208

Set Content:
1.5, 2, 2.5, 3, 4, 5, 6 mm



8 Piece Torx® Folding Hex Key Set

Part No. D043209

Set Content:
T8, T10, T15, T20, T25, T27, T30, T40





8 Piece SAE Loop Handle Hex Key Set

Part No. D043420

Set Content:
5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



8 Piece Metric Loop Handle Hex Key Set

Part No. D043320

Set Content:
2, 2.5, 3, 4, 5, 6, 8, 10mm



SAE Individual Loop Handle Hex Keys

Part No.	Size	Blade Length (inches)	Overall Length (inches)	Handle Width (inches)	Weight (lbs)
D043401	5/64"	9	9.75	3.15	0.02
D043402	3/32"	9	9.75	3.15	0.04
D043404	1/8"	9	9.75	3.15	0.08
D043406	5/32"	9	9.75	3.15	0.13
D043407	3/16"	9	10.00	3.74	0.17
D043409	1/4"	9	10.00	3.74	0.23
D043410	5/16"	9	10.50	4.13	0.35
D043411	3/8"	9	10.50	4.13	0.55



Metric Individual Loop Handle Hex Keys

Part No.	Size	Blade Length (inches)	Overall Length (inches)	Handle Width (inches)	Weight (lbs)
D043301	2mm	9	9.75	3.15	0.02
D043302	2.5mm	9	9.75	3.15	0.04
D043303	3mm	9	9.75	3.15	0.08
D043305	4mm	9	9.75	3.15	0.13
D043307	5mm	9	10.00	3.74	0.17
D043309	6mm	9	10.00	3.74	0.23
D043310	8mm	9	10.50	4.13	0.35
D043311	10mm	9	10.50	4.13	0.55

Screwdrivers



User-Friendly Design
Screwdrivers are offered in a choice of acetate and comfort grip handles.

Improved Visibility
Bright orange handle colour allows for easy tool retrieval.

Professional Grade
All screwdrivers meet ANSI standards.

36 Piece Screwdriver & Bit Set

Part No. D062505





Set Content:
4 Phillips®: #0, #1, #2, #3
1 Phillips® Stubby: #2
5 Slotted: 5/32", 3/16", 1/4", 5/16", 3/8"
1 Slotted Stubby: 1/4"
4 Square Recess: #0, #1, #2, #3
2 Square Recess Stubby: #1, #2
1 Offset Phillips®: #1, #2
1 Offset Slotted: 3/16", 1/4"
1 Offset Square Recess: #1, #2
Circuit Tester (110V only)
Magnetic Bit Holder
Torx® Bits: T10, T15, T20, T25, T27, T30, T40
Hex Bits: 2, 2.5, 3, 4, 5, 6, 8 mm

Includes Blow Mold Case.

9 Piece Screwdriver Set-Comfort Handle

Part No. D062500



Set Content:
5 Slotted: 1/8", 5/32", 1/4", 5/16", 3/8"
2 Phillips®: #1, #2
2 Square Recess: #1, #2
Includes Plastic Tray.

7 Piece Torx® Screwdriver Set-Acetate Handle

Part No. D062501



Set Content:
7 Torx®: T8, T10, T15, T20, T25, T27, T30
Includes Plastic Tray.

20 Piece Screwdriver Set-Acetate Handle

Part No. D062502



Set Content:
5 Slotted: 1/8", 3/16", 1/4", 5/16", 3/8"
1 Slotted Stubby: 1/4"
3 Phillips®: #1, #2, #3
1 Phillips® Stubby: #2
3 Square Recess: #1, #2, #3
1 Square Recess Stubby: #2
6 Torx®: T10, T15, T20, T25, T27, T30
Includes Plastic Tray.

13 Piece Ratcheting Screwdriver Set

Part No. D062508



Bit compartment conveniently stores in the handle.



Set Content:
Ratcheting screwdriver handle
Phillips® bits: 0, 1, 2, 3
Square bits: 0, 1, 2, 3
Slotted bits: 3.5, 4.5, 5.5, 6.5

21 Piece Screwdriver Set - with Removable Bits

Part No. D062506





Includes Canvas Pouch.

Set Content:
Comfort Grip Handle (1/4" Hex)

Screwdriver Bits (3" Length):
Torx®: T10,T15,T20,T25,T30
Square Recess: #0, #1, #2, #3
Slotted: 1/8", 5/32", 3/16"
Phillips®: #0, #1, #2, #3

Screwdriver Bits (2" Length):
Phillips® (2" length): #1, #2 (2), #3

Phillips® Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062101	#1	2.95	6.89	0.20	0.13
D062102	#2	3.94	8.39	0.24	0.21
D062103	#3	5.91	10.67	0.31	0.35

** Meets A.N.S.I. standards*



Phillips® Stubby Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062104	#1	1.50	3.80	0.20	0.09
D062105	#2	1.50	3.80	0.24	0.10

** Meets A.N.S.I. standards*



Phillips® Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062106	#1	3.00	6.50	0.20	0.12
D062107	#2	4.00	7.75	0.24	0.17
D062108	#3	6.00	10.00	0.31	0.33

** Meets A.N.S.I. standards*



Phillips® Stubby Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062109	#1	1.50	3.50	0.24	0.10
D062110	#2	1.50	3.50	0.24	0.11

** Meets A.N.S.I. standards*





Square Recess Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062201	#0	2.95	7.40	0.24	0.15
D062202	#1	3.94	8.39	0.24	0.21
D062203	#2	3.94	8.39	0.24	0.21
D062204	#3	4.92	9.37	0.24	0.23

* Meets A.N.S.I. standards



Square Recess Stubby Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062205	#1	1.50	3.80	0.24	0.09
D062206	#2	1.50	3.80	0.24	0.10

* Meets A.N.S.I. standards



Square Recess Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062207	#1	3.00	6.75	0.24	0.17
D062208	#2	4.00	7.75	0.24	0.17
D062209	#3	6.00	9.75	0.24	0.17

* Meets A.N.S.I. standards



Square Recess Stubby Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062210	#1	1.50	3.50	0.24	0.11
D062211	#2	1.50	3.50	0.24	0.11

* Meets A.N.S.I. standards

Slotted Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062001	1/8"	2.95	6.02	0.12	0.07
D062002	5/32"	2.95	6.02	0.12	0.07
D062003	3/16"	3.94	7.87	0.16	0.12
D062004	1/4"	4.92	9.37	0.24	0.23
D062005	5/16"	5.91	10.67	0.31	0.34
D062006	3/8"	7.87	12.64	0.39	0.50

* Meets A.N.S.I. standards



Slotted Stubby Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062007	1/4"	1.50	3.80	0.24	0.10

* Meets A.N.S.I. standards



Slotted Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062008	1/8"	3.00	6.50	0.20	0.14
D062009	3/16"	6.00	9.75	0.20	0.21
D062010	1/4"	4.00	7.75	0.24	0.23
D062011	5/16"	6.00	10.00	0.31	0.36
D062012	3/8"	8.00	12.00	0.31	0.45
D062013	3/8"	10.00	13.75	0.37	0.63
D062014	3/8"	12.00	16.00	0.37	0.73

* Meets A.N.S.I. standards



Slotted Stubby Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062015	1/4"	1.50	3.50	0.24	0.10

* Meets A.N.S.I. standards





Torx® Screwdrivers Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062300	T8	3.94	7.87	0.20	0.14
D062301	T10	3.94	7.87	0.20	0.14
D062302	T15	3.94	7.87	0.20	0.14
D062303	T20	3.94	7.87	0.20	0.14
D062304	T25	3.94	7.87	0.20	0.14
D062305	T27	3.94	7.87	0.24	0.21
D062306	T30	3.94	7.87	0.24	0.21

** Meets A.N.S.I. standards*

7 Piece SAE Nut Driver Set Acetate Handle

Part No. D062503



Set Content:
7 SAE Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Includes Plastic Tray.

7 Piece Metric Nut Driver Set Acetate Handle

Part No. D062504

Set Content:
7 Metric Nut Drivers: 5, 6, 7, 8, 9, 10, 11mm
Includes Plastic Tray.



SAE Nut Drivers-Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062401	3/16"	3	6.75	0.24	0.16
D062402	1/4"	3	6.75	0.24	0.16
D062403	5/16"	3	6.75	0.31	0.19
D062404	11/32"	3	6.75	0.31	0.19
D062405	3/8"	3	6.75	0.31	0.20
D062406	7/16"	3	6.75	0.43	0.26
D062407	1/2"	3	6.75	0.43	0.27

** Meets A.N.S.I. standards*



Metric Nut Drivers-Acetate Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062408	5 mm	3	6.75	0.24	0.16
D062409	6 mm	3	6.75	0.24	0.16
D062410	7 mm	3	6.75	0.31	0.19
D062411	8 mm	3	6.75	0.31	0.19
D062412	9 mm	3	6.75	0.31	0.20
D062413	10 mm	3	6.75	0.43	0.26
D062414	11 mm	3	6.75	0.43	0.26

** Meets A.N.S.I. standards*

7 Piece Precision Screwdriver Set

Part No. D062509



Set Content:
4 Slotted Scewdrivers: 1/8", 3/16", 1/4", 5/16"
3 Phillips® Screwdrivers: #000, #00, #0

Precision Screwdrivers - Slotted

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062801	1/8"	2.36	6.00	0.12	0.02
D062802	3/16"	2.36	6.00	0.12	0.03
D062803	1/4"	2.90	6.50	0.16	0.03
D062804	5/16"	2.90	6.50	0.24	0.03



Precision Screwdrivers - Phillips®

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062805	#000	2.36	6.00	0.08	0.03
D062806	#00	2.36	6.00	0.08	0.03
D062807	#0	2.90	6.50	0.10	0.03



Electrical Tools



Guaranteed Protection
All electrical tools with insulated handles are 1000 V certified to IEC 60900:2004.

User-Friendly Design
Comfort grip handles for easy operation and secure non-slip grip.

Peace of Mind
All electrical tools are backed by a lifetime warranty.

6 Piece Insulated Screwdriver Set

Part No. D062720



Set Content:
2 Phillips®: #1, #2
4 Slotted: 1/8", 5/32", 7/32", 1/4"
Includes Plastic Tray.



Slotted Insulated Screwdrivers

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062701	1/8"	3.93	7.50	1.00	0.08
D062702	5/32"	3.93	8.00	1.18	0.12
D062703	7/32"	4.98	9.00	1.18	0.16
D062704	1/4"	5.93	10.50	1.37	0.25

** Meets A.N.S.I. standards*



Phillips® Insulated Screwdrivers

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062705	No 1	3.20	7.25	1.17	0.13
D062706	No 2	4.00	8.50	1.39	0.21

** Meets A.N.S.I. standards*

4 Piece Plier Set-Insulated Handles

Part No. D055210



Set Content:
8" Linesman Pliers, 8" Diagonal Cutting Pliers, 8" Long Nose Pliers, 10" Box Joint Water Pump Pliers
Includes Plastic Tray.

Linesman Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055100	7"	1.42	0.24	0.64
D055101	8"	1.65	0.30	0.90

* Meets A.N.S.I. standards



Diagonal Cutting Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055102	6"	0.79	0.43	0.45
D055103	8"	0.87	0.43	0.64

* Meets A.N.S.I. standards





Long Nose Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055104	6"	2.09	0.12	0.37
D055105	8"	2.87	0.17	0.55

* Meets A.N.S.I. standards



Bent Nose Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055106	6"	1.69	0.12	0.37
D055107	8"	2.72	0.17	0.55

* Meets A.N.S.I. standards



Wire Stripping Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055108	6"	1.44	0.37	0.45

* Meets A.N.S.I. standards



Box Joint Water Pump Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055109	10"	1.44	0.39	0.93

* Meets A.N.S.I. standards

Wire Stripper/Cutter-Comfort Handle

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D095001	6"	0.79	0.43	0.45

** Meets A.N.S.I. standards*

- Strips 8-20 AWG solid wire and 10-22 AWG stranded wire
- Serrated jaws to pull, bend and loop wire



WARNING: Handles are not insulated and not designed to protect the user against electrical shock

Self-Adjusting Wire Stripper

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D095002	6"	0.79	0.43	0.45

** Meets A.N.S.I. standards*

- Quickly strips 10-24 AWG wire
- Handle mounted crimper and cutter



WARNING: Handles are not insulated and not designed to protect the user against electrical shock





User-Friendly Design
Comfort grip handles for easy operation and secure non-slip grip.

Improved Visibility
Bright orange handle colour allows for easy tool retrieval.

Professional Grade
All pliers meet ANSI standards.

4 Piece Plier Set-Comfort Handles

Part No. D055200



Set Content:
7" Linesman Pliers, 6" Diagonal Cutting Pliers, 6" Long Nose Pliers, 10" Groove Joint Pliers
Includes Plastic Tray.

5 Piece Plier Set-Comfort Handles

Part No. D055201



Set Content:
8" Linesman Pliers, 7" Diagonal Cutting Pliers, 8" Long Nose Pliers, 8" Bent Nose Pliers, 8" Slip Joint Pliers
Includes Plastic Tray.

3 Piece High Leverage Pliers Set

Part No. D055530



** Less effort required to make cuts versus ordinary pliers.*

Set Content:
8" Linesman Pliers, 7" Diagonal Cutting Pliers, 8" Long Nose Pliers
Includes Plastic Tray.

Diagonal Cutting Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055038	6"	1.00	0.43	0.55
D055000	7"	1.00	0.43	0.60
D055500**	7"	1.00	0.43	0.75

* Meets A.N.S.I. standards
** High leverage design



Long Nose Pliers- Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055001	6"	1.93	0.35	0.35
D055002	8"	2.99	0.37	0.50
D055502**	8"	2.60	0.37	0.60
D055003	11"	3.23	0.39	0.65

* Meets A.N.S.I. standards
** High leverage design



Bent Nose Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055004	6"	1.73	0.35	0.35
D055005	8"	2.85	0.37	0.50
D055006	11"	2.80	0.39	0.65

* Meets A.N.S.I. standards





Linesman Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055013	7"	1.50	0.39	0.60
D055014	8"	1.61	0.43	0.75
D055514**	8"	1.61	0.43	0.80

* Meets A.N.S.I. standards
** High leverage design



Slip Joint Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055007	6"	1.59	0.39	0.45
D055008	8"	2.05	0.41	0.60
D055009	10"	2.24	0.46	0.80

* Meets A.N.S.I. standards



Groove Joint Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055010	7 1/2"	1.69	0.39	0.60
D055011	9 1/2"	2.03	0.44	0.80
D055012	12"	2.50	0.47	1.00

* Meets A.N.S.I. standards

Cable Cutter

Part No.	Overall Length	Weight (lbs)
D055036	10"	1.0

* Meets A.N.S.I. standards



End Cutter

Part No.	Overall Length	Weight (lbs)
D055037	8"	0.75

* Meets A.N.S.I. standards



Tin Snips

Part No.	Overall Length	Jaw Length (inches)	Weight (lbs)
D055031	7"	1.77	0.60
D055032	10"	1.77	0.80
D055033	12"	1.77	1.00



Compound Tin Snips-Straight

Part No.	Overall Length	Weight (lbs)
D055034	8"	1.00
D055035	11"	1.15



3 Piece Aviation Snips Set

Part No. D055205



Set Content:
Aviation Snip-Right Hand, Aviation Snip-Straight, Aviation Snip-Left Hand



Aviation Snips-Right Hand

Part No.	Overall Length	Cut (inches)	Cuts	Grip Colour	Weight (lbs)
D055028	10"	1.70	Right	Green	0.84

* Meets A.N.S.I. standards



Aviation Snips-Straight

Part No.	Overall Length	Cut (inches)	Cuts	Grip Colour	Weight (lbs)
D055029	10"	1.70	Straight	Yellow	0.84

* Meets A.N.S.I. standards



Aviation Snips-Left Hand

Part No.	Overall Length	Cut (inches)	Cuts	Grip Colour	Weight (lbs)
D055030	10"	1.70	Left	Red	0.84

* Meets A.N.S.I. standards

5 piece Locking Plier Set

Part No. D055316



Set Content:
10" locking plier - straight jaws
10" locking plier - curved jaws
7" locking plier - curved jaws with wire cutter
6" locking plier - long nose
5" locking plier - curved jaws with wire cutter



Includes Canvas Roll.

Locking Pliers - Curved Jaws

- **The narrow, large opening curved jaws provide firm grip on all round shapes**

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055304	7"	1.50	0.75
D055305	10"	1.88	1.17



Locking Pliers - Curved Jaws with Wire Cutter

- **The functionality of regular curved jaws with added conveniece of a wire cutter**

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055301	5"	1.13	0.40
D055302	7"	1.50	0.75
D055303	10"	1.88	1.17



Locking Pliers - Straight Jaws

- **Straight jaws provide firm grip on all flat shapes**

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055306	7"	1.18	0.79
D055307	10"	1.88	1.21



Locking Pliers - Long Nose

- **Long slim jaw design is helpful when holding, placing or extracting pieces in recessed spaces**

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055312	6"	1.13	0.42
D055313	9"	2.25	0.82





Locking Clamp - Swivel Pads

- *Two knurled swivel pads allow a non-slip parallel clamping on tapered surfaces without any damage to the piece*

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055308	6"	2.00	0.57
D055309	11"	3.37	1.70



Locking Clamp

- *Wide jaw profile provides great versatility in clamping large objects*

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055310	11"	3.37	1.59



Locking Chain Clamp

- *Flexible heavy duty chain adjusts quickly around any shape providing a secure hold even in hard to reach areas*

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055311	9"	-	1.57
D055401	Replacement chain for D055311		



Locking Welding Clamp

- *Holds two sections together with a firm grip*

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055314	9"	2.00	1.48



Locking Wrench Tool

- *Jaw design ensure secure grip onto three sides of the fastener*

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055315	7"	-	1.28

Punches & Chisels



Complete Assortment
A variety of punches and chisels to meet any job requirements.

Durable Construction
Special heat treatment ensures improved durability.

Professional Grade
All punches and chisels meet ANSI standards.

8 Piece Chisel Set

Part No. D058201



Set Content:
8 Cold Chisels: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"

Includes Canvas Roll.

7 Piece Pin Punch Set

Part No. D058200



Set Content:
7 Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"

Includes Canvas Roll.

8 Piece Punch And Chisel Set

Part No. D058202



Set Content:
3 Cold Chisels: 1/2", 5/8", 3/4"
Centre Punch: 5/32"
Solid Punch: 3/16"
3 Pin Punches: 1/8", 3/16", 1/4"



Includes Canvas Roll.

16 Piece Punch And Chisel Set

Part No. D058203



Set Content:
5 Cold Chisels: 5/16", 1/2", 5/8", 3/4", 7/8"
3 Centre Punches: 1/8", 5/32", 1/4"
3 Solid Punches: 1/8", 3/16", 1/4"
2 Drift Punches: 3/16", 1/4"
3 Pin Punches: 1/8", 3/16", 1/4"



Includes Canvas Roll.



Automatic Centre Punch

Part No.	Overall Length (inches)	Weight (lbs)
D058030	4.90	0.12

* Meets A.N.S.I. standards



Pin Punch

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058001	1/16	1/4	4	0.05
D058002	3/32	1/4	4-1/4	0.05
D058003	1/8	5/16	4-3/4	0.05
D058004	5/32	5/16	5	0.10
D058005	3/16	5/16	5-1/4	0.10
D058006	1/4	3/8	5-3/4	0.15
D058007	5/16	7/16	6	0.20

* Meets A.N.S.I. standards



Drift Punch

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058008	1/8	5/16	8	0.15
D058009	5/32	3/8	9	0.20
D058010	3/16	5/16	10	0.20
D058011	1/4	3/8	10	0.25

* Meets A.N.S.I. standards



Solid Punch

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058012	1/16	3/8	5	0.10
D058013	1/8	5/16	5	0.10
D058014	5/32	3/8	5	0.15
D058015	3/16	3/8	5	0.15
D058016	1/4	1/2	5	0.25
D058017	5/16	1/2	6	0.30

* Meets A.N.S.I. standards



Centre Punch

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058018	5/64	1/4	3-1/2	0.05
D058019	1/8	5/16	4-1/2	0.10
D058020	5/32	5/16	5-1/2	0.10
D058021	1/4	3/8	6	0.20

* Meets A.N.S.I. standards



Cold Chisel

Part No.	Width of Cut (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058101	1/4	1/4	5	0.05
D058102	5/16	1/4	5	0.05
D058103	3/8	5/16	5-1/2	0.10
D058104	1/2	7/16	6	0.25
D058105	5/8	1/2	6-1/2	0.35
D058106	3/4	5/8	7	0.60
D058107	7/8	5/8	8	0.70
D058108	1	3/4	8-1/2	1.05
D058109	1	3/4	10	1.25
D058110	1	3/4	12	1.50

* Meets A.N.S.I. standards

Clamping & Extracting



Complete Assortment
A variety of clamping and pulling tools to meet any job requirements.

Durable Construction
Special heat treatment process ensures years of continuous service.



C-Clamps

- Drop forged steel construction for maximum clamping power
- High strength ACME screw with black oxide plating for corrosion resistance

Part No.	Opening Capacity	Throat Depth	Spindle Diameter	Max. Clamping Power (lbs)	Weight (lbs)
D090001	0-2"	2 1/4"	15/32"	2700	1.4
D090002	0-3"	2 1/2"	45/64"	3000	2.5
D090003	0-4"	3 1/4"	45/64"	3700	3.6
D090004	0-6"	4 1/8"	45/64"	4500	4.6
D090005	0-8"	5"	45/64"	5200	7.9
D090006	0-10"	6"	15/16"	6000	11.8
D090007	0-12"	6 5/16"	15/16"	8000	14.5



Self-Adjusting Pullers

- Spring-loaded jaws for quick and easy set-up for different applications
- Two or three jaw design for added flexibility
- Solid Chrome-Vanadium forged construction for increased durability
- Heavy duty forcing screw with live center for strong even pulls

Part No.	Pulling Capacity	Maximum Reach	Maximum Spread	Weight (lbs)
D093001	2 tons	3 1/2"	4"	2.96
D093002	5 tons	5 1/4"	7"	6.25

Striking Tools



Complete Assortment
A variety of hammers and pry bars to meet any job requirements.

User-Friendly Design
Hammers are offered in a choice of fiberglass and Hickory handles.

Professional Grade
All hammers and pry bars meet ANSI standards.



Claw Hammer-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041010	16 oz.	1.09	5.07	12.83

* Meets A.N.S.I. standards



Claw Hammer-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041011	16 oz.	1.09	5.07	12.95

* Meets A.N.S.I. standards



Ball Pein Hammers-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041025	8 oz.	0.92	3.22	11.70
D041027	16 oz.	1.19	3.94	13.65
D041028	24 oz.	1.38	4.64	15.44
D041029	32 oz.	1.50	4.91	15.60

* Meets A.N.S.I. standards



Ball Pein Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041020	8 oz.	0.90	3.24	10.82
D041022	16 oz.	1.17	3.90	12.73
D041023	24 oz.	1.37	4.60	15.02
D041024	32 oz.	1.52	4.88	15.07

* Meets A.N.S.I. standards

Sledge Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041040	4 lbs.	1.83	5.46	16.19
D041041	6 lbs.	2.11	6.28	35.63
D041042	8 lbs.	2.30	6.86	35.49
D041043	10 lbs.	2.50	7.33	36.02
D041044	12 lbs.	2.61	7.84	36.13
D041045	16 lbs.	2.85	8.74	36.37



Club Hammers- Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041060	2 1/2 lbs.	1.79	3.74	10.49
D041061	4 lbs.	1.99	4.52	10.76

** Meets A.N.S.I. standards*



Dead Blow Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041065	1lb.	1.50	3.95	11.40
D041067	2 lbs.	2.00	4.33	13.40
D041069	3 lbs.	2.36	5.11	14.56





Rubber Mallet-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041000	1 lb.	2.15	3.71	11.70
D041001	1.5 lbs.	2.42	4.21	12.87



Soft Face Hammer-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041151	8 oz.	1.10	3.15	10.55
D041154	14 oz.	1.34	3.94	11.62

Replacement Tips For Soft Face Hammers

Part No.	Description
D041152	Tip For 8 Oz Soft Face Hammer (D041151)
D041155	Tip For 14 Oz Soft Face Hammer (D041154)



Bricklayer's Hammer-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041130	24 oz.	1.33	8.15	11.69

** Meets A.N.S.I. standards*



Framing Hammer Milled Face-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041110	25 oz.	1.58	6.21	17.65

** Meets A.N.S.I. standards*



Pinch Bar

Part No.	Length (inches)	Shank Size (inches)	Witdh of Cut (inches)	Weight (lbs)
D056016	16	0.63	0.98	1.30
D056020	20	0.63	0.98	1.68
D056024	24	0.75	1.17	2.94
D056030	30	0.75	1.17	3.95
D056036	36	0.75	1.17	4.68



Wonder Bar (Nail Puller)

Part No.	Length (inches)	Witdh of Cut (inches)	Weight (lbs)
D056113	13	1.85	1.19
D056118	18	1.85	1.56



Crow Bar-Heavy Duty

Part No.	Length (inches)	Witdh of Cut (inches)	Weight (lbs)
D056214	54	1.14	14.02
D056218	60	1.26	18.19



Wrecking Bar

Part No.	Length (inches)	Shank Size (inches)	Witdh of Cut (inches)	Weight (lbs)
D056312	12	0.55	1.06	0.83
D056318	18	0.63	1.18	1.93
D056324	24	0.75	1.42	3.25
D056330	30	0.75	1.42	3.95
D056336	36	0.75	1.42	4.68
D056342	42	0.75	1.42	5.51

Staplers



Worry Free Purchase
All staplers are backed by a 2 year warranty

Complete Assortment
A variety of staplers and accessories to meet any job requirements.

Durable Construction
All-steel construction provides years of continuous use.

Staple Gun Tacker

Part No. D087000



- High efficiency, easy-to-carry multipurpose stapler
- Ergonomically designed handle for ease of use
- All steel construction
- Uses fine wire staples

** Staples, nails and pins sold separately.*

Accessories

Part No.		Pkg Qty.
D087106	1/4" Fine Staples	1,000
D087108	5/16" Fine Staples	1,000

Staple And Nail Gun

Part No. D087001



- Heavy-duty professional stapler and nail gun
- Patented handle locking mechanism for increased safety
- Switch allows for adjustment of impact power
- All steel durable construction
- Used flat wire staples and brad nails

** Staples, nails and pins sold separately.*

Accessories

Part No.		Pkg Qty.
D087208	5/16" Flat Staples	1,000
D087210	3/8" Flat Staples	1,000
D087212	1/2" Flat Staples	1,000
D087214	9/16" Flat Staples	1,000
D087414	9/16" Brad Nail	1,000

4-in-1 Staple Gun Tacker

Part No. D087002



- Heavy-duty professional stapler and nail gun
- Quick-Jam staple release mechanism
- Knob allows for adjustment of impact power
- Uses flat staples, cable staples, brad nails and brad pins

** Staples, nails and pins sold separately.*

Accessories

Part No.		Pkg Qty.
D087208	5/16" Flat Staples	1,000
D087210	3/8" Flat Staples	1,000
D087212	1/2" Flat Staples	1,000
D087214	9/16" Flat Staples	1,000
D087314	9/16" Cable Staples	1,000
D087414	9/16" Brad Nail	1,000
D087514	9/16" Brad Pins	1,000

Hammer Tacker

Part No. D087003



- Durable and easy to use
- Ergonomic rubber handle
- Uses flat wire staples

** Staples, nails and pins sold separately.*

Accessories

Part No.		Pkg Qty.
D087208	5/16" Flat Staples	1,000
D087210	3/8" Flat Staples	1,000

Flat Files

• For fast removal of metal

Part No.	Length	Cut	Weight (lbs)
D094001	8"	Bastard	0.50
D094002	10"	Bastard	0.81
D094003	12"	Bastard	1.20



Round Files

• For sharpening round openings or concave surfaces

Part No.	Length	Cut	Weight (lbs)
D094301	8"	Bastard	0.34
D094302	10"	Bastard	0.48
D094303	12"	Bastard	1.12



Half Round Files

• For concave, convex or flat surfaces

Part No.	Length	Cut	Weight (lbs)
D094101	8"	Bastard	0.48
D094102	10"	Bastard	0.73
D094103	12"	Bastard	0.76



Mill Files

• For sharpening mill or circular saws

Part No.	Length	Cut	Weight (lbs)
D094201	8"	Bastard	0.40
D094202	10"	Bastard	0.60
D094203	12"	Bastard	0.87
D094211	8"	Smooth	0.43
D094212	10"	Smooth	0.59
D094213	12"	Smooth	0.87



Alphabetical Index

A

Adapters
3/8" Drive 39
1/2" Drive 61
Adapters Impact
3/8" Drive 46

C

Chisels
Cold Chisel 119
Sets 117-118
C-Clamps 121

E

Electrical Tools
..... 104-107
Extensions
1/4" Drive 22
3/8" Drive 39
1/2" Drive 61
3/4" Drive 71
Extensions Impact
3/8" Drive 46

F

Files 130
Flex Handles
1/4" Drive 22
3/8" Drive 39
1/2" Drive 61
3/4" Drive 71

H

Hand Driver
1/4" Drive 22
Hammers
Ball Pein 123
Bricklayer 125
Claw 123
Club 124
Dead Blow 124
Framing 125
Rubber Mallet . 125
Sledge 124
Soft Face 125
Hex Keys 91-93

I

Insulated
Screwdrivers .. 104
Pliers 105-106

M

Master Sets 5-8

N

Nut Drivers 101

P

Pliers
Aviation Snips . 113
Bent Nose 110
Cable Cutter ... 112
Diagonal 110
End Cutter 112
Groove Joint .. 111
Linesman 111
Locking ... 114-115
Long Nose 110
Sets 109-110
Slip Joint 111
Tin Snips 112
Wire Strippers .. 107
Pry Bars
Crow Bar 126
Pinch Bar 126
Wonder Bar 126
Wrecking Bar . 126
Pullers 121
Punches
Centre 119
Drift 119
Pin 119
Sets 117-118
Solid 119

R

Ratchets
1/4" Drive 21
3/8" Drive 38
1/2" Drive 61
3/4" Drive 71

S

Screwdrivers
Phillips® 98
Precision 102
Sets 95-97
Slotted 100
Square Recess .. 99
Torx® 101
Sockets
Hex Head
3/8" Drive .. 42-43
1/2" Drive .. 64-65
Sets
3/8" Drive .. 29-31
1/2" Drive .. 55-56
Phillips®
3/8" Drive 44
Slotted
3/8" Drive 44

S

Sockets (cont'd)
Torx®
1/4" Drive 24
3/8" Drive 44
1/2" Drive 65
Sets
1/4" Drive 19
3/8" Drive 32
1/2" Drive 57
Chrome
1/4" Drive 16
3/8" Drive 25
1/2" Drive 51
3/4" Drive 70
Crowfoot 45
Sets 33
Impact
3/8" Drive 46
1/2" Drive 66
3/4" Drive 73
Spark Plug
3/8" Drive 39
Staplers ... 128-129
Staples
Brad Nail 128
Brad Pin 129
Cable Staples 129
Fine Staples .. 128
Flat Staples... 128

T

T-Handles
1/4" Drive 22
3/8" Drive 39
1/2" Drive 61
3/4" Drive 71
Tool Storage .. 10-14
Torque Multipliers . 90

U

U-Joints
1/4" Drive 22
3/8" Drive 39
1/2" Drive 61
U-Joints Impact
3/8" Drive 46

W

Wrenches
Adjustable 89
Combination .. 77-82
Pipe 89
Ratcheting .. 83-88
Torque 90

Numerical Index

D001002 22
D001004 22
D001006 22
D001101 22
D001201 22
D001301 21
D001302 21
D001306 21
D001307 21
D001500 22
D001601 22
D001800 22
D002308 24
D002309 24
D002310 24
D002315 24
D002320 24
D002325 24
D002327 24
D002330 24
D003004 24
D003005 24
D003006 24
D003007 24
D003008 24
D003009 24
D003010 24
D003011 24
D003012 24
D003013 24
D003014 24
D003015 24
D003045 24
D003055 24
D003104 24
D003105 24
D003106 24
D003107 24
D003108 24
D003109 24
D003110 24
D003111 24
D003112 24
D003204 24
D003205 24
D003206 24
D003207 24
D003208 24
D003209 24
D003210 24
D003211 24
D003212 24
D003213 24
D003214 24
D003255 24
D003303 23
D003304 23
D003306 23
D003308 23
D003309 23
D003310 23
D003311 23
D003312 23
D003314 23
D003316 23
D003318 23
D003404 23
D003406 23
D003408 23
D003409 23
D003410 23
D003411 23
D003412 23
D003414 23
D003416 23
D003418 23
D003504 23
D003506 23
D003508 23
D003509 23
D003510 23
D003511 23
D003512 23
D003514 23
D003516 23
D003518 23
D004000 16
D004001 16
D004002 17
D004003 18
D004004 19
D004005 20
D004006 20
D004007 17
D004008 18
D004009 19
D005003 39
D005006 39
D005010 39
D005023 39
D005026 39
D005030 39
D005053 46
D005056 46
D005301 38
D005302 38
D005306 38
D005307 38
D005308 38
D005401 39
D005402 39
D005500 39
D005601 39
D005701 39
D005702 39
D005710 47
D005800 39
D006004 43
D006005 43
D006006 43
D006007 43
D006008 43
D006009 43
D006010 43
D006052 42
D006053 42
D006054 42
D006056 42
D006058 42
D006060 42
D006062 42
D006105 44
D006106 44
D006107 44
D006108 44
D006201 44
D006202 44
D006203 44
D006204 44
D006315 44
D006320 44
D006325 44
D006327 44
D006330 44
D006340 44
D006345 44
D006350 44
D006355 44
D006404 43
D006405 43
D006406 43
D006407 43
D006408 43
D006409 43
D006410 43
D006452 42
D006453 42
D006454 42
D006456 42
D006458 42
D006460 42
D006462 42
D006715 44
D006720 44
D006725 44
D006727 44
D006730 44
D006740 44
D006745 44
D006750 44
D006755 44
D006904 43
D006905 43
D006906 43
D006907 43
D006908 43
D006909 43
D006910 43
D006952 42
D006953 42
D006954 42
D006956 42
D006958 42
D006960 42
D006962 42
D007008 50
D007009 50
D007010 50
D007011 50
D007012 50
D007013 50
D007014 50
D007015 50
D007016 50
D007017 50
D007018 50
D007019 50
D007208 50
D007209 50
D007210 50
D007211 50
D007212 50
D007213 50
D007214 50
D007215 50
D007216 50
D007217 50
D007218 50
D007219 50
D007310 49
D007312 49
D007314 49
D007316 49
D007318 49
D007320 49
D007322 49
D007324 49
D007510 49
D007512 49
D007514 49
D007516 49
D007518 49
D007520 49
D007522 49
D007524 49
D008006 41
D008007 41
D008008 41
D008009 41
D008010 41
D008011 41
D008012 41
D008013 41
D008014 41
D008015 41
D008016 41

D008017 41
D008018 41
D008019 41
D008020 41
D008021 41
D008022 41
D008023 41
D008024 41
D008206 41
D008207 41
D008208 41
D008209 41
D008210 41
D008211 41
D008212 41
D008213 41
D008214 41
D008215 41
D008216 41
D008217 41
D008218 41
D008219 41
D008220 41
D008221 41
D008222 41
D008223 41
D008308 40
D008310 40
D008312 40
D008314 40
D008316 40
D008318 40
D008320 40
D008322 40
D008324 40
D008326 40
D008328 40
D008330 40
D008332 40
D008508 40
D008510 40
D008512 40
D008514 40
D008516 40
D008518 40
D008520 40
D008522 40
D008524 40
D008526 40
D008528 40
D008530 40
D008532 40
D008612 45
D008614 45
D008616 45
D008618 45
D008620 45
D008622 45
D008624 45
D008642 45
D008644 45
D008646 45
D008648 45
D008650 45
D008652 45
D008654 45
D008660 46
D008710 45
D008711 45
D008712 45
D008713 45
D008714 45
D008715 45
D008716 45
D008717 45
D008718 45
D008719 45
D008760 45
D008761 45
D008762 45
D008763 45
D008764 45
D008765 45
D008766 45
D008767 45
D008768 45
D008769 45
D009106 41
D009107 41
D009108 41
D009109 41
D009110 41
D009111 41
D009112 41
D009113 41
D009114 41
D009115 41
D009116 41
D009117 41
D009118 41
D009119 41
D009120 41
D009121 41
D009122 41
D009123 41
D009408 40
D009410 40
D009412 40
D009414 40
D009416 40
D009418 40
D009420 40
D009422 40
D009424 40
D009426 40
D009428 40
D009430 40
D009432 40
D009608 40
D009610 40
D009612 40
D009614 40
D009616 40
D009618 40
D009620 40
D009622 40
D009624 40
D009626 40
D009628 40
D009630 40
D009632 40
D009706 41
D009707 41
D009708 41
D009709 41
D009710 41
D009711 41
D009712 41
D009713 41
D009714 41
D009715 41
D009716 41
D009717 41
D009718 41
D009719 41
D010000 25
D010001 25
D010002 26
D010003 26
D010004 27
D010005 27
D010006 28
D010007 28
D010008 35
D010009 35
D010010 36
D010011 36
D010012 37
D010013 37
D010014 29
D010015 29
D010016 30
D010017 31
D010018 32
D010019 32
D010020 47
D010021 47
D010022 48
D010023 48
D010024 30
D010025 31
D010026 34
D010027 34
D010028 33
D010029 33
D012005 61
D012010 61
D012023 61
D012025 61
D012030 61
D012055 46
D012060 46
D012301 61
D012302 61
D012308 61
D012500 61
D012600 61
D012701 61
D012710 46
D012711 46
D012800 61
D012803 61
D013006 64
D013008 64
D013010 64
D013012 64
D013014 64
D013017 64
D013019 64
D013058 64
D013060 64
D013062 64
D013064 64
D013066 64
D013068 64
D013070 64
D013074 64
D013320 65
D013325 65
D013327 65
D013330 65
D013340 65
D013345 65
D013350 65
D013406 65
D013408 65
D013410 65
D013412 65
D013414 65
D013417 65
D013419 65
D013458 64
D013460 64
D013462 64
D013464 64
D013466 64
D013468 64
D013470 64
D013474 64
D013720 65
D013725 65
D013727 65
D013730 65
D013740 65
D013745 65
D013750 65

Numerical Index

D014008 69
D014009 69
D014010 69
D014011 69
D014012 69
D014013 69
D014014 69
D014015 69
D014016 69
D014017 69
D014018 69
D014019 69
D014020 69
D014021 69
D014022 69
D014023 69
D014024 69
D014025 69
D014026 69
D014027 69
D014028 69
D014029 69
D014030 69
D014031 69
D014032 69
D014036 69
D014208 69
D014209 69
D014210 69
D014211 69
D014212 69
D014213 69
D014214 69
D014215 69
D014216 69
D014217 69
D014218 69
D014219 69
D014220 69
D014221 69
D014222 69
D014223 69
D014224 69
D014227 69
D014230 69
D014236 69
D014312 68
D014314 68
D014316 68
D014318 68
D014320 68
D014322 68
D014324 68
D014326 68
D014328 68
D014330 68
D014332 68
D014334 68
D014336 68
D014338 68
D014340 68
D014342 68
D014344 68
D014346 68
D014348 68
D014512 68
D014514 68
D014516 68
D014518 68
D014520 68
D014522 68
D014524 68
D014526 68
D014528 68
D014530 68
D014532 68
D014534 68
D014536 68
D014538 68
D014540 68
D014542 68
D014544 68
D015110 63
D015111 63
D015112 63
D015113 63
D015114 63
D015115 63
D015116 63
D015117 63
D015118 63
D015119 63
D015120 63
D015121 63
D015122 63
D015123 63
D015124 63
D015125 63
D015126 63
D015127 63
D015128 63
D015130 63
D015132 63
D015412 62
D015414 62
D015416 62
D015418 62
D015420 62
D015422 62
D015424 62
D015426 62
D015428 62
D015430 62
D015432 62
D015434 62
D015436 62
D015438 62
D015440 62
D015442 62
D015612 62
D015614 62
D015616 62
D015618 62
D015620 62
D015622 62
D015624 62
D015626 62
D015628 62
D015630 62
D015632 62
D015634 62
D015636 62
D015638 62
D015640 62
D015642 62
D015710 63
D015711 63
D015712 63
D015713 63
D015714 63
D015715 63
D015716 63
D015717 63
D015718 63
D015719 63
D015720 63
D015721 63
D015722 63
D015723 63
D015724 63
D015725 63
D015726 63
D015727 63
D016010 63
D016011 63
D016012 63
D016013 63
D016014 63
D016015 63
D016016 63
D016017 63
D016018 63
D016019 63
D016020 63
D016021 63
D016022 63
D016023 63
D016024 63
D016025 63
D016026 63
D016027 63
D016028 63
D016029 63
D016030 63
D016031 63
D016032 63
D016210 63
D016211 63
D016212 63
D016213 63
D016214 63
D016215 63
D016216 63
D016217 63
D016218 63
D016219 63
D016220 63
D016221 63
D016222 63
D016223 63
D016224 63
D016225 63
D016226 63
D016227 63
D016228 63
D016229 63
D016230 63
D016231 63
D016232 63
D016312 62
D016314 62
D016316 62
D016318 62
D016320 62
D016322 62
D016324 62
D016326 62
D016328 62
D016330 62
D016332 62
D016334 62
D016336 62
D016338 62
D016340 62
D016342 62
D016512 62
D016514 62
D016516 62
D016518 62
D016520 62
D016522 62
D016524 62
D016526 62
D016528 62
D016530 62
D016532 62
D016534 62
D016536 62
D016538 62
D016540 62
D016542 62
D016660 46
D018000 51
D018001 51
D018002 52
D018003 52

D018004 53
D018005 53
D018006 54
D018007 54
D018008 58
D018009 58
D018010 60
D018011 60
D018012 59
D018013 59
D018014 56
D018015 56
D018016 57
D018017 57
D018018 55
D018019 55
D018020 66
D018021 66
D018022 67
D018023 67
D019004 71
D019008 71
D019016 71
D019056 46
D019060 46
D019301 71
D019501 71
D019710 46
D019805 71
D020024 75
D020027 75
D020028 75
D020030 75
D020032 75
D020033 75
D020034 75
D020035 75
D020036 75
D020038 75
D020040 75
D020041 75
D020042 75
D020043 75
D020046 75
D020050 75
D020219 75
D020227 75
D020230 75
D020232 75
D020233 75
D020235 75
D020236 75
D020238 75
D020241 75
D020243 78
D020324 74
D020326 74
D020328 74
D020330 74
D020332 74
D020334 74
D020336 74
D020338 74
D020340 74
D020342 74
D020344 74
D020346 74
D020348 74
D020350 74
D020352 74
D020354 74
D020356 74
D020358 74
D020360 74
D020362 74
D020364 74
D020366 74
D020368 74
D020370 74
D020372 74
D020374 74
D020376 74
D020524 74
D020526 74
D020528 74
D020530 74
D020532 74
D020534 74
D020536 74
D020538 74
D020540 74
D020542 74
D020544 74
D020546 74
D020548 74
D020550 74
D020552 74
D021000 73
D021001 73
D022119 72
D022120 72
D022121 72
D022122 72
D022123 72
D022124 72
D022125 72
D022126 72
D022127 72
D022128 72
D022129 72
D022130 72
D022132 72
D022135 72
D022136 72
D022138 72
D022141 72
D022146 72
D022150 72
D022428 72
D022430 72
D022432 72
D022434 72
D022436 72
D022438 72
D022440 72
D022442 72
D022444 72
D022446 72
D022448 72
D022450 72
D022452 72
D022454 72
D022456 72
D022458 72
D022460 72
D022464 72
D022660 46
D023000 70
D023001 70
D041000 125
D041001 125
D041010 123
D041011 123
D041020 123
D041022 123
D041023 123
D041024 123
D041025 123
D041027 123
D041028 123
D041029 123
D041040 124
D041041 124
D041042 124
D041043 124
D041044 124
D041045 124
D041060 124
D041061 124
D041065 124
D041067 124
D041069 124
D041110 125
D041130 125
D041151 125
D041152 125
D041154 125
D041155 125
D043201 91
D043202 91
D043203 91
D043204 91
D043205 91
D043206 92
D043207 92
D043208 92
D043209 92
D043301 93
D043302 93
D043303 93
D043305 93
D043307 93
D043309 93
D043310 93
D043311 93
D043320 93
D043401 93
D043402 93
D043404 93
D043406 93
D043407 93
D043409 93
D043410 93
D043411 93
D043420 93
D055000 110
D055001 110
D055002 110
D055003 110
D055004 110
D055005 110
D055006 110
D055007 111
D055008 111
D055009 111
D055010 111
D055011 111
D055012 111
D055013 111
D055014 111
D055028 113
D055029 113
D055030 113
D055031 112
D055032 112
D055033 112
D055034 112
D055035 112
D055036 112
D055037 112
D055038 110
D055100 105
D055101 105
D055102 105
D055103 105
D055104 106
D055105 106
D055106 106
D055107 106
D055108 106
D055109 106
D055200 109
D055201 109
D055205 113
D055210 105
D055301 114

Numerical Index

D055302 114
D055303 114
D055304 114
D055305 114
D055306 114
D055307 114
D055308 115
D055309 115
D055310 115
D055311 115
D055312 114
D055313 114
D055314 115
D055315 115
D055316 114
D055401 115
D055500 110
D055502 110
D055514 111
D055530 110
D056016 126
D056020 126
D056024 126
D056030 126
D056036 126
D056113 126
D056118 126
D056214 126
D056218 126
D056312 126
D056318 126
D056324 126
D056330 126
D056336 126
D056342 126
D058001 119
D058002 119
D058003 119
D058004 119
D058005 119
D058006 119
D058007 119
D058008 119
D058009 119
D058010 119
D058011 119
D058012 119
D058013 119
D058014 119
D058015 119
D058016 119
D058017 119
D058018 119
D058019 119
D058020 119
D058021 119
D058030 119
D058101 119
D058102 119
D058103 119
D058104 119
D058105 119
D058106 119
D058107 119
D058108 119
D058109 119
D058110 119
D058200 117
D058201 117
D058202 118
D058203 118
D062001 100
D062002 100
D062003 100
D062004 100
D062005 100
D062006 100
D062007 100
D062008 100
D062009 100
D062010 100
D062011 100
D062012 100
D062013 100
D062014 100
D062015 100
D062101 98
D062102 98
D062103 98
D062104 98
D062105 98
D062106 98
D062107 98
D062108 98
D062109 98
D062110 98
D062201 99
D062202 99
D062203 99
D062204 99
D062205 99
D062206 99
D062207 99
D062208 99
D062209 99
D062210 99
D062211 99
D062300 101
D062301 101
D062302 101
D062303 101
D062304 101
D062305 101
D062306 101
D062401 101
D062402 101
D062403 101
D062404 101
D062405 101
D062406 101
D062407 101
D062408 101
D062409 101
D062410 101
D062411 101
D062412 101
D062413 101
D062414 101
D062500 95
D062501 96
D062502 96
D062503 101
D062504 101
D062505 95
D062506 97
D062508 97
D062509 102
D062701 104
D062702 104
D062703 104
D062704 104
D062705 104
D062706 104
D062720 105
D062801 102
D062802 102
D062803 102
D062804 102
D062805 102
D062806 102
D062807 102
D069001 14
D069002 14
D069101 13
D069102 14
D069103 13
D069201 10
D069202 12
D069203 10
D069204 12
D069205 11
D069206 10
D069207 11
D069208 12
D069209 13
D072004 89
D072006 89
D072008 89
D072010 89
D072012 89
D072015 89
D072018 89
D074008 81
D074010 81
D074012 81
D074014 81
D074016 81
D074018 81
D074020 81
D074022 81
D074024 81
D074026 81
D074028 81
D074030 81
D074032 81
D074034 81
D074036 81
D074040 81
D074106 81
D074107 81
D074108 81
D074109 81
D074110 81
D074111 81
D074112 81
D074113 81
D074114 81
D074115 81
D074116 81
D074117 81
D074118 81
D074119 81
D074120 81
D074121 81
D074122 81
D074123 81
D074124 81
D074125 81
D074126 81
D074127 81
D074128 81
D074129 81
D074130 81
D074132 81
D074201 77
D074202 77
D074203 79
D074204 79
D074221 78
D074222 78
D074223 80
D074224 80
D074308 82
D074310 82
D074312 82
D074314 82
D074316 82
D074318 82
D074320 82
D074322 82
D074324 82
D074326 82
D074328 82
D074330 82
D074332 82
D074334 82

D074336 82
D074340 82
D074342 82
D074344 82
D074346 82
D074348 82
D074350 82
D074352 82
D074354 82
D074356 82
D074358 82
D074360 82
D074362 82
D074364 82
D074366 82
D074368 82
D074406 82
D074407 82
D074408 82
D074409 82
D074410 82
D074411 82
D074412 82
D074413 82
D074414 82
D074415 82
D074416 82
D074417 82
D074418 82
D074419 82
D074420 82
D074421 82
D074422 82
D074423 82
D074424 82
D074425 82
D074426 82
D074427 82
D074428 82
D074429 82
D074430 82
D074432 82
D076010 85
D076012 85
D076014 85
D076016 85
D076018 85
D076020 85
D076022 85
D076024 85
D076108 85
D076109 85
D076110 85
D076111 85
D076112 85
D076113 85
D076114 85
D076115 85
D076116 85
D076117 85
D076118 85
D076119 85
D076210 85
D076212 85
D076214 85
D076216 85
D076218 85
D076220 85
D076222 85
D076224 85
D076308 85
D076309 85
D076310 85
D076311 85
D076312 85
D076313 85
D076314 85
D076315 85
D076316 85
D076317 85
D076318 85
D076319 85
D076601 83
D076603 83
D076607 84
D076608 84
D080014 89
D080018 89
D080024 89
D080036 89
D080048 89
D081000 88
D081001 88
D081002 88
D081003 88
D081004 88
D081010 88
D081011 88
D081012 88
D081013 88
D081014 88
D081100 88
D081101 88
D081102 88
D081103 88
D081104 88
D081110 88
D081111 88
D081112 88
D081113 88
D081114 88
D081201 86
D081202 87
D081203 86
D081204 87
D086001 90
D086002 90
D086101 90
D086102 90
D087000 128
D087001 128
D087002 129
D087003 129
D087106 128
D087108 128
D087208 128,129
D087210 128,129
D087212 128,129
D087214 128,129
D087314 129
D087414 128,129
D087514 129
D090001 121
D090002 121
D090003 121
D090004 121
D090005 121
D090006 121
D090007 121
D093001 121
D093002 121
D094001 130
D094002 130
D094003 130
D094101 130
D094102 130
D094103 130
D094201 130
D094202 130
D094203 130
D094211 130
D094212 130
D094213 130
D094301 130
D094302 130
D094303 130
D095001 107
D095002 107
D096001 6
D096002 7
D096003 8