

Product Family

North Rite-On Harnesses

RITE-ON Comfort Harness; Universally sized harness with one piece back and shoulder pad. The one piece back/shoulder pad provides all-day comfort and retains the shape of the harness making it easy to don. Quick-release buckles at chest and legs, and back D-ring. Multiple configurations for different applications like Fall Arrest, Work Positioning, and Ladder Climbing. Variations include regular or large back D-ring with or without extender, 2 large side D-rings, and 1 small sternal D-ring.

NORTH by Honeywell

Product Numbers & Ordering Information

	Product Numbers	Details
	FP80K/3DYQ320	**Heavy Duty Harness** "Rated for 440lbs – Exceeds the requirements of CSA and ANSI to provide reliable fall protection for workers above the CSA/ANSI limit of 310lbs (total weight of person plus tools and equipment). One back and two positioning D-rings, a permanently attached energy absorber, integrated back and shoulder pads, and quick connect buckles."
	FP81F/1DBA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, bayonet buckles and back D-ring.
	FP81F/1EDBA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, bayonet buckles and extended back D-ring.
	FP81F/3DDA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, two side D-rings bayonet buckles and back D-ring.
	FP81F/3EDDA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, two side D-rings bayonet buckles and extended back D-ring.
	FP81F/4DLA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, quick release buckles and 1 large back D-ring, 2 large side D-rings, and 1 small sternal D-ring.

© Honeywell International Inc.

	FP81F/4EDLA	**RITE-ON Comfort Harness** Universally sized harness with one piece back and shoulder pad, quick release buckles and 1 extended back D-ring, 2 large side D-rings, and 1 small sternal D-ring.
	FP81T/1DBA	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. Back D-ring / CSA class A
	FP81T/1EDBA	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. One extended back D-ring / CSA class A
	FP81V/3DDA	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. One back, two side D-rings / CSA class AP / Belted
	FP81V/3EDDA	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. One extended back, two side D-rings / CSA class AP/ Belted
	FP81V/6D3A	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. One back, two side, one sternal, two shoulder D-rings / CSA class APLE / Belted
	FP81V/6ED3A	**Rite-On II Universal Harness** Unique comfort padding which fits to the contour of the user's body is designed to be tangle free and makes donning a breeze. One extended back D-ring, two side, one sternal, two shoulder D-rings / CSA class APLE / Belted

Additional Information

1-888-212-SAFE (7233)

Overview

Key Features

RITE-ON Comfort Harness; Universally sized harness with one piece back and shoulder pad. The one piece back/shoulder pad provides all-day comfort and retains the shape of the harness making it easy to don. Quick-release buckles at chest and legs, and back D-ring. Multiple configurations for different applications like Fall Arrest, Work Positioning, and Ladder Climbing. Variations include regular or large back D-ring with or without extender, 2 large side D-rings, and 1 small sternal D-ring.

Recommended Industries/Use

- Construction
- Manufacturing
- Utilities

Hazards

- Confined Space
- Fall from height

Regulations

- Regulations - ANSI Z359.1
- Regulations - CSA Z259.10, CSAZ259.12
- Regulations - OSHA

Specifications

Hardware Material

© Honeywell International Inc.

- Carbon Steel, Alloy Steel

Webbing Material

- Polyester

Training & Proper Use

See Operating and Maintenance Instruction Manual for details.

Technical Support

1.800.873.5242 or hsptechinfocan@honeywell.com

© Honeywell International Inc.

© Honeywell International Inc.