2360

Tactical Flashlight



If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 375 lumens. The 2360 includes 3 modes – High / Strobe / Low and allows the user to select from 4 selectable programs. With the included 29 lumen low beam a run time of up to 13 hours will support close up use and any extended time needs. A strobe mode is also included for tactical or signaling purposes. The built-in battery level indicator ensures you will not be left in the dark.
Constructed with the most durable of materials: an aerospace grade aluminum body and an impact resistant LED lamp module, the 2360 LED keeps you on point without equipment failure.
High, Low and Strobe light output is available with a push of the tail button. It features a non-slip textured body for secure handling. The removable pocket clip offers alternative carry options.
- 375 lumens
- 3 modes High / Strobe / Low
- 4 Selectable Programs
- Battery Level Indication
- 2 AA Batteries (included)
- Pelican's Lifetime Guarantee

DIMENSIONS

Length: 6.20" (15.7 cm)

MATERIALS

Body: Aluminum with Type II Anodized
O-Ring: EPDM
Lens: Polycarbonate (PC)
Shroud: Aluminum with Type II Anodized
Clip: High Carbon Steel

COLORS

Black

LIGHT SPECS

Lamp Type: LED

FL1 STANDARD	HIGH	LOW
	375 LUMENS	29 LUMENS
	2h 30mins	13h 0mins
	192m	53m
	9187cd	705cd
	IPX8 (1m)	

POWER

Battery Size: AA
Battery Type: Alkaline
Battery Quantity: 2
Batteries Included: yes
Battery Level Indicator: Level indicator
Volts: 3.0v

WEIGHT

Weight With Batteries: 5.4 oz (153 gr)
Weight Without Batteries: 3.7 oz (105 gr)

SWITCH

Switch Type: Momentary Push Button
Light Modes: High / Strobe / Low

OTHER

Minimum Pack: 6
Package Code: B

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com