SAFETY FOOTWEAR



Oliver® is a full line of quality footwear for Mining, Oil & Gas, Heavy Metal Fabrication, Construction and general industrial applications. The roots of Oliver footwear date back to the mid-1800s, in the mining fields of Australia. Oliver has a full and rich history of quality craftsmanship and technologically innovative features like Poron® XRD™ metatarsal guards, NANOlite footbed comfort system, and NATUREform wide profile steel toe caps. Oliver boots are crafted for extreme comfort, performance and durability.

The Original Muck® Boot Company began with a single goal: to provide the most comfortable, 100% waterproof, high-performance footwear on the market. Today, the Muck® Boot brand defines the standard reference for comfort, fit and quality.

Servus® is Honeywell's quality PVC and dipped Neoprene line of footwear, offering a wide range of protection from liquid and chemical hazards ranging from organic, common in petrochemical and food processing industries, to acids and oils in heavy manufacturing industries. Servus boots are constructed with the finest materials to ensure optimal durability, protection and comfort.

Honeywell rubber boots; any tougher and they'd be bulletproof. Honeywell work boots are built for rugged durability and extreme protection. Tough, hard-wearing treads and knurled protective overlays add durability to these tougher-than-tough boots. Honeywell boots feature a variety of protection elements, including steel toe, puncture resistant insoles and full metatarsal protection – Honeywell boots are built to last!

NEOS® Overshoes protect your work boots while adding traction and insulation in extreme weather conditions. The precision sole design of NEOS overshoes eliminates excess material, making them lighter than any competitor. Aggressive traction design allows workers to walk confidently on most wintery surfaces. NEOS remains an industry leader, developing new and relevant products for the industrial market to ensure safe-stepping when walking on snowy and icy ladders, steps and surfaces.

OIL & GAS



Oliver All Terrain 65395S

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile to ensure toes are comfortable
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- TPU safety cell reinforcement for excellent protection from oils and minerals
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- NANOlite and COMFORTcushion technology enhances comfort and helps to reduce leg fatigue
- Heavy-duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets CAN/CSA Z195-09 Grade 1 metatarsal and puncture
- ESR rated

SKU	Description	Whole/Half Sizes
65395S	Brown, lace-in quick-release zipper closure, 8 inch (200 mm)	6-15, 7½-11½

MINING



Oliver All Terrain 65692S and 65693S

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- SYMPATEX™ waterproof liner keeps feet dry and comfortable
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- Meets CAN/CSA Z195-09 Grade 1 metatarsal and puncture
- ESR rated

SKU	Description	Whole/Half Sizes
65692S	Black, lace-up, 10 inch (250 mm)	6-15, 7½-11½
65693S	Black, lace-up, 14 inch (350 mm)	6-15, 7½-11½

HEAVY-METAL FABRICATION



Oliver All Terrain 55246S

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- Meets CAN/CSA Z195-09 Grade 1 metatarsal and puncture
- ESR rated

SKU	Description	Whole/Half Sizes
55246S	Black, lace-up, 6 inch (150 mm)	6-15, 7½-11½

CONSTRUCTION & GENERAL PURPOSE



Oliver 55233S

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- Meets CAN/CSA Grade 1 toe and plate protection
- ESR rated

SKU	Description	Whole/Half Sizes
55233S	Wheat leather, lace-up, 6 in (150mm)	6-15 / 7½-11½

NON-METALLIC MINING WORKBOOTS



Oliver Mining Boots 45675CS and 45680CS

- Water-resistant, full grain leather
- NATUREform hi-impact composite, non-metallic toe cap offers a wide profile shape to accommodate the natural toe-spread when walking and flexing
- PORON® XRD™, extreme impact protection, metatarsal guard is soft and flexible for added comfort and hardens upon impact for great protection
- SYMPATEX™ waterproof liner and membrane
- Long lasting sole is resistant to mineral and organic oils and acids, as well as cuts, splits and cracks; excellent slip resistance in cold weather
- TECtuff toe bumper protects leather in high abrasion areas for longer boot life
- Outsole is electrical resistant
- Outsole is heat-resistant to 266° F (130° C) surface contact
- Styles meet CAN/CSA Grade 1 metatarsal and puncture
- ESR rated

SKU	Description	Whole/Half Sizes
45675CS	Black, lace-up, 8 inch (200 mm)	6-15, 7½-11½
45680CS	Black, Thinsulate™ thermal liner, 8 inch lace-up, (200 mm)	6-15, 7½-11½

* Style 45-680CS features a 600 gram Thinsulate™ liner for sub-zero environments



Oliver Women's OL24021

- Steel toe impact protection
- External composite metatarsal guard
- Qflex Zero, non-metallic puncture-resistant midsole
- Meets CAN/CSA Grade 1 toe and plate, metatarsal protection.
- ESR rated

SKU	Description	Women's Whole/Half Sizes
OL24021	Leather, black, 6 inch (150 mm)	5-12, 5½-11½



Oliver Women's OL24031

- Steel toe impact protection
- Waterproof membrane liner keeps out wet elements for a drier, more comfortable on-foot experience
- PORON® XRD™ internal metatarsal guard is soft and flexible; instantly hardens on impact for excellent protection
- Qflex Zero, non-metallic puncture-resistant midsole
- Meets CAN/CSA Grade 1 toe and plate, metatarsal protection
- ESR rated

SKU	Description	Women's Whole/Half Sizes
OL24031	Leather, brown, lace-up, 8 inch (200 mm)	5-12, 5½-11½

MUCK BOOTS



Muck Chore Cool

- New comfortable XpressCool™ lining material keeps your feet cool and dry in warm weather by quickly dispersing perspiration
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- Steel shank for additional arch support
- Spandura® added to exterior of the neoprene for added protection from wear and abrasion
- Vibram® outsole for improved durability and performance
- etc® sockliner lining to reduce friction and heat build-up
- Meets CAN/CSA Grade 1 toe and plate protection
- Comfort Range: Sub Freezing to 95°F/35°C
- ESR rated

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
CSCT-CSA	Brown, steel-toe, 16 inch (406mm)	8-14	9-13



Muck Arctic Pro

- 8mm CR flex-foam bootie with 4-way stretch nylon
- Fleece lined for added comfort and warmth
- 100% waterproof, lightweight and flexible
- Steel toe protection
- 2mm thermal foam underlay added to the instep area for additional warmth
- EVA molded midsole with contoured footbed
- Bob-Tracker molded outsole is rugged, aggressive and durable for maximum protection and stability
- Double reinforcements on the instep, heel and achilles
- Meets CAN/CSA Grade 1 toe and plate protection
- Comfort Range: -60°F/-50°C to 40°F/4°C
- ESR rated

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
ACP-CSA	Brown, steel toe, 16 inch (406mm)	8-14	9-13

MUCK BOOTS

Muck Chore Extreme



CMX-000

- 8mm Neoprene bootie with four-way stretch nylon
- Fleece lining for additional warmth
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- PORON® XRD™ Metatarsal Guard is soft and flexible, but becomes rigid when struck for excellent metatarsal protection
- Steel shank for additional arch support
- Upper is triple reinforced in the toe area and quadruple reinforced in the heel area for longer boot life and durability
- Durable, lightweight, Vibram® Fire & Ice outsole with self-cleaning channels for optimal slip resistance
- Meets CAN/CSA Grade 1 toe and plate protection
- Comfort Range: -60°F/-50°C to 30°F/-1°C
- ESR rated

SKU	Description	Whole Men's Sizes
CMX-000	Black, steel toe, metatarsal guard, 16 inch (406mm)	7-14

Muck Chore Steel Toe



CHF-CSAA
CHS-CSAA

- Lightweight, self-insulating CR flex-foam bootie provides a snug fit to keep out cold temperatures and keep workers' feet warm
- Hand-layered construction is sealed for 100% waterproof reliability
- Steel toe impact protection
- CHS-CSAA has breathable air-mesh lining that wicks away humidity and perspiration
- CHF-CSAA has fleece lining for added warmth
- Removable EVA sock liner
- Diamond-textured toe and heel reinforcements resist scuffs and scratches
- Extra-wide kick-off lugs for easy hands-free removal
- Meets CAN/CSA Grade 1 toe and plate protection
- ESR rated
- CHS-CSAA Comfort Range: Sub Freezing to 66°F/18°C
- CHF-CSAA Comfort Range: -40°F/-4°C to 40°F/4°C

SKU	Description	Men's Whole Sizes	Women's Whole Sizes
CHS-CSAA	Black, steel toe, air-mesh lining, 16 inch (406mm)	5-14	6-13
CHF-CSAA	Black, steel toe, fleece lining, 16 inch (406mm)	5-14	6-13



18821C

Servus CT™ Comfort Technology

- Seamless, PVC injection-molded footwear is 100% waterproof to ensure workers' feet stay dry and comfortable
- Scalloped top-line design to accommodate flexing and prevent irritating rubbing on legs for added comfort
- Unique Trac10™ outsole pattern is engineered for added traction and durability
- The molded contour heel cup and removable FOOT FORM contour cushion insoles reduce heel slippage and provide added support for all-day comfort
- Style with steel toe meets CSA toe protection

SKU	Description	Men's Whole Sizes
18822	Black, plain toe, 14 inch (356mm)	3-15
18821C	Black, steel toe, 14 inch (356mm)	3-15



75109C

Servus XTP™ Xtra Traction Performance

- XTP™ is engineered with reinforced construction and an organic chemical-resistant formulation to provide superior protection in harsh environments
- The seamless, 3-stage, PVC injection-molded construction is 100% waterproof to keep feet comfortable and dry
- Removable FOOT FORM contour cushion insoles provide support for comfort and wick away moisture to keep workers' feet dry
- Extended steel shanks are thicker, longer and wider as well as curved and ribbed, to provide the best possible arch support for increased worker comfort
- TDT – dual compound outsole is optimally designed to provide a durable exterior for tough abrasion resistance, and a softer interior for comfort and excellent traction to help prevent slips and falls
- Kick-off lugs are higher and wider for ease in donning and doffing
- Meets CSA toe protection

SKU	Description	Men's Whole Sizes
75109C	Black/Yellow/Gray, steel toe, 15 inch (381mm)	3-15



75101C

Servus PRO®

- Seamless, PVC, 3-stage injection-molded construction is 100% waterproof to keep workers' feet comfortable and dry
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture to keep workers' feet dry
- Steel shank is longer, larger and positioned for optimal support to help prevent foot pain when standing all day
- TDT outsole compounds are formulated for longer wear reducing inventory and slip resistance to reduce the cost of injury
- Boot heights are graduated and proportional to sizing to ensure comfort and prevent chafing when walking
- Meets CSA toe protection

SKU	Description	Men's Whole Sizes
75101C	Gray/Yellow/Black, steel toe, 15 inch (381mm)	5-15

All PVC footwear is made in the USA.

PVC SAFETY FOOTWEAR

SERVUS



75125C

Servus PRM™

- Seamless injection-molded construction is 100% waterproof to keep workers' feet comfortable and dry
- Steel toe and plate protection
- Removable FOOT FORM contour comfort insoles provide support for comfort and wick away moisture to keep workers' feet dry
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Meets CSA toe and plate protection

SKU	Description	Men's Whole Sizes
75125C	Black, steel toe, 15 inch (381mm)	4-14



75145C

Servus PRM™

- Seamless, injection-molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Steel toe and plate protection
- Flexible steel midsole provides comfortable under-foot puncture protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Removable FOOT FORM contour cushion insoles provide all-day comfort and support
- Meets CSA Grade 1 toe and plate protection

SKU	Description	Men's Whole Sizes
75145C	Black/Orange, steel toe and puncture protection, 15 inch (381mm)	7-14

NEOPRENE SAFETY FOOTWEAR

XTRATUF®



22273G

XTRATUF® – Chevron Outsole, Hi-Pac

- Seamless construction is 100% waterproof to keep workers' feet dry
- Built-in Polymeric foam insulation provides added warmth
- Chevron outsoles provide excellent traction to reduce injuries from slip or fall hazards
- Neoprene is highly resistant to many organic and inorganic acids, chemicals, and contaminants, prolonging the life of the boot and keeping workers free of harmful irritants
- Removable insoles and durable fabric linings
- Meets CSA toe protection

SKU	Description	Men's Whole Sizes
22273G	Steel Toe, Insulated, 16 inch (406mm)	3-15
22271G	Steel Toe, Non-insulated, 16 inch (406mm)	5-14

RUBBER SAFETY FOOTWEAR

Honeywell



R1500

Honeywell R1500

- Steel toe and plate impact protection
- Hard internal met is lightweight and comfortable while providing excellent metatarsal protection
- Durable hand layered construction in vulcanized and heat sealed for 100% waterproof protection
- Commercial grade ozone resistant rubber is formulated to offer superior performance and long term wear
- Ankle support protects from ankle roll and twists
- Wider base allows for more grip and stability
- Built in cushioned insole for all-day comfort
- Composite shank reinforced construction and arch support
- Ideal for general safety and mining
- Meets CSA Grade 1 toe, plate and metatarsal standards

SKU	Description	Men's Whole Sizes
R1500	Steel Toe, 15 inch (381mm)	7-14

OVERSHOES – ALL WEATHER



NEOS® Adventurer™ Hi-Overshoe*

- Durable 500-denier nylon upper with waterproof membrane protects footwear from harsh weather environments
- Perma sole offers good traction in tough weather conditions to reduce the risk of slip and falls
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes

SKU	Description	Sizes
ANN1	Black, 15 inch (381mm)	XS-XXL

OVERSHOES – WINTER



NEOS® Navigator 5™ Expandable and Insulated*

- Durable 840-denier polyester upper with waterproof membrane protects footwear from harsh weather environments
- 4mm polyurethane foam insulation for added warmth.
- Aggressive Vibram® Ninja™ outsole offers superior traction on ice, snow and slush
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes

SKU	Description	Sizes
N5P3	Gray, 15 inch, extends to 20 inch (508mm)	XS-XXL



NEOS® Explorer™ STABILicers® – Insulated*

- Rugged 500-denier nylon upper with waterproof membrane to protect footwear from harsh winter environments
- 4mm polyurethane foam insulation for added warmth
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- 2.5mm polyurethane internal bootie
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job

SKU	Description	Sizes
EXSG	Black, 11 inch (279mm)	XS-3XL



NEOS® Navigator 5™ STABILicers® – Insulated*

- 840-denier polyester upper and 4mm polyurethane foam insulation add comfort and protection in harsh winter environments
- Waterproof membrane liner to keep feet dry and comfortable
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- Expandable gaiter top can roll out to increase boot height to 20 inches, providing added snow and wind protection
- 2.5mm polyurethane internal bootie
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job

SKU	Description	Sizes
N5P3S	Gray, 15 inch, extends to 20 inch (508mm)	XS-3XL



NEOS® Voyager™ STABILicers®*

- Rugged 500-denier nylon upper with waterproof membrane for protection against harsh winter environments
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- 2.5mm polyurethane internal bootie
- Adjustable hook & loop closure cuff provides a snug fit
- VNS1HEEL features a security heel, ideal for snowy and/or icy ladders and stairs

SKU	Description	Sizes
VNS1	Black, 11 inch (279mm)	XS-3XL
VNS1HEEL	Black, 11 inch (279mm)	SM-3XL

*Optional 10mm removable EVA insole adds comfort and warmth, sold separately



OVERSHOES – WINTER

