


PRODUCT INNOVATIONS
2015/1

A Company of the SWAROVSKI Group
www.tyrolit.com

TYROLIT

CONTENTS

PREMIUM CA-P93 V vulcanised fibre discs	4
PREMIUM ZA-P48 V vulcanised fibre discs	6
PREMIUM A-P22 FI TFC	8
PREMIUM CA-P93 PE Y belts	10
PREMIUM rough cleaning rollers	11
PREMIUM rough grinding wheel 2in1 for steel and stainless steel	12
PREMIUM cut-off wheels 2in1 with DEEP Cut Protection for steel and stainless steel	13
PREMIUM flap disc CERABOND flap disc for stainless steel	14
PREMIUM flap disc CERAMIC for Inox	15
PREMIUM FASTCUT for steel and stainless steel	15
PREMIUM flap disc 2in1 for steel and stainless steel	16
BASIC flap disc 2in1 for steel and stainless steel	16
PREMIUM Super-thin 2in1 cut-off wheels for steel and stainless steel	17
PREMIUM Super-thin cut-off wheels for stainless steel	17
BASIC cut-off wheels 2in1 for steel and stainless steel	17
BASIC cloth rolls A-B01 C JJ Universal use	18
PREMIUM CUT AND GRIND With DEEP Cut Protection for steel and stainless steel	18

Items with grey lettering are only available on request.

PICTOGRAMS

Angle grinder

Dual action sander

Belt grinder

Burnishing machine

Hand-guided grinding

Steel

Stainless steel

2in1 steel/ stainless steel

Composites

Gel coat

Wood

PVC

All in One


From a good idea **to an excellent product**

TYROLIT is represented in 28 countries through its own sales companies and cooperates in a further 65 countries with local partners.

Our several hundred field service colleagues are working hard everyday in the market alongside our end customers, in order to be able to provide them with advice and support whenever they need it. Of course, with these countless visits we are constantly seeing new challenges for the application technology, which for us logically means opportunities for new products.

What happens at TYROLIT when we get a good idea for a new product?

First of all, our product management team gets to grips with it. We have to find out precisely what is involved. Once our product managers have analysed all aspects and found them to be good, a well-established process is initiated in which they take a leading role.



Of course, we do not leave our product managers to deal with this mammoth task on their own. To assist them, there are no fewer than 100 colleagues on hand in Research & Development. Regardless of whether the task involves fundamental research, in the chemistry laboratory or on special physical questions, theoretical research or tests in the workshop – our staff in R&D are constantly searching for new solutions.

Thus there are over 400 different abrasive types and combinations available to our product managers, which we can integrate in several hundred different bond systems.

From this unimaginable wealth of possibilities, the first test wheels are then produced. We prefer to try out many variations so that we can work in a truly comprehensive way on a solution.

Then the tests start. Here not only is the work result tested but also whether the relevant solution can later be produced in larger quantities. We test whether the future products can be produced with a consistently high level of quality and of course we also test important aspects such as unbalance, lateral load and bursting speed values, in order to produce not only a very good but also a very safe product for our customers.

And then it comes finally to the material. But not just any material. Here too we are very precise, in order to achieve reliable and above all comparable results. Every test material therefore needs a test certificate.

Once comprehensive testing both off-hand and also with stationary machines has been completed and the best abrasive grain and the best bond system have been found, we can start with production.


It is not enough for us to start well with a new product, we want to guarantee a consistently high level of quality. We owe that to our name and to our customers. For this reason, we continue to take and test samples from every production batch in order to guarantee our high quality standards.

Ultimately it is our most important promise to our customers that we can regularly offer new and excellent innovations at the highest quality level because that is what the name TYROLIT stands for.

PREMIUM★★★ CA-P93 V VULCANISED FIBRE DISCS
FOR STEEL AND STAINLESS STEEL

+ **Maximum abrasiveness**
Ceramic aluminium oxide delivers maximum removal rates and the longest lifetime.

+ **Longest lifetime**
An additional layer of active coolants increases the lifetime and reduces heat build-up while grinding is performed on different materials.



+ **Strong backing**
The 0.86 mm thick backing holds the grain in place, thus ensuring maximum abrasiveness.

Using fibre discs is a very simple and quick solution for removing material. A low level of vibration means the tools are convenient to use. This fibre disc has been designed for use on steel and stainless steel, and is made of a ceramic aluminium oxide mix.

This fibre disc is available from our assortment in grit sizes 36 to 120.

PREMIUM★★★ CA-P93 V VULCANISED FIBRE DISCS
For steel and stainless steel




Shape		Type no.	Diameter	Grain	Max. RPM	PU
	V Disc	34163955	115x22	24	13,300	25
		706107	115x22	36	13,300	25
		34163957	115x22	40	13,300	25
		706108	115x22	60	13,300	25
		706109	115x22	80	13,300	25
		706110	115x22	120	13,300	25
		34163958	125x22	24	12,300	25
		706111	125x22	36	12,300	25
		34163959	125x22	40	12,300	25
		706114	125x22	60	12,300	25
		706116	125x22	80	12,300	25
		706117	125x22	120	12,300	25

	Shape		Type no.	Diameter	Grain	Max. RPM	PU
		V Disc	34164002	180x22	24	8,600	25
			706119	180x22	36	8,600	25
			34164004	180x22	40	8,600	25
			706120	180x22	60	8,600	25
			706123	180x22	80	8,600	25
			706124	180x22	120	8,600	25
		V Disc	34163992	115x22	24	13,300	50
			34163993	115x22	36	13,300	50
			34163994	115x22	40	13,300	50
			34163995	115x22	60	13,300	50
			34163997	115x22	80	13,300	50
			34163998	115x22	120	13,300	50
			34163999	125x22	24	12,300	50
			34164000	125x22	36	12,300	50
			34164011	125x22	40	12,300	50
			34164012	125x22	60	12,300	50
			34164013	125x22	80	12,300	50
			34164014	125x22	120	12,300	50
			34164015	180x22	24	8,600	50
			34164017	180x22	36	8,600	50
			34164018	180x22	40	8,600	50
			34164019	180x22	60	8,600	50
			34164020	180x22	80	8,600	50
			34164031	180x22	120	8,600	50

PREMIUM★★★ ZA-P48 V VULCANISED FIBRE DISCS
FOR STEEL AND STAINLESS STEEL

+ **Longest lifetime**
Resistant zirconium aluminium oxide and a coolant layer deliver maximum removal rates and the longest lifetime.

+ **Maximum economic efficiency**
Excellent price-performance ratio



+ **Very good finish**
To achieve the best possible surface finish, the backing thickness has been optimised, particularly for fine grains.

Using fibre discs is a very simple and quick solution for removing material. A low level of vibration means the tools are convenient to use. This fibre disc has been designed for use on steel and stainless steel, and is made of a zirconium aluminium oxide mix.

This fibre disc is available from our assortment in grit sizes 36 to 120.

PREMIUM★★★ ZA-P48 V VULCANISED FIBRE DISCS
For steel and stainless steel




Shape	Type no.	Diameter	Grain	Max. RPM	PU
V Disc	34162979	115x22	24	13,300	25
	34162980	115x22	36	13,300	25
	34162981	115x22	40	13,300	25
	34162982	115x22	60	13,300	25
	34162983	115x22	80	13,300	25
	34162985	115x22	120	13,300	25
	34162987	125x22	24	12,300	25
	34162988	125x22	36	12,300	25
	34162989	125x22	40	12,300	25
	34162990	125x22	60	12,300	25
	34163011	125x22	80	12,300	25
	34163012	125x22	120	12,300	25

	Shape		Type no.	Diameter	Grain	Max. RPM	PU
		V Disc	34163013	180x22	24	8,600	25
			34163014	180x22	36	8,600	25
			34163015	180x22	40	8,600	25
			34163020	180x22	60	8,600	25
			34163021	180x22	80	8,600	25
			34163022	180x22	120	8,600	25
		V Disc	34163024	115x22	24	13,300	50
			34163025	115x22	36	13,300	50
			34163026	115x22	40	13,300	50
			34163888	115x22	60	13,300	50
			34163889	115x22	80	13,300	50
			34163890	115x22	120	13,300	50
			34163902	125x22	24	12,300	50
			34163903	125x22	36	12,300	50
			34163905	125x22	40	12,300	50
			34163906	125x22	60	12,300	50
			34163908	125x22	80	12,300	50
			34163910	125x22	120	12,300	50
			34163911	180x22	24	8,600	50
			34163912	180x22	36	8,600	50
			34163913	180x22	40	8,600	50
			34163914	180x22	60	8,600	50
			34163915	180x22	80	8,600	50
			34163917	180x22	120	8,600	50

PREMIUM★★★ A-P22 FI TFC
FOR PLASTIC, COMPOSITES, GEL COAT AND WOOD

+ **Increased lifetime**
No loading or clogging of the TFC disc.

+ **Simple handling**
Disc changes are quick and easy thanks to the Velcro fastening.



+ **Great overall abrasion**
An improved film backing increases abrasion on the workpiece.

TYROLIT FAST CHANGE enables you to change a disc very quickly thanks to the Velcro fastening. This durable and flexible product has been developed with a special film backing to achieve improved edge stability and stock removal rate. The product delivers an exceptionally even finish on lacquers, paints and composites. Clogging and loading of the disc is reduced, thus increasing the product's lifetime.

PREMIUM★★★ A-P22 FI TFC
For plastic, composites, gel coat and wood



Shape	Type no.	Diameter	Grain	Holes	Max. RPM	PU
Disc 8H	706147	125	40	8	10'500	50
	706148	125	60	8	10'500	50
	706149	125	80	8	10'500	50
	706150	125	100	8	10'500	50
	706151	125	120	8	10'500	50
	706152	125	150	8	10'500	50
	706154	125	180	8	10'500	50
	706155	125	240	8	10'500	50
	706157	125	320	8	10'500	50
	706158	125	400	8	10'500	50

	Shape		Type no.	Diameter	Grain	Holes	Max. RPM	PU
		Disc 15H	34063266	150	40	15	8'800	50
			34063267	150	60	15	8'800	50
			34063292	150	80	15	8'800	50
			34063294	150	100	15	8'800	50
			34063296	150	120	15	8'800	50
			34063298	150	150	15	8'800	50
			34063299	150	180	15	8'800	50
			34063300	150	240	15	8'800	50
			34063301	150	320	15	8'800	50
			34063303	150	400	15	8'800	50
		Disc 17H	34036456	150	40	17	8'800	50
			34036457	150	60	17	8'800	50
			34036458	150	80	17	8'800	50
			34036459	150	100	17	8'800	50
			34036460	150	120	17	8'800	50
			34036501	150	150	17	8'800	50
			34036502	150	180	17	8'800	50
			34036503	150	240	17	8'800	50
			34036504	150	320	17	8'800	50
			34036505	150	400	17	8'800	50

PREMIUM★★★ ACCESSORIES
for TFC



Our back up pads can be used on most dual action sanders and their medium density provides the ideal support for finishing and preparing surfaces. The specially developed product design delivers outstanding dust extraction.

You can use practically any disc with our back up pads. They fit discs with 0, 6, 7, 9 and 15 holes.

	Shape		Type no.	Diameter	Mounting	Holes	Grade	Max. RPM	PU
		Disc	34177464	150	5/16-M8	21	Medium	10.500	1

PREMIUM★★★ CA-P93 PE Y BELTS
FOR STEEL AND STAINLESS STEEL

+ **Reduced load**
The high abrasiveness of the belts means that the operator can apply less pressure.

+ **Consistent surface result**
Even grinding surface pattern thanks to uniform easy-cutting ceramic grain.



+ **Maximum abrasiveness**
The ceramic PREMIUM*** belts achieve the highest values in terms of abrasiveness and therefore offer the greatest possible stock removal rate.

Belts with self-sharpening ceramic grain offer a high stock removal rate on steel and stainless steel. Thanks to this self-sharpening effect, an even surface quality is achieved over the entire lifetime of the abrasive belts. Moreover, the composition of the abrasive belt reduces effort for the operator as less pressure is required.

PREMIUM★★★ CA-P93 PE Y BELTS
For steel and stainless steel





Shape	Type no.	Dimension	Grain	Connection	PU
Belt 3	34168478	75x2000	24	JTS	10
	34168479	75x2000	36	JTS	10
	34168480	75x2000	40	JTS	10
	34168481	75x2000	60	JTS	10
	34168482	75x2000	80	JTS	10
	34168483	75x2000	120	JTS	10

PREMIUM★★★
ROUGH CLEANING ROLLERS
FOR STEEL, STAINLESS STEEL AND PVC

+ **Powerful**
TYROLIT rough cleaning wheels are characterised by a long lifetime and an excellent grinding surface pattern.

+ **User-friendly**
Enables the user to perform quiet, non-strenuous work.



+ **Versatile tool**
Not only for removing rust, paint, lacquer and underbody sealant, but also for preparing surfaces for welding, soldering and anodising.

With the TYROLIT rough cleaning roller for burnishing machines, you can effortlessly remove rust, paint, lacquer and underbody sealant from your workpiece. The porous nylon fibres, treated with aggressive abrasives, meet any challenge. Particularly suitable for cleaning large, even surfaces. At the same time, they prevent clogging or loading.

PREMIUM★★★ ROUGH CLEANING ROLLERS
For steel, stainless steel and PVC

	Shape	Type no.	Dimension	Grain	Design	Colour	Max. RPM	Rec. speed	PU
	1GR	34077301	100x100x19.1 S4		C COARSE	BLACK	6,800	2,400	1

PREMIUM★★★ ROUGH GRINDING WHEEL 2IN1 FOR STEEL AND STAINLESS STEEL

+ **Enhanced economic efficiency**
  High abrasiveness coupled with a significantly longer lifetime.

+ **Less work required**
  The destruction of the workpiece as a result of plunging with the tool is prevented, thus avoiding rework.





Rough grinding wheel with and without „Comfort Start“.

+ **Enhanced comfort while working**
  With the „Comfort Start“ function, plunging into the workpiece is prevented, thus making the start of the process simpler and more convenient.

TYROLIT Film

The product film can be found on YouTube at **www.youtube.com/TYROLITgroup**

This rough grinding wheel is particularly suitable for steel and stainless steel applications. Due to its softer design, the PREMIUM*** 2in1 is quick and convenient to use and requires minimal effort. This is made possible by a new bond with coarser grain and a new layer composition.

What makes our 2in1 rough grinding wheel so unique is the bevelled and defined edge of the tool. With the “Comfort Start” edge, the user can achieve a pleasant start to grinding and the level of comfort while working is increased many times over.

PREMIUM★★★ ROUGH GRINDING WHEEL

2in1 for steel and stainless steel



Shape		Type no.	Dimension	Specification	PU
	27	34046119	100x6,0x16	A24Q-BFX	10
		34046120	115x7,0x22,23	A24Q-BFX	10
		34046131	125x7,0x22,23	A24Q-BFX	10
		34046132	150x7,0x22,23	A24Q-BFX	10
		34046133	178x7,0x22,23	A24Q-BFX	10
		34046135	178x8,0x22,23	A24Q-BFX	10
		34046134	230x7,0x22,23	A24Q-BFX	10
		34046136	230x8,0x22,23	A24Q-BFX	10
		34046137	230x10,0x22,23	A24Q-BFX	10

PREMIUM★★★ CUT-OFF WHEELS
2IN1 WITH DEEP CUT PROTECTION FOR STEEL AND STAINLESS STEEL

+ **Enhanced safety**
The Deep Cut protection metal bushing we have developed prevents the crown being removed from the wheel and thus a break out of the bore.

+ **Greater economic efficiency**
The longer range of application means that wheel changes are reduced.



+ **Versatile application options**
It is ideal for small sheet metal, profile and pipe cross-sections. Rods and metal reinforcements can also be cut effortlessly.

TYROLIT Film

The product film can be found on YouTube at **www.youtube.com/TYROLITgroup**

Using newly developed technology and new materials we have succeeded in taking another step towards improved user safety. The PREMIUM*** cut-off wheel with Deep Cut Protection enables the user to achieve maximum insertion depths into the workpiece without damaging the wheel.
There is no risk of sharp workpiece edges removing the crown.

PREMIUM★★★ CUT-OFF WHEELS
2in1 with Deep Cut Protection for steel and stainless steel

	Shape		Type no.	Dimension	Specification	PU
		42	34042238	115x1.2x22.23	TA60P-BFXA	25
			34042239	125x1.2x22.23	TA60P-BFXA	25
			34042240	150x1.2x22.23	TA60P-BFXA	25

PREMIUM★★★ FLAP DISC

CERABOND flap disc for stainless steel

We at TYROLIT always endeavour to bring our customers innovative products and a comprehensive assortment. For this reason, TYROLIT has now extended the CERABOND family to include the new CERAMIC flap discs. A unique bond system combined with a high-performance PREMIUM cloth offers the user greater abrasiveness. This flap disc is particularly suitable for stainless steels and demanding grinding applications. In addition, the unique bond system prevents premature grain break-out and leads to a long product lifetime. The additional TOP SIZE coating ensures cooler grinding, allowing a longer lifetime and reducing discolouration on the workpiece surface.



Shape		Type no.	Dimension	Specification	PU
	27A	34166139	100x16	CA40-B	10
		34166140	100x16	CA60-B	10
		34166161	100x16	CA80-B	10
		34165680	115x22,23	CA80-B	5
		34165681	125x22,23	CA80-B	5
		34166162	150x22,23	CA40-B	10
		34166163	150x22,23	CA60-B	10
		34166164	150x22,23	CA80-B	10
		34166166	178x22,23	CA40-B	5
		34166167	178x22,23	CA60-B	5
		34166168	178x22,23	CA80-B	5
	28A	34166169	100x16	CA40-B	10
		34166170	100x16	CA60-B	10
		34166171	100x16	CA80-B	10
		34166172	115x22,23	CA40-B	5
		34166173	115x22,23	CA60-B	5
		34166174	115x22,23	CA80-B	5
		34166175	125x22,23	CA40-B	5
		34166176	125x22,23	CA60-B	5
		34166177	125x22,23	CA80-B	5
		34166178	150x22,23	CA40-B	10
		34166179	150x22,23	CA60-B	10
		34166180	150x22,23	CA80-B	10
		34166181	178x22,23	CA40-B	5
		34166182	178x22,23	CA60-B	5
		34166184	178x22,23	CA80-B	5
	27N	34165677	115x22,23	CA80-B	5
		34165679	125x22,23	CA80-B	5

Further sizes can be found in our current catalogue

PREMIUM★★★ FLAP DISC
CERAMIC for Inox

Thanks to the self-sharpening ceramic abrasive grain, the PREMIUM*** CERAMIC flap disc is particularly suitable for stainless steels and demanding grinding applications. The additional TOP SIZE coating ensures cool grinding, allowing a longer tool lifetime and reducing discolouration on the workpiece surface. Thanks to the self-sharpening characteristic of the abrasive grain, a more even surface quality is achieved over the entire lifetime of the disc.



Shape		Type no.	Dimension	Specification	PU
	27A	34166620	115x22,23	CA80-B	10
		34166671	125x22,23	CA80-B	10
		34166673	150x22,23	CA40-B	10
		34166678	150x22,23	CA60-B	10
		34166680	150x22,23	CA80-B	10
		34166681	178x22,23	CA40-B	10
		34166685	178x22,23	CA60-B	10
		34166686	178x22,23	CA80-B	10
	28A	34166687	115x22.23	CA80-B	10
		34166688	125x22,23	CA80-B	10
		34166855	150x22,23	CA40-B	10
		34166857	150x22,23	CA60-B	10
		34166858	150x22,23	CA80-B	10
		34166859	178x22,23	CA40-B	10
		34166860	178x22,23	CA60-B	10
		34166861	178x22,23	CA80-B	10
	28N	34166863	115x22.23	CA80-B	10
		34166865	125x22,23	CA80-B	10

Further sizes can be found in our current catalogue

PREMIUM★★★ FLAP DISC
FASTCUT for steel and stainless steel

The PREMIUM*** FASTCUT is synonymous with excellent, specific abrasion of material. As a result, you will achieve your goal faster, and the disc will remain easy cutting and abrasive over its entire lifetime. The TYROLIT FASTCUT flap disc is the perfect tool for demanding grinding jobs, such as edge grinding and welding. It is used both on high alloyed steels and stainless steel, as well as on unalloyed and low alloyed steels. The additional TOP SIZE coating provides cool grinding. It is also possible to use it on aluminium, to a limited extent.



Shape		Type no.	Dimension	Specification	PU
	27A	34166360	150x22,23	ZA40-B	10
		34166362	150x22,23	ZA60-B	10
		34166363	150x22,23	ZA80-B	10
	28A	34166364	150x22,23	ZA40-B	10
		34166365	150x22,23	ZA60-B	10
		34166366	150x22,23	ZA80-B	10

Further sizes can be found in our current catalogue

PREMIUM★★★ FLAP DISC

2in1 for steel and stainless steel

The PREMIUM*** 2in1 flap disc combines an excellent lifetime with very high specific abrasion. The TYROLIT 2in1 flap disc is used both on high alloyed steels and stainless steel, as well as on unalloyed and low alloyed steels. Problem-free welding as well as edge and surface grinding, particularly when used on powerful angle grinders.



Shape		Type no.	Dimension	Specification	PU
	27A	729764	100x16	ZA40-B	10
		730559	100x16	ZA60-B	10
		730560	100x16	ZA80-B	10
		78049	100x16	ZA120-B	10
	28A	34166327	100x16	ZA40-B	10
		34166328	100x16	ZA60-B	10
		34166331	100x16	ZA80-B	10
		34166333	100x16	ZA120-B	10


Further sizes can be found in our current catalogue

BASIC★ FLAP DISC

2in1 for steel and stainless steel

The BASIC* 2in1 flap disc offers two advantages. On one hand, it offers the user long lifetime, on the other it guarantees good specific abrasion. The TYROLIT 2in1 flap disc is used both on high alloyed steels and stainless steel, as well as on unalloyed and low alloyed steels.



Shape		Type no.	Dimension	Specification	PU
	27A	34166866	178x22,23	ZA40-B	10
		34166867	178x22,23	ZA60-B	10
		34166869	178x22,23	ZA80-B	10
		34166870	178x22,23	ZA120-B	10
	28A	34166901	178x22,23	ZA40-B	10
		34166902	178x22,23	ZA60-B	10
		34166903	178x22,23	ZA80-B	10
		34166904	178x22,23	ZA120-B	10
	28N	34166905	178x22,23	ZA40-B	10
		34166906	178x22,23	ZA60-B	10
		34166907	178x22,23	ZA80-B	10
		34166908	178x22,23	ZA120-B	10

Further sizes can be found in our current catalogue

PREMIUM★★★ CUT-OFF WHEELS

Super-thin 2in1 cut-off wheels for steel and stainless steel

With the next generation PREMIUM*** 2in1 cut-off wheels you can enhance performance while significantly reducing tool wear. In thicknesses of 1.0 to 1.6 mm, these super-thin 2in1 cut-off wheels have been developed for machining steel and stainless steel. The chemical purity makes this tool ideal for machining stainless steel. In this way, impairments to the material, such as corrosion, pitting corrosion or a reduction in the fatigue strength, can be avoided. As well as a clear improvement in productivity, these cut-off wheels also promote environmentally friendly use thanks to reduced waste production.



Shape		Type no.	Dimension	Specification	PU
41		34165055	150x1,2x22,23	A46Q-BFKA	25
		34165056	178x1,6x22,23	A46Q-BFKA	25
		34165057	230x2,0x22,23	A30Q-BFXA	25

Further sizes can be found in our current catalogue

PREMIUM★★★ CUT-OFF WHEELS

Super-thin cut-off wheels for stainless steel

With the next generation PREMIUM*** cut-off wheels for stainless steel you can enhance performance while significantly reducing tool wear. Super-thin cut-off wheels can be obtained from TYROLIT in thicknesses from 0.75 to 1.6 mm. They are particularly suitable for thin-walled metal sheets, profiles and pipes, as well as reinforced steel. Even for small stainless steel cross-sections and rods, and corrosion-resistant or acid-resistant stainless steel these cut-off wheels offer effortless machining. The chemical purity of this tool is a requirement of machining stainless steel in order to avoid impairments to the material, such as corrosion, pitting corrosion or a reduction in the fatigue strength.



Shape		Type no.	Dimension	Specification	PU
41		34060382	150x1,2x22,23	A46R-BFKA	25
		34059901	178x1,6x22,23	A46R-BFKA	25
		34059902	230x2,0x22,23	A30R-BFKA	25

Further sizes can be found in our current catalogue

BASIC★ CUT-OFF WHEELS

2in1 for steel and stainless steel

This tool is designed for use on both steel and stainless steel. Our BASIC* cut-off wheel 2in1 has an excellent lifetime and stability. The tool is suitable for cutting metal sheets, profiles, pipes, rods and solid material. The 1.6 mm cut-off wheel available in the BASIC* assortment is particularly suitable for fast, convenient and low-burr work. The stable cut-off wheels in thicknesses between 2.0 and 3.0 mm have a very long lifetime and are suitable for universal use.



Shape		Type no.	Dimension	Specification	PU
41		34051373	115x1,0x22,23	A60Q-BF	25
		34051374	125x1,0x22,23	A60Q-BF	25


Further sizes can be found in our current catalogue

BASIC★ CLOTH ROLLS A-B01 C JJ

Universal use

With highly flexible cloth rolls from TYROLIT you can machine almost any material. When finishing surfaces, preparation either by hand or using an orbital sander is required. When machining wood, paint and lacquer, TYROLIT recommends BASIC* cloth rolls for hand-guided grinding.

For finishing coatings, smoothing and cleaning composites, and for clean intermediate grinding, we recommend cloth rolls on an orbital sander.



Shape		Type no.	Dimension	Specification	PU
	Roll	34061912	100x50M	60	1
		34061913	100x50M	80	1
		34061919	100x50M	100	1
		34061934	100x50M	120	1
		34061938	100x50M	150	1
		34061939	100x50M	180	1
		34061951	100x50M	240	1
		34061953	100x50M	320	1
		34061954	100x50M	400	1
		34061960	115x50M	60	1
		34062015	115x50M	80	1
		34062021	115x50M	100	1
		34062022	115x50M	120	1
		34062023	115x50M	150	1
		34062024	115x50M	180	1
		34062025	115x50M	240	1
		34062026	115x50M	320	1
		34062027	115x50M	400	1

Further sizes can be found in our current catalogue

PREMIUM★★★ CUT AND GRIND

With DEEP Cut Protection for steel and stainless steel

With the introduction of the PREMIUM*** CUT AND GRIND it has become possible to perform applications such as grinding, deburring and shaping as well as cutting and plunging with only one tool. TYROLIT has now refined this technology. The wheels now have a thinner width of 2.0 mm and offer additional safety for the user with the new DEEP Cut Protection.

The risk of sharp workpiece edges removing the crown from the wheel and the consequent break out of the bore is prevented.



Form		Typennummer	Abmessung	Spezifikation	VP
	27EC	34042756	115x2,0x22,23	A46Q-BFXA	25
		34042757	125x2,0x22,23	A46Q-BFXA	25



TYROLIT SCHLEIFMITTELWERKE SWAROVSKI K.G.
Swarovskistraße 33 | 6130 Schwaz | Austria
Tel +43 5242 606-0 | Fax +43 5242 63398

TYROLIT LTD
Eldon Close | Crick | Northants | NN6 7UD | UK
Tel: +44 (0)845 6868 200 | Fax: +44 (0)1788 823089

Our **worldwide subsidiary companies** can be found on our website at **www.tyrolit.com**

Follow us on Facebook
facebook.com/TYROLIT

20056147-GB-0415