
Contractor Price List
Effective January 4, 2016







IAPMO ES ER 0373

ICC ES ESR - 3584

IAPMO ES Pending 2016

UCAN

FASTENING PRODUCTS

www.ucanfast.com

CONTENTS

Pages

DRILL BITS & CHISELS

- Core Bits
- SDS Plus Bits and Chisels
- SDS Max Bits and Chisels
- Straight Shank Percussion Bits
- Ti-Awl® Tile Bits
- Ship Auger Bits



1 - 5

ADHESIVE ANCHORING


- FLO-ROK® Injection Systems
- CRACKFAST® Crack Repair Kit
- Rockite Cement
- Rod Assemblies
- Steel Screens



5 - 7

MEDIUM & HEAVY DUTY ANCHORS

- Heavy Load Anchors
- Wedge Anchors
- Drop-in Anchors
- Sleeve Anchors
- Lag Shields
- Single Expansion Shields
- Double Expansion Shields



8 - 11

LIGHT DUTY ANCHORS


- Lead Anchors
- Nylon Pin Bolts
- Zamac Pin Bolts
- Metal Frame Anchor
- Renovation Anchors
- Drive Screw Anchors
- Screw Plugs & Anchors
- MJP Insulation Fasteners



12 -13

HOLLOW WALL ANCHORS

- Tip Toggle
- Toggle Bolts
- Nylon Toggle
- Metal Hollow Wall Anchors



14

SPECIALTY ANCHORS

- SCRU-IT®
- U-DRIVE®
- CB Screws
- Acoustic Lag Screws
- U-DRIVE® Stress Plate



8, 15-17

CONTENTS

Pages

DIRECT FASTENING

- Power Loads
- Low Velocity Tools
- Pins and Studs for all makes



18 - 20

SELF DRILLING SCREWS AND ACCESSORIES

- Wood to Metal Fasteners
- Metal to Metal Fasteners
- Screwdriver Accessories
- Sealing Washers



21 - 26

SUPER PAKS

GREAT FOR TRADESMEN Super Pak Jars have a large 3-1/4" diameter opening, with a secure screw on lid to prevent spillage. They are made of a durable crystal clear plastic so that the contents are easy to identify. Super Pak fits most service truck racking and is not too large for many tool carriers.





MASONRY ANCHORS

- Plastic Plugs
- Zamac Pin Bolts



HOLLOW WALL ANCHORS

- Zamac Twister
- Nylon Twister

27 - 28



METAL FASTENERS OVER 50 SIZES

- Self Drilling Screws
- Sharp Point Self Tapping Screws



TECHNICAL DATA PAGES 30 - 31

SIZES SHOWN IN **RED** ARE NEW STOCK ITEMS.

mm SIZES SHOWN IN **GREEN** ARE TRUE METRIC DIN STANDARD.
OTHER METRIC SIZES SHOWN ARE METRIC CONVERSION SIZES.

UCAN PRODUCTS ARE SUPPLIED EXCLUSIVELY BY DISTRIBUTORS COAST TO COAST.
PRICES SHOWN ARE SUBJECT TO ALL APPLICABLE SALES TAXES.
ALL WEIGHTS ARE SHOWN IN POUNDS (lb).



CARBIDE TIPPED DRILL BITS

UCAN carbide tipped drill bits are designed for fast, accurate drilling of correctly sized holes which are needed to ensure optimum anchor performance. All fractional inch sizes conform to ANSI tolerances and metric sizes adhere to DIN standards. Improved flutes remove dust efficiently to prevent heat build-up and increase bit life.

ULTRAPLUS® PREMIUM SDS PLUS

ULTRAPLUS® PREMIUM SDS PLUS

- Ultra fast drilling
- Extra long life in concrete
- Drills natural stone

Four cutter carbide tip provides superior performance in reinforced concrete, rock and granite, and extra long life in concrete compared to our regular SDS plus bit. Improved fluting reduces friction and accelerates dust removal. Will cut through rebar up to 10M.



Part No.	Diameter (inch)	Length (inches) Overall	Usable	Price /ea.
SDU 3164	3/16 ANSI	4-1/4	2	**23.60**
SDU 3166	3/16 ANSI	6-1/4	4	**24.70**
SDU 144	1/4 ANSI	4-1/4	2	**22.50**
SDU 146	1/4 ANSI	6-1/4	4	**23.60**
SDU 148	1/4 ANSI	8-1/4	6	**33.20**
SDU 1410	1/4 ANSI	10	8	**45.00**
SDU 1412	1/4 ANSI	12	10	**61.80**
SDU 5166	5/16 ANSI	6-1/4	4	**32.10**
SDU 386	3/8 ANSI	6-1/4	4	**34.90**
SDU 3812	3/8 ANSI	12-1/4	10	**57.30**
SDU 3818	3/8 ANSI	18	16	**88.80**
SDU 126	1/2 ANSI	6-1/4	4	**42.80**
SDU 1212	1/2 ANSI	12-1/4	10	**66.30**
SDU 1218	1/2 ANSI	18	16	**88.80**
SDU 588	5/8 ANSI	8	6	**67.60**
SDU 5812	5/8 ANSI	12	10	**83.60**
SDU 5818	5/8 ANSI	18	16	**101.90**
SDU 348	3/4 ANSI	8	6	**96.20**
SDU 3412	3/4 ANSI	12	10	**119.10**
SDU 3418	3/4 ANSI	18	16	**130.60**
SDU 788	7/8 ANSI	8	6	**114.50**
SDU 7810	7/8 ANSI	10	8	**131.70**
SDU 7812	7/8 ANSI	12	10	**147.70**
SDU 112	1 ANSI	12	10	**180.90**
SDU 118	1 ANSI	18	16	**200.40**
SDU 11810	1 1/8 ANSI	10	8	**183.20**
SDU 11818	1 1/8 ANSI	18	16	**219.80**

ULTRAPLUS CONTRACTOR-PAKS

PREMIUM SDS PLUS

Manufactured to ANSI B 212.15 Standard



Part No.	Diameter (inch)	Length (inches) Overall	Usable	Pkg Qty	Price /ea.
SDU 3164B	3/16 ANSI	4-1/4	2	25	**21.40**
SDU 3166B	3/16 ANSI	6-1/4	4	25	**19.70**
SDU 144B	1/4 ANSI	4-1/4	2	25	**16.90**
SDU 146B	1/4 ANSI	6-1/4	4	25	**19.10**
SDU 386B	3/8 ANSI	6-1/4	4	25	**29.80**
SDU 126B	1/2 ANSI	6-1/4	4	20	**38.30**

SDS PLUS DRILL BITS

Dynamic, chisel shaped drill point and patented multi-flute deliver superior speed and endurance.

Manufactured to ANSI B 212.15 Standard



Part No.	Diameter (in)	(mm)	Length (in) Overall	Usable	Qty.	Price /ea.
SDS 5324	5/32 ANSI	4	4-1/4	2-1/4	25	**14.10**
SDS 5326	5/32 ANSI	4	6-1/4	4-1/4	25	**18.00**
SDS 3164	3/16 ANSI	5	4-1/4	2-1/4	25	**11.90**
SDS 3166	3/16 ANSI	5	6-1/4	4-1/4	25	**13.20**
SDS 3168	3/16 ANSI	5	8-1/4	6-1/4	25	**19.70**
SDS 7324	7/32 ANSI	5.5	4	2	25	**13.80**
SDS 7326	7/32 ANSI	5.5	6-1/4	4-1/4	25	**16.90**
SDS 15644	15/64 DIN	6	4	2	25	**15.70**
SDS 15646	15/64 DIN	6	6	4	25	**17.50**
SDS 15648	15/64 DIN	6	8	5-3/4	25	**19.70**
SDS 144	1/4 ANSI	6.5	4-1/4	2-1/4	25	**12.40**
SDS 146	1/4 ANSI	6.5	6-1/4	4-1/4	25	**13.80**
SDS 148	1/4 ANSI	6.5	8-1/4	5-3/4	25	**20.10**
SDS 1411	1/4 ANSI	6.5	11	9	25	**41.10**
SDS 1420	1/4 ANSI	6.5	20	18	20	**82.10**
SDS 9326	9/32 ANSI	7	8	6	25	**16.90**
SDS 5166	5/16 ANSI	8	6-1/4	4-1/4	25	**16.60**
SDS 5168	5/16 ANSI	8	8	5-3/4	25	**20.80**
SDS 386	3/8 ANSI	9.5	6-1/4	4-1/4	25	**16.60**
SDS 388	3/8 ANSI	9.5	8-1/4	6-1/4	25	**25.30**
SDS 3812	3/8 ANSI	9.5	12-1/4	10-1/4	15	**36.00**
SDS 3818	3/8 ANSI	9.5	18	16	10	**57.30**
SDS 3824	3/8 ANSI	9.5	24	22	20	**79.80**
SDS 25646	25/64 DIN	10	6	4	25	**25.50**
SDS 25648	25/64 DIN	10	8	6	15	**35.20**
SDS 7166	7/16 ANSI	11	6-1/4	4-1/4	25	**25.30**
SDS 15326	15/32 DIN	12	6	4	25	**23.30**
SDS 15328	15/32 DIN	12	8	6	1	**38.80**
SDS 153224	15/32 DIN	12	24	22	10	**72.50**
SDS 126	1/2 ANSI	13	6-1/4	4-1/4	25	**22.10**
SDS 128	1/2 ANSI	13	8	6	25	**35.20**
SDS 1210	1/2 ANSI	13	10-1/4	8-1/4	25	**40.50**
SDS 1212	1/2 ANSI	13	12-1/4	10-1/4	20	**47.20**
SDS 1218	1/2 ANSI	13	18	16	20	**63.50**
SDS 9166	9/16 ANSI	14	6-1/4	4-1/4	20	**30.90**
SDS 19328	19/32 DIN	15	8	6	1	**47.70**
SDS 586	5/8 ANSI	16	6-1/4	4-1/4	20	**35.20**
SDS 588	5/8 ANSI	16	8	6	20	**39.40**
SDS 5812	5/8 ANSI	16	12	10	20	**52.80**
SDS 5818	5/8 ANSI	16	18	16	15	**85.40**
SDS 5824	5/8 ANSI	16	24	22	10	**105.70**
SDS 456412	45/64 DIN	18	12	10	10	**79.30**
SDS 348	3/4 ANSI	19.1	8	6	15	**66.30**
SDS 3412	3/4 ANSI	19.1	12	10	10	**81.50**
SDS 3418	3/4 ANSI	19.1	18	16	10	**85.40**
SDS 25328	25/32 DIN	20	8	6	20	**78.70**
SDS 27328	27/32 ANSI	21.4	8	6	1	**89.40**
SDS 7812	7/8 ANSI	22	12-1/4	10-1/4	10	**96.70**
SDS 616412	61/64 DIN	24	10	8	1	**115.80**
SDS 112	1 ANSI	25.4	12	10	10	**129.30**
SDS 118	1 ANSI	25.4	18	16	10	**154.00**

mm Sizes shown in GREEN are true metric DIN standard. Other metric sizes shown are metric conversion sizes.

SDS PLUS CONTRACTOR-PAKS



Manufactured to ANSI B 212.15 Standard

Part No.	Diameter (in)	Diameter (mm)	Length (in) Overall	Length (in) usable	Qty.	Price /each
SDB 5324	5/32 ANSI	4	4-1/4	2-1/4	25	**13.20**
SDB 5326	5/32 ANSI	4	6-1/4	4-1/4	25	**14.50**
SDB 3164	3/16 ANSI	5	4-1/4	2-1/4	25	**11.00**
SDB 3166	3/16 ANSI	5	6-1/4	4-1/4	25	**11.30**
SDB 3168	3/16 ANSI	5	8-1/4	6-1/4	25	**17.90**
SDB 144	1/4 ANSI	6.5	4-1/4	2-1/4	25	**9.55**
SDB 146	1/4 ANSI	6.5	6-1/4	4-1/4	25	**10.20**
SDB 148	1/4 ANSI	6.5	8-1/4	5-3/4	25	**16.80**
SDB 1411	1/4 ANSI	6.5	11	9	25	**39.40**
SDB 5166	5/16 ANSI	8	6-1/4	4-1/4	25	**14.30**
SDB 386	3/8 ANSI	9.5	6-1/4	4-1/4	25	**14.30**
SDB 3812	3/8 ANSI	9.5	12-1/4	10-1/4	20	**33.20**
SDB 15326	15/32 DIN	12	6	4	20	**20.00**
SDB 126	1/2 ANSI	13	6-1/4	4-1/4	20	**18.60**
SDB 1210	1/2 ANSI	13	10-1/4	8-1/4	20	**38.30**
SDB 586	5/8 ANSI	16	6-1/4	4-1/4	15	**34.00**
SDB 588	5/8 ANSI	16	8	6	15	**38.30**
SDB 788	7/8 ANSI	22	8	6	5	**82.10**

SDS PLUS BITS - BULK

Part No.	Diameter (in)	Diameter (mm)	Length (in) Overall	Length (in) usable	Qty.	Price /each
SDS 5324B	5/32 ANSI	4	4-1/4	2-1/4	250	**12.40**
SDS 5326B	5/32 ANSI	4	6-1/4	4-1/4	200	**12.40**
SDS 3164B	3/16 ANSI	5	4-1/4	2-1/4	250	**10.30**
SDS 3166B	3/16 ANSI	5	6-1/4	4-1/4	200	**9.30**
SDS 144B	1/4 ANSI	6.5	4-1/4	2-1/4	250	**9.35**
SDS 146B	1/4 ANSI	6.5	6-1/4	4-1/4	200	**9.55**
SDS 5166B	5/16 ANSI	8	6-1/4	4-1/4	150	**13.20**
SDS 386B	3/8 ANSI	9.5	6-1/4	4-1/4	125	**13.50**
SDS 126B	1/2 ANSI	13	6-1/4	4-1/4	100	**16.30**

ULTRAMAX® PREMIUM SDS MAX

ULTRAMAX® PREMIUM SDS MAX

Manufactured to ANSI B 212.15 Standard





New size in red

Part No.	Diameter (in)	Diameter (mm)	Length (in) Overall	Length (in) Usable	Price /ea.
MAX 1213	1/2 ANSI	13	13	8	**61.80**
MAX 1221	1/2 ANSI	13	21	16	**92.70**
MAX 91613	9/16 ANSI	14	13	8	**80.90**
MAX 91621	9/16 ANSI	14	21	16	**91.00**
MAX 5813	5/8 ANSI	16	13	8	**77.60**
MAX 5821	5/8 ANSI	16	21	16	**104.60**
MAX 5836	5/8 ANSI	16	36	31	**213.50**
MAX 456413	45/64 DIN	18	13	8	**92.70**
MAX 3413	3/4 ANSI	19.1	13	8	**84.30**
MAX 3421	3/4 ANSI	19.1	21	16	**106.80**
MAX 3436	3/4 ANSI	19.1	36	31	**225.90**
MAX 7813	7/8 ANSI	22	13	8	**91.60**
MAX 7821	7/8 ANSI	22	21	16	**122.50**
MAX 7836	7/8 ANSI	22	36	30	**245.00**
MAX 616413	61/64 DIN	24	13	8	**116.90**
MAX 113	1 ANSI	25.4	13	8	**106.20**
MAX 121	1 ANSI	25.4	21	16	**128.10**
MAX 136	1 ANSI	25.4	36	31	**249.50**
MAX 176415	1-7/64 DIN	28	14.5	9.5	**169.70**
MAX 11817	1-1/8 ANSI	29.8	17	12	**166.40**
MAX 11821	1-1/8 ANSI	29.8	21	16	**170.80**
MAX 11836	1-1/8 ANSI	29.8	36	31	**274.20**
MAX 11415	1-1/4 ANSI	32	15	10	**160.70**
MAX 11423	1-1/4 ANSI	32	23	18	**184.30**
MAX 11436	1-1/4 ANSI	32	36	31	**274.20**
MAX 13823	1-3/8 ANSI	35	23	18	**216.90**
MAX 13836	1-3/8 ANSI	35	36	31	**351.80**
MAX 11223	1-1/2 ANSI	38	23	18	**243.80**
MAX 13423	1-3/4 ANSI	44.5	23	18	**314.70**
MAX 223	2 ANSI	50.8	23	18	**393.30**

SDS PLUS FORMING BITS - BULK





Part No.	Diameter (in)	Diameter (mm)	Length (in) Overall	Length (in) usable	Qty.	Wt.	Price /each
SFB 3166B	3/16	5	6	3-3/4	200	17	**5.60**

SDS PLUS CHISELS



Part No.	Description	Price/ea.
CHP S11	11" Bull point chisel	**20.30**
CHI S11	10" X 1" Flat	**20.30**
CHI S18	18" X 1" Flat	**25.50**
CHS S11	11" X 2" Scaling chisel	**36.00**
CHG S11	11" X 1" Gouge chisel	**33.20**

SPLINE SHANK BITS



Part No.	Diameter (in)	Diameter (mm)	Length (in) Overall	Length (in) Usable	Price /ea.
JOS 1210	1/2	13	10	5	**58.50**
JOS 1216	1/2	13	16	11	**66.30**
JOS 5810	5/8	16	10	5	**71.40**
JOS 5816	5/8	16	16	11	**80.90**
JOS 5821	5/8	16	22	17	**94.40**
JOS 3416	3/4	19	16	11	**85.45**
JOS 3421	3/4	19	22	17	**101.20**
JOS 7816	7/8	22	16	11	**103.40**
JOS 121	1	25.4	22	17	**113.50**

ADAPTORS FOR SDS PLUS BITS



Part No.	Description	Price/ea.
JOM SDS	SDS MAX to SDS adaptor	**87.70**
JOS SDS	Spline to SDS adaptor	**78.70**

SDS MAX SINGLE PIECE CORE BITS

Each bit includes starter bit and drift key



Part No.	Diameter (in)	Diameter (mm)	Length (in)	Price /ea.
MAX CB11222	1-1/2	38	22	**328.10**
MAX CB13422	1-3/4	44.5	22	**345.00**
MAX CB222	2	50.8	22	**358.50**
MAX CB25822	2-5/8	66.7	22	**428.10**
MAX CB31822	3-1/8	79.4	22	**451.70**
MAX CB31222	3-1/2	89	22	**528.10**
MAX CB422	4	101.6	22	**605.70**
MAX CB522	5	127	22	**803.40**
MAX CB622	6	152.4	22	**958.50**

ACCESSORIES

Part No.	Description	Price/ea.
A 245970	Starter bit for 1 piece core bit	**18.00**
A 605215	Drift key	**9.00**

SDS-MAX CONNECTOR

Permits the combination of all common chuck systems with SDS-MAX bits



Min. bit diameter - 11/4"

Part No.	Description	Price/ea.
6700	Connector	**345.00**
6701	MAX 12" extension	**59.60**
6708	Spline 12" extension	**59.60**
6709	MAX 30" extension	**66.30**

CORE BITS

For spline, SDS MAX & kango taper shanks



Part No.	Diameter (in)	Diameter (mm)	Length (in)	Price /ea.
DU6 CB1916	1-9/16	40	4	**150.00**
DU6 CB2	2	52	4	**202.30**
DU6 CB212	2-1/2	66	4	**225.90**
DU6 CB258	2-5/8	68	4	**249.50**
DU6 CB318	3-1/8	80	4	**279.80**
DU6 CB312	3-1/2	90	4	**297.80**
DU6 CB4	4	100	4	**363.00**
DU6 CB5	5	125	4	**416.90**

CORE BIT SHANKS



Part No.	Description	Price/ea.
MAX S18	18" (450mm) Core bit shank - SDS MAX	**100.10**
A 245968	8" Core bit shaft - spline	**77.60**
A 245969	15-3/4" Core bit shaft - spline	**132.70**

ACCESSORIES

Part No.	Description	Price/ea.
A 245967	Starter bit for 2 pieces core bit	**18.00**
A 604214	Drift key	**9.00**

ULTRAMAX® HOLE CUTTERS

Up to 80% faster than core bits



The UCAN SDS MAX CORE CUTTER is specially suited for the latest generation of powerful rotary hammer tools. Its' one piece design and unique cutting head ensure efficient drilling and superior life.

Part No.	Diameter (in)	Diameter (mm)	Length (in)	Price /ea.
MAX CC134	1-3/4	44.5	22	**554.00**
MAX CC218	2-1/8	54	22	**640.50**
MAX CC212	2-1/2	63.5	22	**665.20**
MAX CC318	3-1/8	79.4	22	**858.50**


CHISELS FOR SDS-MAX HAMMERS



Part No.	Description	Price/ea.
CHP M12	12" Bull point	**32.60**
CHP M18	18" Bull point	**38.30**
CHI M12	12" X 1" Flat	**36.00**
CHI M18	18" X 1" Flat	**38.30**
CHS M12S	12" X 1-1/2" Scaling chisel	**46.10**
CHS M12	12" X 3" Scaling chisel	**46.10**
CHS M16	16" X 2" Scaling chisel	**46.10**
CHG M12	12" Gouge chisel	**42.80**
CHA M15	5" X 15" Asphalt cutter	**188.80**
CPS M16	5-3/8" X 16" Round spade	**178.70**
CHW M15	1" X 15" Winged channel	**157.30**
CHC M17	4.5" X 17" Clay spade	**137.10**

SDS-MAX FLOOR SCRAPER

With 6" blade for removing tiles and other flooring



Part No.	Description	Price/ea.
CHI MFS	6" X 25" Complete floor scraper with standard blade	**567.50**
MFS BLADE	Replacement blade for floor scraper	**104.60**
MFS KIT	Replacement blade, 2 gaskets, 8 washers, 4 nuts, 4 bolts	**128.10**
MFS GAS	Floor scraper gasket	**23.60**
MFS WASH	Floor scraper washer	**4.85**
MFS NUT	Floor scraper hex nut	**4.85**
MFS BOLT	Floor scraper bolts	**12.00**

STRAIGHT SHANK

Rotary percussion bits for concrete and masonry



Faster drilling + long life = lowest cost per hole

High quality carbide tip brazed to tempered steel shank for faster drilling and longer life.

Part No.	Diameter (in)	Diameter (mm)	Length (in)	Shank Dia.	Pkg. Qty.	Price /ea.
JOD 183	1/8	3	3	1/8	10	**5.25**
JOD 5323	5/32	4	3-1/2	5/32	10	**5.75**
JOD 5326	5/32	4	6	5/32	10	**7.05**
JOD 11643	11/64	4.5	3-1/4	11/64	10	**5.25**
JOD 3163	3/16	5	3-1/2	3/16	10	**5.05**
JOD 3166	3/16	5	6	3/16	10	**6.55**
JOD 15644	15/64	6	4	15/64	10	**6.80**
JOD 15646	15/64	6	6	15/64	10	**8.25**
JOD 144	1/4	6.5	4	1/4	10	**5.55**
JOD 146	1/4	6.5	6	1/4	10	**7.35**
JOD 1412	1/4	6.5	12	1/4	10	**20.00**
JOD 1424	1/2	6.5	24	1/4	10	**34.90**
JOD 5164	5/16	8	4-3/4	5/16	10	**7.85**
JOD 5166	5/16	8	6	5/16	10	**10.30**
JOD 386	3/8	9.5	6	3/8	10	**8.65**
JOD 3812	3/8	9.5	12	3/8	10	**25.90**
JOD 3820	3/8	9.5	20	3/8	10	**32.60**
JOD 3824	3/8	9.5	24	3/8	10	**37.10**
JOD 3840	3/8	9.5	40	3/8	10	**80.90**
JOD 7166	7/16	11	6	3/8	10	**13.70**
JOD 15326	15/32	12	6	3/8	10	**15.40**
JOD 126	1/2	13	6	3/8	10	**14.90**
JOD 1212	1/2	13	12	3/8	10	**32.60**
JOD 1220	1/2	13	20	3/8	10	**46.10**
JOD 1224	1/2	13	24	3/8	10	**51.70**
JOD 586	5/8	16	6	3/8	5	**27.00**
JOD 5812	5/8	16	12	3/8	5	**39.40**
JOD 5824	5/8	16	24	1/2	5	**66.30**
JOD 346	3/4	19	6	1/2	5	**34.90**
JOD 3412	3/4	19	12	1/2	5	**50.60**
JOD 3424	3/4	19	24	1/2	5	**79.70**
JOD 786	7/8	22	6	1/2	5	**46.10**
JOD 7812	7/8	22	12	1/2	5	**58.50**
JOD 16	1	25.4	6	1/2	2	**70.90**
JOD 112	1	25.4	12	1/2	2	**88.50**

mm Sizes shown in GREEN are true metric DIN standard. Other metric sizes shown are metric conversion sizes.

UCAN GLASS BIT

- **Convenient "Contractor-Paks"**



Part No.	Size	Pkg Qty.	Price /ea.
GTB 18	1/8	10	**6.05**
GTB 316	3/16	10	**6.95**
GTB 14	1/4	10	**7.60**
GTB 516	5/16	10	**9.05**
GTB 38	3/8	10	**12.80**
GTB 12	1/2	5	**16.90**

Ti-Awl® TILE BIT

Ti-Awl® diamond core tile drill bits

- **Fast and accurate drilling in ceramic, porcelain, marble and granite tile**
- **Ideal for installing fixtures in bathroom tiles**
- **Minimizes cracking or spalling of tile when drilling**
- **Use in any rotary, non-percussion, hand drill**
- **Broad size range: 3/16"- 1-1/2"**
- **Available in single tubes or handy kit with drill guide and carrying case**



DCC KIT



DCC GUIDE



Kit Includes:

- Aluminum case
- Six popular sizes of tile drills ¼", 5/16", 3/8", ½", 5/8", ¾"
- A clear, shatterproof, non-slip guide. Essential for accurate drilling



For instructional video visit our website at ucanfast.com

Part No.	Diameter	Price/ea.
DCC 316	3/16"	**15.80**
DCC 14	1/4"	**16.90**
DCC 516	5/16"	**18.00**
DCC 38	3/8"	**20.80**
DCC 12	1/2"	**24.70**
DCC 58	5/8"	**27.00**
DCC 34	3/4"	**31.50**
DCC 1	1"	**38.30**
DCC 114	1-1/4"	**46.10**
DCC 138	1-3/8"	**50.00**
DCC 112	1-1/2"	**59.60**
DCC GUIDE		**28.10**
DCC KIT		**177.60**

The area to be drilled must always be kept wet. Lubricate the surface at least every 20 seconds while drilling. See pressure water sprayer below.

PRESSURE WATER SPRAYER

Adjustable from mist to jet



Ideal for use with Ti-Awl® diamond core tile drill bits. Emits a continuous stream of spray without effort.

Part No.	Size	Price/ea.
PWS	1 Liter pressure water sprayer	**12.40**


SHIP AUGER BITS

UCAN WOOD MOLE®

- Self-feeding point allows for fast and accurate drilling
- Reinforced single cutter and side lip provide for practically effortless, clean drilling in most hard and soft wood even when nails are encountered
- Unique, hollow center, corkscrew flute design clears debris from the hole quickly and efficiently
- Wide lands ensure that the bit remains straight while drilling
- Shank, hardened along its full length, resists bending
- Available in lengths of 6" & 18" and diameters ranging from 11/16" to 1-1/2"



Part No.	Diameter (in)	Length (in)	Pkg. Qty.	Price /ea.
AUG 686	11/16	6"	1	**24.40**
AUG 346	3/4	6"	1	**25.45**
AUG 13166	13/16	6"	1	**28.60**
AUG 786	7/8	6"	1	**30.75**
AUG 15166	15/16	6"	1	**31.80**
AUG 16	1	6"	1	**32.85**
AUG 11166	1-1/16	6"	1	**36.05**
AUG 1186	1-1/8	6"	1	**38.15**
AUG 1146	1-1/4	6"	1	**44.50**
AUG 1386	1-3/8	6"	1	**50.90**
AUG 1126	1-1/2	6"	1	**61.50**
AUG 3818	3/8	18"	1	**26.50**
AUG 71618	7/16	18"	1	**27.55**
AUG 1218	1/2	18"	1	**28.60**
AUG 91618	9/16	18"	1	**30.75**
AUG 5818	5/8	18"	1	**33.90**
AUG 6818	11/16	18"	1	**36.05**
AUG 3418	3/4	18"	1	**38.15**
AUG 131618	13/16	18"	1	**40.30**
AUG 7818	7/8	18"	1	**42.40**
AUG 151618	15/16	18"	1	**45.60**
AUG 118	1	18"	1	**47.70**
AUG 111618	1-1/16	18"	1	**54.05**
AUG 11818	1-1/8	18"	1	**56.20**
AUG 11418	1-1/4	18"	1	**65.70**
AUG 13818	1-3/8	18"	1	**76.30**
AUG 11218	1-1/2	18"	1	**79.50**



CUSTOM FASTENERS AND DRILL BITS

UCAN is especially well equipped to supply many types of custom fasteners and drill bits in both small and large quantities. Working from your specifications, we provide the exact part you need. Customer specific packaging and labelling also available.

FLO-ROK DISPENSING TOOLS

HEAVY DUTY CORDLESS DISPENSING TOOL

SURE SHOT TOOL



- Eliminates waste
  Dispenses exact amount each time
- Powerful worm drive
- Long battery life
  (Up to 25 cartridges per charge)

Part No.	Description	Price /ea.
PA 5000K	Battery tool kit for FR5-28 MAX includes two batteries, charger and case	**1187.70**
PA 2050K	Battery tool kit for FR6-20 SD includes two batteries, charger and case	**1187.70**
PA BAT	Battery for PA 5000 or PA 2050	**156.20**
PA CHARGER	Charger base for PA BAT	**178.10**
CORD SET	Cord set for PA CHARGER	**21.20**

HEAVY DUTY MANUAL TOOLS

PA 3600




PA 100



For 10, 12 & 28 oz. Cartridges

Part No.	Description	Price /ea.
PA100	10oz. Manual dispensing tool (high ratio)	**41.60**
PA1200	10-12oz. Manual dispensing tool	**56.20**
PA3600	28oz. Manual dispensing tool	**202.30**

FLO-ROK STATIC MIXING NOZZLES



PAM 5812X (Nozzle and Extension)





PAM 38



Nozzle Extension

New size in red

Part No.	Description	Price/ea.
PAM 38	Mixing nozzle for 5-10 MAX	**2.15**
PAM 5812X	Mixing nozzle for FR5-28 MAX (O.A. length 17")	**4.15**
PAM EXT	Nozzle extension (Ext. O.A. length 8")	**1.15**

ACCESSORIES



Part No.	Description	Price/ea.
BOP 100S	12" High volume blow out pump	**22.50**
FRBR1	3/8" - 1/2" Nylon brush	**10.20**
FRBR2	1/2" - 1" Nylon brush	**18.00**

FLO-ROK® 5 MAX CARTRIDGES

IAPMO - ES® Listing for category 1 cracked & uncracked concrete - Pending 2016

- MTO / MTQ Approved
- Year round use, long shelf life
- Broad working temperature range from -20°C to +30°C
- Excellent for both solid and hollow wall applications
- Smooth flowing, non-drip, easy to control
- User friendly – low odour, styrene free & MMA free
- Moisture insensitive, non sag formula
- Suitable for damp and water filled holes
- Meets LEED guidelines; low VOC





10 oz 28 oz

For instructional video visit our website at ucanfast.com

Part No.	Description	Case Qty.	Case Wt.	Price /ea.
FR5-10 MAX	10 oz Cartridge	12	14	**37.10**
FR5-28 MAX	28 oz Cartridge	6	32	**85.40**

•Cartridge price includes 1 static mixing nozzle

CRACKFAST® CRACK REPAIR KIT

Complete Kit Includes:

- Seal cartridge 300ml 2 pcs
- Resin cartridge 250ml 2 pcs
- Seal mixer nozzle 2 pcs
- Seal applicator fan 2 pcs
- Cartridge outlet plug 2 pcs
- Resin mixer nozzle w/ extension 2 pcs
- Fit connector 1 pc
- Injection port 16 pcs
- Pair of gloves 2 pcs
- Wooden spatula 2 pcs
- Instruction DVD
  PA 100 Dispensing tool extra



Part No.	Description	Price/ea.
CFK 100	CRACKFAST Crack repair kit complete	**257.40**
PA 100	10oz. Manual dispensing tool (high ratio)	**41.60**
CRACKFAST COMPONENTS		
CFS	CRACKFAST Seal cartridge 300ml	**41.60**
CFR	CRACKFAST Resin cartridge 250ml	**70.90**
PAM CFR	Resin mixer nozzle with extension tube	**18.00**
PAM CFS	Seal mixer nozzle	**7.85**
PAM FAN	Applicator fan for seal mixer nozzle	**5.65**
CFP ORT	Insert port	**7.85**
CFRP	1 Resin cartridge, 1 resin mixer and 1 outlet plug	**78.70**

FLO-ROK® 6 SD CARTRIDGE

ICC-ES® Listed ESR - 3584

- High performance 1:1 pure epoxy chemical anchor
- Suitable for dynamic and vibration loading
- Seismic resistance
- Smooth flowing, non-drip, easy to control, long shelf life
- Ideal for deep hole applications & close to edge fastening
- User Friendly - low odour, extended working time
- Styrene and VOC free

For instructional video visit our website at ucanfast.com





Part No.	Description	Case Qty.	Case Wt.	Price /ea.
FR6-20 SD	20 oz Cartridge	12	29	**65.20**
PA 2000	20oz. Manual dispensing tool	1	3	**131.50**

•Cartridge price includes 1 static mixing nozzle

ACCESSORIES



PAM 6EXT




PAM 6EXTW



FR6 P18 FR6 P22 FR6 P30

Part No.	Description	Price
PAM 6	Standard nozzle for FR6-20 SD	**2.20**
PAM 6HF	High flow (9") nozzle for FR6-20 SD	**9.55**
PAM 6EXT	9mm X 10m Extension tube for PAM 6	**73.10**
PAM 6EXTW	14mm X 10m Extension tube for PAM 6HF	**CALL**
FR6 P18	18mm Resin stopper	**34.90**
FR6 P22	22mm Resin stopper	**36.00**
FR6 P30	30mm Resin stopper	**CALL**

HOLE CLEANING BRUSH



SBR - Light gauge stainless steel brush



Part No.	Hole dia. (in)	Used For rod (in)	rebar	Price /ea.
SBR 12	1/2	3/8	-	**14.70**
SBR 916	9/16	1/2	10M	**15.80**
SBR 34	3/4	5/8	15M	**16.30**
SBR 78	7/8	3/4	-	**16.90**
SBR 1	1	7/8	20M	**18.00**
SBR 118	1-1/8	1	-	**19.10**
SBR 114	1-1/4	-	25M	**19.70**
SBR 138	1-3/8	1-1/4	-	**20.30**
SBR 112	1-1/2	-	30M	**21.40**
SBR 134	1-3/4	1-1/2	35M	**22.50**
SBR HND	12" Brush handle			**13.80**
SBR EXT	12" Flexible extension			**13.80**

ANCHOR ROD ASSEMBLIES

For adhesive anchoring

- **Straight cut**
- **complete with nut & washer**



ISO GRADE 5.8 STEEL ROD - ZINC PLATED

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
PRA 383	3/8 X 3	10	100	10	**131.50**
PRA 385	3/8 X 5	10	100	14	**137.10**
PRA 126	1/2 X 6-1/2	10	100	37	**225.90**
PRA 585	5/8 X 5	10	50	23	**357.40**
PRA 587	5/8 X 7-1/2	10	50	31	**415.80**
PRA 3410	3/4 X 10	10	-	12	**831.50**
PRA 112	1 X 12	6	-	15	**1786.60**

ISO GRADE 5.8 STEEL ROD - GALVANIZED ASTM A153 CLASS C

PRA G126	1/2 X 6-1/2	10	100	37	**285.50**
PRA G588	5/8 X 8	10	50	31	**593.30**
PRA G3410	3/4 X 10	10	10	12	**893.30**
PRA G3412	3/4 X 12	10	10	15	**1059.60**

B7 HIGH STRENGTH STEEL ROD ZINC PLATED WITH 2H NUT

PRA B7125	1/2 X 5	10	100	35	**200.00**

STAINLESS STEEL - TYPE 304

PRS4 385	3/8 X 5	10	100	14	**523.60**
PRS4 126	1/2 X 6-1/2	10	100	37	**940.50**
PRS4 587	5/8 X 7-1/2	10	50	31	**1842.70**
PRS4 3410	3/4 X 10	10	10	12	**3449.50**
PRS4 112	1 X 12	6	6	15	**6663.00**

Also available: Type 316 stainless steel, special length and metric thread rod assemblies.

S.S. STEEL SCREENS FOR FR5 MAX

For hollow wall applications



For instructional video visit our website: ucanfast.com



Part No.	Max. rod dia. (inches)	Screen Size (inches)	Drill dia. (inches)	Price /ea.
SFR 383	3/8	1/2 X 3	1/2	**7.55**
SFR 386	3/8	1/2 X 6	1/2	**7.85**
SFR 3810	3/8	1/2 X 10	1/2	**8.60**
SFR 123	1/2	5/8 X 3	5/8	**8.60**
SFR 126	1/2	5/8 X 6	5/8	**9.00**
SFR 1210	1/2	5/8 X 10	5/8	**9.45**
SFR 583	5/8	3/4 X 3	3/4	**9.35**
SFR 586	5/8	3/4 X 6	3/4	**10.50**
SFR 5810	5/8	3/4 X 10	3/4	**12.50**
SFR 5813	5/8	3/4 X 13	3/4	**13.10**
SFR 34512	3/4	7/8 X 5-1/2	7/8	**14.00**
SFR 348	3/4 - 7/8	1 X 8	1	**15.00**
SFR 3413	3/4 - 7/8	1 X 13	1	**15.00**

Important: Anchor rods should be installed immediately after FLO-ROK 5 MAX has been injected into the hole or screen. They should not be disturbed until fully cured.

ROCKITE

SELF LEVELING POURABLE GROUT

Rockite cement is a hydraulic type cement compound that is specially formulated to give superior strength and unsurpassed bonding qualities. When mixed with water, Rockite pours smoothly into place. It sets within 15 minutes. Within one hour, it develops a compressive strength of 4500 psi.

Ideal for:

- **Patching**
- **Railing**
- **Machinery mounts**
- **Signs**
- **Seats**
- **Posts**



Part No.	Size	Case Qty.	Price /ea.
ROC 10	10 lb Pail	4	**34.90**
ROC 50	50 lb Pail	1	**142.70**

PRECAST INSERTS

- **Ideal for use in precast units and poured-in-place concrete structures where fastener locations can be precisely planned.**
- **Made of rustproof zamac alloy to prevent surface staining.**
- **Install with bolts through holes in steel forms or by means of reusable Nail-on plugs on wood forms.**




Part No.	Length (in)	Thread Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
PZI 10	11/16	10-24	100	4000	44	**77.60**
PZI 15	1-1/2	1/4-20	100	800	41	**101.20**
PZI 24	1	3/8-16	100	1000	44	**130.40**
PZI 25	1-3/8	3/8-16	100	700	45	**148.30**
PZI 35	1-1/2	1/2-13	50	300	40	**249.50**
PZI 36	2-7/8	1/2-13	25	150	44	**559.60**
PZI 45	1-11/16	5/8-11	25	200	38	**415.18**
PZI 46	2-7/8	5/8-11	25	100	35	**678.70**
PZI 55	1-11/16	3/4-10	25	150	33	**452.90**
PZI 56	2-7/8	3/4-10	25	100	33	**809.00**

OVERSIZED-TAPPED FOR GALVANIZED BOLTS (ASTM A563)

PZI 35OT	1-1/2	1/2-13	50	300	40	**274.20**
PZI 45OT	1-11/16	5/8-11	25	200	38	**440.50**
PZI 46OT	2-7/8	5/8-11	25	100	35	**714.60**
PZI 55OT	1-11/16	3/4-10	25	150	33	**500.00**

CONCRETE INSERT PLUG - REUSABLE

Nail-on plastic plug for wood forms



Part No.	Thread Size	Box Qty.	Case Qty.	Case Wt.	Price /C
PIP 25	3/8-16	100	1,000	7	**36.00**
PIP 35	1/2-13	100	1,000	8	**49.50**
PIP 45	5/8-11	100	1,000	9	**130.40**

ROD COUPLINGS

Zinc Plated



Part No.	Size	Length	A/F	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ROD 14	1/4 - 20	7/8	3/8	100	1,000	20	**30.90**
ROD 516	5/16 - 18	1-1/8	1/2	100	1,000	47	**47.20**
ROD 38	3/8 - 16	1-1/8	1/2	100	1,000	38	**42.80**
ROD 38L	3/8 - 16	1-3/4	5/8	100	600	69	**103.40**
ROD 12	1/2 - 13	1-3/4	11/16	50	300	36	**111.30**
ROD 58	5/8 - 11	2-1/8	13/16	25	150	28	**177.60**
ROD 34	3/4 - 10	2-1/4	1	25	150	45	**292.20**
REDUCER COUPLINGS							
ROD 3814	3/8 - 1/4 X 1			100	1,000	40	**59.60**

BULK CARTONS

Part No.	Size	Length	A/F	Case Qty.	Case Wt.	Price /C
ROD 14B	1/4 - 20	7/8	3/8	2,800	53	**24.70**
ROD 516B	5/16 - 18	1-1/8	1/2	1,200	55	**40.50**
ROD 38B	3/8 - 16	1-1/8	1/2	1,300	48	**34.90**
ROD 38LB	3/8 - 16	1-3/4	5/8	450	51	**94.40**
ROD 12B	1/2 - 13	1-3/4	11/16	450	51	**95.60**
ROD 58B	5/8 - 11	2-1/8	13/16	250	44	**159.60**
ROD 34B	3/4 - 10	2-1/4	1	150	45	**251.70**
REDUCER COUPLINGS						
ROD 3814B	3/8 - 1/4 X 1			1,400	-	**51.70**

REBAR SAFETY CAP

Provide protection from protruding rebar

- **High visibility colour**
- **Not for impalement protection**



RSC 1025C
10M - 25M Rebar



RSC 2540
25M - 40M Rebar

Part No.	Pkg. Qty.	Case Qty.	Case Wt.	/C
RSC1025C	100 / Bag	500	9	**112.40**
RSC 2540	100 / Bag	500	9	**190.80**

UCAN TORPEDO® BOLT

CARBON STEEL GALVANIZED



UCAN TORPEDO® BOLT is an excellent anchoring solution for medium duty and temporary applications. It is mechanically galvanized for corrosion resistance and a wide range of applications. Matched with a standard UCAN ANSI tolerance drill bit, this fastener exhibits consistently high load values. UCAN TORPEDO® BOLT installs quickly leaving the clean appearance of a finished hex washer head on the working surface.

- **Bimetal version available in 304 and 316 stainless steel**
- **Use with UCAN standard ANSI compliant drill bits**
- **Corrosion resistant, mechanical galvanizing for a wide range of applications**
- **Fast installation and reduced edge distance requirements, compared to mechanical expansion anchors**
- **One piece fastener with finished hex washer head**
- **Unique thread pattern facilitates ease of installation**
- **Anchor can be set with an impact or manual socket wrench**
- **Underhead serrations**
- **Removable – ideal for temporary anchoring applications**
- **Anchor size is stamped on head for easy identification and enhanced quality control after Installation**

ICC ES Listing is pending

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UTB 14214	1/4 X 2-1/4	100	800	38	**47.00**
UTB 143	1/4 X 3	100	800	46	**55.00**
UTB 38134	3/8 x 1-3/4	50	400	37	**89.00**
UTB 38212	3/8 x 2-1/2	50	400	47	**114.00**
UTB 383	3/8 x 3	50	400	54	**138.00**
UTB 384	3/8 x 4	50	400	66	**166.00**
UTB 385	3/8 x 5	25	200	41	**190.00**
UTB 12212	1/2 x 2-1/2	50	150	32	**205.00**
UTB 123	1/2 x 3	50	150	37	**232.00**
UTB 124	1/2 x 4	40	120	36	**318.00**
UTB 125	1/2 x 5	30	90	33	**370.00**
UTB 583	5/8 x 3	25	75	30	**394.00**
UTB 584	5/8 x 4	25	75	31	**455.00**
UTB 585	5/8 x 5	20	60	36	**540.00**
UTB 586	5/8 x 6	20	60	41	**778.00**
UTB 344	3/4 x 4	15	45	33	**698.00**
UTB 345	3/4 x 5	15	45	39	**812.00**
UTB 346	3/4 x 6	15	45	45	**950.00**
UTB 347	3/4 x 7	15	45	51	**1035.00**

WEDGE ANCHORS

CARBON STEEL ZINC PLATED

IAPMO ES® Listed ER-0373 **(from ø3/8 to 3/4)**
Tested in accordance with AC 193



- **Letter Coded Studs**
- **Long Thread Design**

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
WED 14134	1/4 X 1-3/4	100	800	27	**61.30**
WED 14214	1/4 X 2-1/4	100	800	31	**66.90**
WED 14314	1/4 X 3-1/4	100	800	38	**80.90**
WED 38214	3/8 X 2-1/4	50	400	35	**97.80**
WED 38234	3/8 X 2-3/4	50	400	40	**105.70**
WED 383	3/8 X 3	50	400	42	**112.40**
WED 38334	3/8 X 3-3/4	50	400	49	**120.20**
WED 385	3/8 X 5	100	300	45	**147.20**
WED 12234	1/2 X 2-3/4	50	150	29	**163.00**
WED 12334	1/2 X 3-3/4	50	150	35	**191.10**
WED 12412	1/2 X 4-1/2	50	150	38	**196.70**
WED 12512	1/2 X 5-1/2	50	150	47	**256.20**
WED 127	1/2 X 7	25	75	31	**286.60**
WED 12812	1/2 X 8-1/2	25	75	36	**422.50**
WED 1210	1/2 X 10	25	75	43	**512.40**
WED 58312	5/8 X 3-1/2	25	75	31	**320.60**
WED 58412	5/8 X 4-1/2	25	75	36	**353.80**
WED 585	5/8 X 5	25	75	40	**377.80**
WED 586	5/8 X 6	25	75	44	**422.50**
WED 587	5/8 X 7	20	60	52	**502.60**
WED 58812	5/8 X 8-1/2	20	60	61	**606.80**
WED 5810	5/8 X 10	15	45	47	**755.60**
WED 34414	3/4 X 4-1/4	20	60	52	**515.20**
WED 34434	3/4 X 4-3/4	20	60	55	**546.10**
WED 34512	3/4 X 5-1/2	20	60	50	**589.60**
WED 34614	3/4 X 6-1/4	15	45	54	**641.10**
WED 347	3/4 X 7	15	45	45	**704.10**
WED 34812	3/4 X 8-1/2	10	30	53	**904.40**
WED 3410	3/4 X 10	10	30	42	**1017.80**
WED 3412	3/4 X 12	10	30	49	**1328.00**
WED 786	7/8 X 6	10	30	38	**1084.30**
WED 788	7/8 X 8	10	30	48	**1258.50**
WED 7810	7/8 X 10	5	15	39	**1512.40**
WED 16	1 X 6	10	30	46	**1524.70**
WED 19	1 X 9	5	15	34	**1898.90**
WED 112	1 X 12	5	15	59	**2202.30**
WED 1149	1-1/4 X 9	4	12	56	**3337.10**
WED 11412	1-1/4 X 12	4	12	49	**3775.30**

CARBON STEEL GALVANIZED

WAG 38234	3/8 X 2-3/4	50	400	38	**134.90**
WAG 38334	3/8 X 3-3/4	50	400	51	**159.60**
WAG 12334	1/2 X 3-3/4	50	150	35	**243.80**
WAG 12414	1/2 X 4-1/4	50	150	42	**261.90**
WAG 12512	1/2 X 5-1/2	50	150	50	**297.80**
WAG 58412	5/8 X 4-1/2	25	75	37	**470.80**
WAG 586	5/8 X 6	25	75	45	**548.40**
WAG 34414	3/4 X 4-1/4	20	60	52	**655.10**
WAG 34512	3/4 X 5-1/2	20	60	50	**761.90**
WAG 347	3/4 X 7	15	45	46	**887.70**

NOTE: For wedge anchor length identification chart refer to page 30

TIE WIRE ANCHORS

We invented it.
Accept no substitute!



Part No.	Size	Eye Dia.	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
EP 932	1/4 X 2-1/4	9/32	100	1,000	38	**58.00**
EP932M	1/4 X 2-1/4	9/32	-	1,000	35	**54.50**

HOOK WEDGE

Zinc Plated



The UCAN Hook Wedge Anchor is a high grade steel fastener, designed primarily for wire mesh installation. The anchor consists of a steel body with 1" hooked end and a one piece three segment wrap around expansion clip.

- **Wrap around expansion clip provides true 360° expansion**
- **Non-bottom bearing type**
- **Fast, simple installation by hammer**
- **Anchor has follow-up expansion feature**
- **Rigid, one piece fastening**

Part No.	Size	Case Qty.	Case Wt.	Price /C
HW38414B	3/8 X 4-1/4	250	31	**167.50**

WEDGE ANCHORS

STAINLESS STEEL TYPE 304



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ISS 14134	1/4 X 1-3/4	100	800	27	**165.20**
ISS 14214	1/4 X 2-1/4	100	800	31	**184.30**
ISS 14314	1/4 X 3-1/4	100	800	38	**220.30**
ISS 38214	3/8 X 2-1/4	50	400	35	**361.80**
ISS 38234	3/8 X 2-3/4	50	400	40	**404.50**
ISS 383	3/8 X 3	50	400	42	**422.50**
ISS 38334	3/8 X 3-3/4	50	400	49	**484.30**
ISS 385	3/8 X 5	100	300	45	**601.20**
ISS 12234	1/2 X 2-3/4	50	150	29	**760.70**
ISS 12334	1/2 X 3-3/4	50	150	35	**906.80**
ISS 12412	1/2 X 4-1/2	50	150	39	**987.70**
ISS 12512	1/2 X 5-1/2	50	150	47	**1188.80**
ISS 127	1/2 X 7	25	75	31	**1434.90**
ISS 58312	5/8 X 3-1/2	25	75	31	**1536.00**
ISS 58412	5/8 X 4-1/2	25	75	36	**1761.90**
ISS 586	5/8 X 6	25	75	44	**2125.90**
ISS 34414	3/4 X 4-1/4	20	60	52	**2369.70**
ISS 34512	3/4 X 5-1/2	20	60	50	**2797.80**
ISS 347	3/4 X 7	15	45	45	**3346.10**
ISS 3410	3/4 X 10	10	30	42	**4400.10**
ISS 16	1 X 6	10	30	47	**6134.90**
ISS 19	1 X 9	5	15	46	**8202.30**

STAINLESS STEEL TYPE 316

IST 14134	1/4 X 1-3/4	100	800	27	**245.00**
IST 14214	1/4 X 2-1/4	100	800	31	**257.40**
IST 14314	1/4 X 3-1/4	100	800	38	**331.50**
IST 38214	3/8 X 2-1/4	50	400	35	**576.50**
IST 38234	3/8 X 2-3/4	50	400	40	**624.80**
IST 38334	3/8 X 3-3/4	50	400	49	**747.20**
IST 385	3/8 X 5	100	300	45	**919.20**
IST 12234	1/2 X 2-3/4	50	150	29	**1185.40**
IST 12334	1/2 X 3-3/4	50	150	35	**1470.80**
IST 58412	5/8 X 4-1/2	25	75	36	**2822.50**
IST 586	5/8 X 6	25	75	44	**3427.00**
IST 587	5/8 X 7	20	60	52	**3930.40**
IST 34414	3/4 X 4-1/4	25	75	52	**3300.00**
IST 347	3/4 X 7	15	45	45	**5505.70**

MINIMUM EMBEDMENT FOR WEDGE ANCHORS

Size (inch)	1/4	3/8	1/2	5/8	3/4	7/8	1	1-1/4
Emb (inch)	1-1/8	1-5/8	2-1/4	2-3/4	3-1/4	4	4-1/2	5-1/2

SZ HEAVY-LOAD ANCHORS

ICC ES® Listed ESR-3304

ACI 318 category 1 anchor for cracked or uncracked concrete

HEX BOLT TYPE



ISO GRADE 8.8 ZINC PLATED

Part No.	Bolt dia. (mm)	Length (mm)	Min. Emb. (mm)	Drill Size (mm)	Fastens up to (mm)	Pkg. Qty.	Price /C
LHL 630	6	95	50	10	30	50	**623.60**
LHL 650	6	115	50	10	50	50	**719.10**
LHL 830	8	105	60	12	30	50	**741.60**
LHL 850	8	125	60	12	50	25	**854.00**
LHL 1025	10	116	65	15	25	25	**955.10**
LHL 1045	10	136	65	15	50	25	**1028.10**
LHL 1220	12	127	80	18	20	20	**1269.70**
LHL 1240	12	147	80	18	40	20	**1449.50**
LHL 1620	16	150	100	24	20	10	**2528.10**
LHL 1650	16	180	100	24	50	10	**2786.60**
LHL 2030	20	192	125	28	30	10	**4438.30**
LHL 2060	20	222	125	28	60	5	**5168.60**

STAINLESS STEEL A4 (TYPE 316) WITH TITANIUM

Part No.	Bolt dia. (mm)	Length (mm)	Min. Emb. (mm)	Drill Size (mm)	Fastens up to (mm)	Pkg. Qty.	Price /C
• LHS 830	8	105	60	12	30	50	**4438.30**
• LHS 1025	10	116	71	15	25	25	**6516.90**
• LHS 1045	10	136	71	15	45	25	**6966.40**
• LHS 1220	12	128	80	18	20	20	**7472.00**
• LHS 1240	12	148	80	18	40	20	**8539.40**
• LHS 1620	16	150	100	24	25	10	**13370.90**
• *LHS 2030*	*20*	*182*	*125*	*28*	*30*	*10*	**21910.20**

STUD TYPE



ISO GRADE 8.8 ZINC PLATED

Part No.	Bolt dia. (mm)	Length (mm)	Min. Emb. (mm)	Drill Size (mm)	Fastens up to (mm)	Pkg. Qty.	Price /C
• BHL 830	8	110	50	12	30	50	**741.60**
• BHL 1025	10	121	60	15	25	25	**955.10**
BHL 1220	12	132	80	18	20	20	**1269.70**
• BHL 1240	12	152	80	18	40	20	**1404.50**
BHL 1620	16	157	100	24	20	10	**2528.10**
• BHL 1650	16	187	100	24	50	10	**2786.60**
• BHL 2030	20	201	125	28	30	10	**4438.30**
• BHL 2060	20	231	125	28	60	5	**5168.60**

STAINLESS STEEL A4 (TYPE 316) WITH TITANIUM

Part No.	Bolt dia. (mm)	Length (mm)	Min. Emb. (mm)	Drill Size (mm)	Fastens up to (mm)	Pkg. Qty.	Price /C
• BHS 830	8	109	60	12	30	50	**4438.30**
• BHS 1045	10	140	71	15	45	25	**6966.40**
• BHS 1220	12	131	80	18	20	20	**7472.00**
• BHS 1240	12	151	80	18	40	20	**8539.40**
• BHS 1620	16	157	100	24	20	10	**13370.90**
• *BHS 2030*	*20*	*188*	*125*	*28*	*30*	*10*	**21910.20**

• Special order item / limited stock - allow 2-6 weeks for delivery. Also available special sizes & head styles. Prices & delivery on request. Extra delivery charges may apply.

DROP-IN ANCHOR SYSTEM

Zinc Plated



METRIC O/D

Part No.	Thread Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt	Price /C
IPA 14516	1/4	8MM	100	2,000	29	**47.50**
IPA 381532	3/8	12MM	50	1,000	53	**55.00**

FRACTIONAL O/D

Part No.	Thread Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt	Price /C
IPA 1438	1/4	3/8	100	2,000	45	**50.00**
IPA 3812	3/8	1/2	50	1,000	61	**59.00**
IPA 1258	1/2	5/8	50	500	58	**117.00**
IPA 5878	5/8	7/8	25	100	32	**284.00**
IPA 341	3/4	1	25	100	49	**530.00**

STAINLESS STEEL (TYPE 304)

Part No.	Thread Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt	Price /C
IPS 1438	1/4	3/8	100	2,000	42	**231.00**
IPS 3812K	3/8	1/2	50	1000	61	**363.00**
IPS 1258	1/2	5/8	50	500	56	**679.00**
IPS 5878	5/8	7/8	25	100	32	**1655.00**
IPS 341	3/4	1	25	100	49	**3850.00**

COIL THREADED DROP-IN ANCHORS

Zinc Plated and Knurled



Part No.	Thread Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt	Price /C
CTD 1258	1/2	5/8	50	500	59	**147.00**
CTD 341	3/4	1	25	100	49	**547.00**

DROP-IN SETTING TOOL

Auto setting tool for use with SDS hammer drill



Manual setting tool



Depth control SDS PLUS bits




For best results use UCAN depth control bits and setting tools only.

Part No.	Anchor Size	Price/ea.
IPAST 14	1/4	**3.60**
IPAST 38	3/8	**5.85**
IPAST 12	1/2	**8.35**
IPAST 58	5/8	**11.60**
IPAST 34	3/4	**15.40**
SDS ST38	3/8 SDS Auto setting tool	**29.80**
SDS ST12	1/2 SDS Auto setting tool	**29.80**
SDS 3812DC	1/2 X 1-11/16 SDS PLUS depth control bit for IPA 3812	**33.50**
SDS 1258DC	5/8 X 2-1/16 SDS PLUS depth control bit for IPA 1258	**39.40**

STUBi DROP-IN ANCHOR

Zinc Plated

3/8" Short Drop-in anchor for hollow core slabs and other shallow embedment requirements



Part No.	Thread Size	Drill Size	Box. Qty.	Case Qty.	Price /C
DIS 3812	3/8	1/2	100	1000	**59.60**

SETTING TOOL FOR STUBi

Part No.	Anchor size	Price/ea.
DISST 38	3/8	**8.35**

SLEEVE ANCHORS

ACORN NUT

Zinc Plated



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SLE 14138	1/4 X 1-3/8	100	1,000	25	**45.00**
SLE 14214	1/4 X 2-1/4	100	1,000	35	**52.30**

HEX NUT

Zinc Plated



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SLE 516112	5/16 X 1-1/2	100	1,000	40	**51.70**
SLE 516212	5/16 X 2-1/2	100	600	36	**65.20**
SLE 38178	3/8 X 1-7/8	50	500	36	**66.90**
SLE 383	3/8 X 3	50	300	32	**92.70**
SLE 12214	1/2 X 2-1/4	25	250	34	**122.50**
SLE 123	1/2 X 3	25	150	26	**154.50**
SLE 124	1/2 X 4	25	150	30	**176.10**
SLE 126	1/2 X 6	25	100	30	**267.10**
SLE 58214	5/8 X 2-1/4	25	150	38	**216.90**
SLE 58414	5/8 X 4-1/4	10	60	26	**332.40**
SLE 586	5/8 X 6	10	40	23	**382.50**
SLE 34212	3/4 X 2-1/2	10	60	27	**393.30**
SLE 34414	3/4 X 4-1/4	10	60	39	**502.30**
SLE 34614	3/4 X 6-1/4	10	40	33	**588.80**

FLAT HEAD - PHILLIPS

Zinc Plated



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SLF 14138	1/4 X 1-3/8	100	1,000	19	**60.70**
SLF 142	1/4 X 2	100	1,000	26	**69.20**
SLF 143	1/4 X 3	100	1,000	36	**77.60**
SLF 144	1/4 X 4	100	1,000	45	**91.60**
SLF 14514	1/4 X 5-1/4	100	600	35	**115.80**
SLF 516212	5/16 X 2-1/2	100	600	28	**82.10**
SLF 516312	5/16 X 3-1/2	100	600	38	**97.80**
SLF 38234	3/8 X 2-3/4	50	500	41	**116.90**
SLF 384	3/8 X 4	50	300	33	**129.30**
SLF 385	3/8 X 5	50	300	41	**165.20**
SLF 386	3/8 X 6	50	300	49	**191.10**

HEX NUT STAINLESS STEEL TYPE 304



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SLS 14138	1/4 X 1-3/8	100	1,000	23	**128.10**
SLS 516112	5/16 X 1-1/2	100	1,000	39	**189.90**
SLS 516212	5/16 X 2-1/2	100	600	34	**257.40**
SLS 38178	3/8 X 1-7/8	50	500	33	**287.70**
SLS 383	3/8 X 3	50	300	32	**393.30**
SLS 123	1/2 X 3	25	150	27	**606.80**
SLS 124	1/2 X 4	25	150	30	**707.90**
SLS 126	1/2 X 6	25	100	30	**1095.60**

HEX BOLT TYPE SLEEVE ANCHORS

Zinc Plated



With ISO Grade 6.8 Bolt

Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SLB 38178	3/8 X 1-7/8	3/8	50	500	40	**92.20**
SLB 38214	3/8 X 2-1/4	3/8	50	500	45	**103.40**
SLB 383	3/8 X 3	3/8	50	300	34	**134.90**
SLB 12214	1/2 X 2-1/4	1/2	25	250	37	**159.60**
SLB 12234	1/2 X 2-3/4	1/2	25	250	41	**174.20**
SLB 124	1/2 X 4	1/2	25	150	33	**220.30**

LAG SHIELDS

Rust Proof Zamac Alloy



SHORT

Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
LAS 14	1/4 X 1	1/2	50	500	12	**54.00**
LAS 516	5/16 X 1-1/4	1/2	50	500	13	**62.00**
LAS 38	3/8 X 1-3/4	5/8	50	500	26	**96.00**
LAS 12	1/2 X 2	3/4	25	250	21	**146.00**

LONG

Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
LAL 14	1/4 X 1-1/2	1/2	50	500	17	**64.00**
LAL 516	5/16 X 1-3/4	1/2	50	500	16	**72.00**
LAL 38	3/8 X 2-1/2	5/8	50	300	24	**138.00**
LAL 12	1/2 X 3	3/4	25	150	19	**221.00**

SINGLE-EXPANSION SHIELDS

Rust Proof Zamac Alloy



Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
USA 14	1/4 X 1-5/16	1/2	50	500	13	**68.00**
USA 516	5/16 X 1-1/2	5/8	50	500	25	**110.70**
USA 38	3/8 X 1-1/2	5/8	50	500	23	**213.50**
USA 12	1/2 X 2	7/8	25	150	18	**243.80**
USA 58	5/8 X 2-5/8	1	25	150	28	**400.00**
USA 34	3/4 X 2-3/4	1-1/4	10	60	19	**600.10**

DOUBLE-EXPANSION SHIELDS

Rust Proof Zamac Alloy



Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UDA 14	1/4 X 1-3/8	1/2	100	1,000	29	**71.40**
UDA 516	5/16 X 1-5/8	5/8	50	500	28	**121.40**
UDA 38	3/8 X 2	3/4	50	300	28	**238.20**
UDA 12	1/2 X 2-1/2	7/8	25	150	22	**305.60**
UDA 58	5/8 X 2-3/4	1	25	150	31	**424.80**
UDA 34	3/4 X 4	1-1/4	10	60	27	**964.10**

ZAMAC PIN BOLTS

WITH ZINC PLATED STEEL NAIL



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ZAM 31678 *	3/16 X 7/8	100	1,000	15	**32.10**
ZAM 141 *	1/4 X 1	100	1,000	19	**41.60**
ZAM 14114 *	1/4 X 1-1/4	100	1,000	23	**45.00**
ZAM 14112	1/4 X 1-1/2	100	1,000	26	**51.70**
ZAM 142	1/4 X 2	100	1,000	32	**61.80**
ZAM 143	1/4 X 3	100	600	28	**88.80**

*** Available in Super Pak Jar (See Page 27)**

WITH STAINLESS STEEL NAIL

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ZAM 141SS	1/4 X 1	100	1,000	19	**65.90**
ZAM 14114SS	1/4 X 1-1/4	100	1,000	23	**71.00**
ZAM 14112SS	1/4 X 1-1/2	100	1,000	26	**82.40**
ZAM 142SS	1/4 X 2	100	1,000	32	**99.60**

BULK PACK WITH ZINC PLATED STEEL NAIL

Part No.	Size	Case Qty.	Case Wt.	Price /M
ZAM 31678B	3/16 X 7/8	5,000	46	**285.50**
ZAM 1434B	1/4 X 3/4	2,500	45	**280.00**
ZAM 141B	1/4 X 1	2,500	48	**392.20**
ZAM 14114B	1/4 X 1-1/4	2,000	45	**429.20**
ZAM 14112B	1/4 X 1-1/2	1,800	46	**500.00**
ZAM 142B	1/4 X 2	1,250	40	**583.20**
ZAM 143B	1/4 X 3	700	31	**846.10**

NYLON PIN BOLTS

WITH ZINC PLATED STEEL NAIL



Part No.	Size	Head Style	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
NYL 3161	3/16 X 1	M	100	1,000	5	**20.30**
NYL 3161R	3/16 X 1	Round hd	100	1,000	5	**20.30**
NYL 316112R	3/16 X 1-1/2	Round hd	100	1,000	7	**27.00**
NYL 1434	1/4 X 3/4	M	100	1,000	5	**20.30**
NYL 141	1/4 X 1	M	100	1,000	6	**21.40**
NYL 14112	1/4 X 1-1/2	M	100	1,000	9	**27.00**
NYL 142	1/4 X 2	M	100	1,000	11	**41.60**
NYL 143	1/4 X 3	M	100	600	12	**55.10**

Also available in bulk cartons

WITH NYLON NAIL

Part No.	Size	Head Style	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
NNY 1434M	1/4 X 3/4	M	1000	-	3	**49.00**
NNY 141M	1/4 X 1	M	1000	-	4	**57.00**
NNY 14112M	1/4 X 1-1/2	M	1000	-	5	**62.00**

ZINC ALLOY SCREW ANCHORS



Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
LED 634	7-8 X 3/4	1/4	100	1,000	11	**24.00**
LED 61	7-8 X 1	1/4	100	1,000	12	**28.00**
LED 6112	7-8 X 1-1/2	1/4	100	1,000	20	**37.50**
LED 101	10-12 X 1	5/16	100	1,000	20	**39.50**
LED 10112	10-12 X 1-1/2	5/16	100	1,000	28	**52.50**
LED 16112	14-16 X 1-1/2	3/8	100	1,000	40	**65.00**

NYLON DRIVE SCREW ANCHORS

- **Install with a hammer - remove with a screwdriver**
- **Nylon 6 body resists high and low temperatures**
- **Collapsible body ensures positive clamping**
- **Lock-in feature avoids pre-expansion**

ROUND HEAD - PHILLIPS DRIVE SCREW



Part No.	Drill dia. (mm)	Length (mm)	Fastens up to (mm)	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
MNA 530	5	30	5	100	2,400	18	**23.60**
MNA 550	5	50	25	100	2,400	24	**30.90**
MNA 635	6	35	10	100	2,400	26	**30.40**
MNA 650	6	50	25	100	1,800	20	**34.90**
MNA 670	6	70	45	100	1,200	22	**47.20**

COUNTERSINK HEAD - PHILLIPS DRIVE SCREW




MNA 850	8	50	15	100	900	18	**54.00**
MNA 860	8	60	25	100	900	21	**55.10**
MNA 880	8	80	45	100	600	18	**59.60**
MNA 8100	8	100	60	100	600	21	**66.30**

ROUND HEAD - SQUARE SOCKET DRIVE SCREW



MNA 635R	6	40	15	100	2400	26	**30.40**

ROUND / COUNTERSINK HEAD 304 STAINLESS STEEL PHILLIPS DRIVE SCREW



MNA 530SS	5	30	5	100	2,400	18	**50.00**
MNA 635SS	6	35	10	100	2,400	26	**59.60**
MNA 650SS	6	50	25	100	1,800	20	**80.90**
MNA 880SS	8	80	45	100	600	18	**196.70**
MNA 8100SS	8	100	60	100	600	21	**213.50**

Note: Always drill holes 6mm deeper than embedment

TWO HOLE ANGLE CLIP

Zinc Plated



For use with fasteners such as Pin Bolts & SCRU-IT Anchors

Part No.	Pkg. Qty.	Case Qty.	Price /C
AC 341	100	1,000	**56.20**

MUN NYLON PLUGS

Heavy duty push through type



- Made of Nylon 6 for superior performance
- Knock-in collar prevents premature expansion during installation
- Positive guidance keeps screw centered

Part No.	Size	Screw dia.	Drill (mm)	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
MUN 5	5 X 25	4-6	5	100	3,600	8	**6.20**
MUN 6	6 X 30	6-8	6	100	3,600	10	**7.75**
MUN 8	8 X 40	10-12	8	100	3,600	15	**14.00**
MUN 10	10 X 50	14-18	10	50	1,800	13	**27.80**
MUN 12	12 X 60	3/8	12	25	900	9	**48.90**
MUN 14B	14 X 75	M10	14	-	1,000	18	**74.20**

MBS RENOVATION ANCHOR



These long length heavy duty nylon anchors are supplied complete with screws. They can be used as wall tie anchors, spacing anchors, frame anchors, and for many other applications.

Part No.	Length	Drill (mm)	Pkg. Qty.	Price /C
MBS 1010	4	10	50	**269.70**
MBS 1012	4-3/4	10	50	**297.80**
MBS 1014	5-1/2	10	50	**331.50**
MBS 1016	6-1/4	10	50	**415.80**

Also available with stainless steel screws and lengths up to 300mm

INSULATION FASTENERS

1-1/2" HEAD DIAMETER - EXTENDED GRIP RANGE



- All Plastic
- Plastic body eliminates thermal transfer
- Not for structural support

Part No.	Drill Size	Overall Length	Grip Range	Pkg. Qty.	Pkg. Wt.	Price /C
MJX 314	5/16	3-1/4	1 - 2	400	5	**59.60**
MJX 412	5/16	4-1/2	2 - 3-1/4	250	4	**71.00**
1-1/2" HEAD DIAMETER						
MJP 234	5/16	2-3/4	1 - 1-1/2	250	3	**51.70**
MJP 512	5/16	5-1/2	3-1/2 - 4	250	5	**73.10**
MJP 614	5/16	6-1/4	4-1/2 - 5	250	5	**94.40**

2-3/8" HEAD DIAMETER



MJL 234	5/16	2-3/4	1-1-1/2	250	3	**55.10**
MJL 334	5/16	3-3/4	2-2-1/2	250	4	**57.30**
MJL 412	5/16	4-1/2	2-1/2-3	250	5	**71.00**

UCAN ALEX

- Extra-Grip Aluminum Plugs
- Suitable for electrical fixtures
- High temperature resistance



Part No.	Size	Screw Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ALE 141	1/4 X 1	6-10	1/4	100	1,000	3	**23.60**
ALE 14114	1/4 X 1-1/4	6-10	1/4	100	1,000	3	**27.00**
ALE 14112	1/4 X 1-1/2	6-10	1/4	100	1,000	4	**30.40**

BLUE PLASTIC PLUGS



- Economical plug for light loads in solid substrates

Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UBP 68 *	6-8 X 3/ 4	3/16	100	7,200	5	**4.55**
UBP 810 *	8-10 X 7/8	3/16	100	7,200	5	**5.05**
UBP 1012 *	10-12 X 1	1/4	100	4,000	6	**6.20**
UBP 1416	14-16 X 1-3/8	5/16	100	1,200	3	**10.20**

Also available in bulk cartons & * Super Pak (See Page 27)

YELLOW PLASTIC PLUGS



- Primarily for solid substrates
- Suitable for light loads in hollow walls

Part No.	Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UYP 48 *	4-6-8 X 7/8	3/16	100	7,200	7	**5.35**
UYP 812 *	8-10-12 X 1-1/4	1/4	100	4,000	7	**6.85**
UYP 1216	12-14-16 X 1-1/2	5/16	100	1,200	3	**10.50**

Also available in bulk cartons & * Super Pak (See Page 27)

PVC WALL PLUGS



- Can be cut to length for shorter embedment

Part No.	Screw Size	Drill Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
TUR 61	6-8	7/32	100	1,000	2	**8.45**
TUG 101	8-10	1/4	100	1,000	2	**10.20**

METAL FRAME ANCHOR

- Galvanized and fire resistant
- Allows easy spacing of frame



Part No.	Size (mm)	Drill Size	Pkg. Qty.	Pkg. Wt.	Price /C
MMR 110	10 X 110	10mm	100	12	**211.30**
MMR 130	10 X 130	10mm	100	10	**224.80**

UCAN TWISTER® ANCHORS

- Install with a screwdriver (hand or cordless)
- No predrilling is required
- Fixtures can be installed with #8 screws of any length
- Improved design allows for greater expansion and better holding capability
- Available in Contractor "Bulk" Packs

ZAMAC DRYWALL ANCHOR



Part No.	Description	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
JET 100 *	Twister zamac anchor	100	1,000	15	**36.00**
JET 100B	Twister zamac anchor	-	2,500	36	**29.80**


NYLON DRYWALL ANCHOR



Part No.	Description	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
JET NYL *	Twister nylon anchor	100	1,000	4	**25.90**
JET NYLB	Twister nylon anchor	-	2,000	8	**19.20**

*** Available in Super Pak Jar (See Page 27)**

TIP TOGGLE™



- Multi use
- Hollow Cavity Anchor
- Can be used with 3/8 X 3' or 10' rods for extended reach into cavities.

Part No.	Size	Drill Size	Box Qty.	Case Qty.	Price /C
UTT 384	3/8-16 X 4	7/8"	25	100	**298.00**

NYLON TOGGLE ANCHOR

Use with #8 or #10 screws



Part No.	Size	Drill Dia.	Grip Range	Pkg. Qty.	Case Qty.	Price /C
NTA 38	3/8	3/8	5/16-7/16	100	1000	**22.50**
NTA 12	1/2	3/8	7/16-9/16	100	1000	**23.60**
NTA 58	5/8	3/8	9/16-11/16	100	1000	**24.70**

KAP TOGGLE

Snap-off toggle anchor



Part No.	Screw Size	Drill Size	Box Qty.	Case Qty.	Price /C
KAP 316	3/16	1/2	100	600	**161.00**
KAP 14	1/4	1/2	100	600	**179.60**

TOGGLE BOLTS

Heavy gauge wing and nut



(Socket/slot combination) screws

Part No.	Size	Drill Dia.	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
TOG 182	1/8 X 2	3/8	50	500	8	**29.80**
TOG 183	1/8 X 3	3/8	50	500	9	**33.80**
TOG 184	1/8 X 4	3/8	50	500	12	**41.10**
TOG 3162	3/16 X 2	9/16	50	500	16	**40.50**
TOG 3163	3/16 X 3	9/16	50	500	18	**45.00**
TOG 3164	3/16 X 4	9/16	50	500	21	**47.80**
TOG 3165	3/16 X 5	9/16	50	300	16	**56.20**
TOG 3166	3/16 X 6	9/16	50	300	18	**58.50**
TOG 143	1/4 X 3	3/4	50	300	21	**65.20**
TOG 144	1/4 X 4	3/4	50	300	24	**71.40**
TOG 145	1/4 X 5	3/4	50	300	27	**83.20**
TOG 146	1/4 X 6	3/4	50	300	29	**92.20**
TOG 384	3/8 X 4	1	25	150	28	**173.10**
TOG 385	3/8 X 5	1	25	100	21	**191.10**
TOG 386	3/8 X 6	1	25	100	24	**204.50**

TOGGLE HEADS ONLY

Heavy gauge wing & nut



TOG H18	1/8	3/8	100	1,000	8	**21.90**
TOG H316	3/16	9/16	100	1,000	15	**28.70**
TOG H14	1/4	5/8	100	1,000	27	**40.50**
TOG H38	3/8	1	100	400	21	**96.70**

METAL HOLLOW WALL ANCHORS

With combination head screws

Best choice for hollow wall



Part No.	Screw Size	Drill Dia.	Grip Range	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
MWA 18XS	1/8 X 3/4	5/16	0-1/2	100	1,000	10	**37.10**
MWA 18S	1/8 X 1-3/4	5/16	1/8-1/2	100	1,000	14	**37.10**
MWA 18SL	1/8 X 2-1/8	5/16	1/8-5/8	100	1,000	14	**47.80**
MWA 18L	1/8 X 1-3/4	5/16	5/8-7/8	100	1,000	19	**38.30**
MWA 316S	3/16 X 2	7/16	1/8-5/8	50	500	18	**66.30**
MWA 316L	3/16 X 2-1/2	7/16	5/8-1-1/4	50	500	24	**78.70**
MWA 14S	1/4 X 2	1/2	1/8-5/8	50	500	24	**93.30**
MWA 14L	1/4 X 2-1/2	1/2	5/8-1-1/4	50	500	30	**98.90**

DRIVE-TYPE ANCHORS

- Does not require predrilling in drywall



Part No.	Size	Grip Range	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
MWD 18S	1/8 X 1-1/4	1/8-1/2	100	1,000	15	**45.00**
MWD 18SL	1/8 X 1-3/4	1/8-3/4	100	1,000	15	**48.90**
MWD 18L	1/8 X 1-3/4	5/8-7/8	100	1,000	19	**46.70**

MWA INSTALLATION TOOL

Reduces Installation time by at least 50%



Part No.	Description	Price/ea.
MWAT 1	MWA Installation tool	**28.10**

SUPER SCRU-IT® MASONRY ANCHOR SYSTEM

- Exclusive scalloped threads cut deeper grooves in concrete
- Much higher holding power than other thread designs
- Completely stress free - may be installed close to edges
- Works where others fail in difficult substrates (e.g. horizontal mortar joints)
- Available with either straight shank or SDS drill systems
- RUSPRO® coated for maximum corrosion resistance in exposed environments
- SCRU-IT box with flip-out side for easy access.



SUPER SCRU-IT® ANCHORS



One drill bit included with each package of 100 anchors





HEX WASHER-HEAD

Part No.	Size	Case Qty.	Wt.	Price /C
SCH 31634	3/16 X 3/4	1,000	7	**23.60**
SCH 316114	3/16 X 1-1/4	1,000	10	**25.90**
SCH 316134	3/16 X 1-3/4	1,000	12	**29.80**
SCH 316214	3/16 X 2-1/4	1,000	14	**34.30**
SCH 316234	3/16 X 2-3/4	1,000	17	**37.10**
SCH 316314	3/16 X 3-1/4	1,000	20	**48.90**
SCH 3164	3/16 X 4	1,000	23	**60.70**
SCH 14114	1/4 X 1-1/4	1,000	14	**36.00**
SCH 14134	1/4 X 1-3/4	1,000	19	**40.50**
SCH 14214	1/4 X 2-1/4	1,000	23	**46.10**
SCH 14234	1/4 X 2-3/4	1,000	27	**52.30**
SCH 14314	1/4 X 3-1/4	1,000	31	**65.20**
SCH 144	1/4 X 4	1,000	37	**80.90**
SCH 145	1/4 X 5	600	27	**116.90**
SCH 146	1/4 X 6	600	32	**163.00**

PHILLIPS FLAT-HEAD

Part No.	Case Qty.	Wt.	Price /C
----------	1,000	7	**23.60**
SCP 316114	1,000	10	**25.90**
SCP 316134	1,000	12	**29.80**
SCP 316214	1,000	14	**34.30**
SCP 316234	1,000	17	**37.10**
SCP 316314	1,000	20	**48.90**
SCP 3164	1,000	23	**60.70**
SCP 14114	1,000	14	**36.00**
SCP 14134	1,000	19	**40.50**
SCP 14214	1,000	23	**46.10**
SCP 14234	1,000	27	**52.30**
SCP 14314	1,000	31	**65.20**
SCP 144	1,000	37	**80.90**
SCP 145	600	27	**116.90**
SCP 146	600	32	**163.00**

SUPER SCRU-IT® BULK PACKS

Drill bits not included

HEX WASHER-HEAD

Part No.	Size	Case Qty.	Wt.	Price /M
SCH 31634B	3/16 X 3/4	5,000	31	**166.40**
SCH 316114B	3/16 X 1-1/4	4,000	36	**191.10**
SCH 316134B	3/16 X 1-3/4	3,000	30	**213.50**
SCH 316214B	3/16 X 2-1/4	2,000	25	**274.20**
SCH 316234B	3/16 X 2-3/4	1,500	23	**297.80**
SCH 316314B	3/16 X 3-1/4	800	16	**415.80**
SCH 3164B	3/16 X 4	800	18	**488.80**
SCH 14114B	1/4 X 1-1/4	2,500	32	**275.30**
SCH 14134B	1/4 X 1-3/4	2,000	34	**321.40**
SCH 14214B	1/4 X 2-1/4	1,500	33	**393.30**
SCH 14234B	1/4 X 2-3/4	1,000	25	**482.00**
SCH 14314B	1/4 X 3-1/4	800	24	**563.00**
SCH 144B	1/4 X 4	700	26	**702.30**
SCH 145B	1/4 X 5	600	27	**1052.00**

PHILLIPS FLAT-HEAD

Part No.	Case Qty.	Wt.	Price /M
----------	5,000	31	**166.40**
SCP 316114B	4,000	36	**191.10**
SCP 316134B	3,000	30	**213.50**
SCP 316214B	2,000	25	**274.20**
SCP 316234B	1,500	23	**297.80**
SCP 316314B	800	16	**415.80**
SCP 3164B	800	18	**488.80**
SCP 14114B	2,500	32	**275.30**
SCP 14134B	2,000	34	**321.40**
SCP 14214B	1,500	33	**393.30**
SCP 14234B	1,000	25	**482.00**
SCP 14314B	800	24	**563.00**
SCP 144B	700	26	**702.30**
SCP 145B	600	27	**1052.00**

SPECIAL SCRU-IT® (BLUNT TIP)

Hex Washer Head for shallow embedment anchoring



Light duty, stress free fastener for anchoring applications where drilling depth is limited to 7/8" (22mm)

Part No.	Size	Case Qty.	Case Wt.	Price /C
SUH 1478B	1/4 X 7/8	4,000	30	**31.80**

SUPER SCRU-IT® SILVER



One drill bit included with each package of 100 anchors



- Square Socket Drive
- Flat Countersink Head
- Silver RUSPRO® Coated

Part No.	Size	Driver Size	Fastens up to	Case Qty.	Price /C
SCR 316114	3/16 X 1-1/4	#2	1/4"	1,000	**25.90**
SCR 316134	3/16 X 1-3/4	#2	3/4"	1,000	**29.80**
SCR 316214	3/16 X 2-1/4	#2	1-1/4"	1,000	**34.30**
SCR 316234	3/16 X 2-3/4	#2	1-3/4"	1,000	**37.10**
SCR 316314	3/16 X 3-1/4	#2	2-1/4"	1,000	**48.90**
SCR 3164	3/16 X 4	#2	3"	1,000	**61.80**
SCR 14114	1/4 X 1-1/4	#3	1/4"	1,000	**36.00**
SCR 14134	1/4 X 1-3/4	#3	3/4"	1,000	**40.50**
SCR 14214	1/4 X 2-1/4	#3	1-1/4"	1,000	**46.10**
SCR 14234	1/4 X 2-3/4	#3	1-3/4"	1,000	**52.30**
SCR 14314	1/4 X 3-1/4	#3	2-1/4"	1,000	**65.20**

SUPER SCRU-IT® SILVER BULK PACKS

Drill bits not included

Part No.	Size	Driver Size	Fastens up to	Case Qty.	Price /M
SCR 316114B	3/16 X 1-1/4	#2	1/4"	4,000	**191.10**
SCR 316134B	3/16 X 1-3/4	#2	3/4"	3,000	**213.50**
SCR 316214B	3/16 X 2-1/4	#2	1-1/4"	2,000	**274.20**
SCR 316234B	3/16 X 2-3/4	#2	1-3/4"	1,500	**297.80**
SCR 316314B	3/16 X 3-1/4	#2	2-1/4"	800	**415.80**
SCR 3164B	3/16 X 4	#2	3"	800	**488.80**
SCR 14114B	1/4 X 1-1/4	#3	1/4"	2,500	**275.30**
SCR 14134B	1/4 X 1-3/4	#3	3/4"	2,000	**321.40**
SCR 14214B	1/4 X 2-1/4	#3	1-1/4"	1,500	**393.30**
SCR 14234B	1/4 X 2-3/4	#3	1-3/4"	1,000	**482.00**
SCR 14314B	1/4 X 3-1/4	#3	2-1/4"	800	**563.00**

SUPER SCRU-IT® STAINLESS STEEL

410 Stainless Steel RUSPRO® coated





One drill bit included with each package of 100 anchors

HEX WASHER-HEAD

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SSH 14114	1/4 X 1-1/4	100	1,000	14	**101.20**
SSH 14234	1/4 X 2-3/4	100	1,000	28	**148.30**

PHILLIPS FLAT-HEAD

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
SSP 316114	3/16 X 1-1/4	100	1,000	8	**61.80**

SCRU-IT® ACCESSORIES

Installation scru-tool kit



- **Convenient bit storage**
- **Cuts installation time by 50%**
- **Stops over-torquing of screw heads**

Part No.	Description	Price/ea.
SCRUTOOL	SCRU-IT Installation tool	**65.20**

SPARE PARTS FOR SCRU-TOOL

CDP 1001	Drill adaptor	**13.50**
CDP 1502	Sleeve (5-3/4")	**18.00**
CDP 1005	Long sleeve (6-1/2")	**20.80**
CDP 1003	Detent spring	**1.10**
CDP 1004	5/32" Ball bearing	**1.10**
CDP 2008	1/8" Ball bearing	**1.10**
CDP 1006	1/4" Driver adaptor	**10.20**
CDP 1007	5/16" Driver adaptor	**10.20**
CDP 1010	Phillips driver adaptor	**11.30**
CDP 2006	1/4"-28 Set screw	**1.30**
CDP 2010	1/8" Hex key	**.60**

SCRU-BITS

High performance bits for concrete screw systems



Part No.	Size	Max. Fastener Length	Pkg. Qty.	Price /ea.
SCB 5323	5/32 X 3-1/2	1-3/4	10	**4.30**
SCB 5324	5/32 X 4-1/2	2-3/4	10	**4.75**
SCB 5325	5/32 X 5-1/2	4	10	**5.45**
SCB 3163	3/16 X 3-1/2	1-3/4	10	**4.30**
SCB 3164	3/16 X 4-1/2	2-3/4	10	**4.75**
SCB 3165	3/16 X 5-1/2	4	10	**5.45**
SCB 3166	3/16 X 6-1/2	5	10	**6.20**
SCB 3167	3/16 X 7-1/2	6	10	**8.35**

BULK PACKS

Part No.	Size	Max. Fastener Length	Pkg. Qty.	Price /C
SCB 5323B	5/32 X 3-1/2	1-3/4	100	**382.10**
SCB 5324B	5/32 X 4-1/2	2-3/4	100	**427.00**
SCB 5325B	5/32 X 5-1/2	4	100	**483.20**
SCB 3163B	3/16 X 3-1/2	1-3/4	100	**382.10**
SCB 3164B	3/16 X 4-1/2	2-3/4	100	**427.00**
SCB 3165B	3/16 X 5-1/2	4	100	**483.20**
SCB 3166B	3/16 X 6-1/2	5	100	**550.60**
SCB 3167B	3/16 X 7-1/2	6	100	**741.60**

SDS SCRU-BITS

With hex shank for scru-tool sleeve



Part No.	Size	Screw dia.	Max. Fastener Length	Price /ea.
SCS 5325	5/32 X 5-1/4	3/16	2-1/4	**22.50**
SCS 5327	5/32 X 7	3/16	4	**23.10**
SCS 3165	3/16 X 5-1/4	1/4	2-1/4	**23.10**
SCS 3167	3/16 X 7	1/4	4	**24.70**

NOTE: For 5" & 6" fasteners use IDS 9 - See page 17

CB SCREWS

For cementitious sheathing panels

- **Phillips wafer head with underside ribs**
- **RUSPRO® corrosion resistant coated**

CB SPOON POINT SCREWS

For wood studs and light metal studs up to 20ga



Part No.	Size	Case Qty.	Case Wt.	Price /M
CBS 114B	8 X 1-1/4	5,000	31	**92.20**
CBS 158B	8 X 1-5/8	4,000	30	**103.40**
CBS 214B	8 X 2-1/4	2,500	26	**152.80**

CB SELF DRILLING SCREWS

For metal studs up to 12ga



Part No.	Size	Case Qty.	Case Wt.	Price /M
CBT 114B	8 X 1-1/4	5,000	31	**97.80**
CBT 158B	8 X 1-5/8	4,000	31	**120.20**

Available in Super Pak Jar (See Page 27)

ACOUSTIC LAG SCREWS

EYE LAG FOR WOOD



Part No.	Size	Eye Dia.	Pkg. Qty.	Case Qty.	Case Wt.	Price /M
ELS 143	1/4 X 3	.210"	100	1,000	24	**246.00**
ELS 143B	1/4 X 3	.210"	-	1,000	23	**189.90**

EYE LAG FOR METAL



Part No.	Size	Eye Dia.	Case Qty.	Case Wt.	Price /M
TLS 142B	1/4 X 2	.210"	1,500	35	**538.30**
TLS 142BN	1/4 X 2	.210"	1,000	29	**543.90**

Available in Super Pak Jar (See Page 27)

INSTALLATION TOOL FOR ACOUSTIC LAG SCREWS



Part No.	Price/ea.
DLS3	**12.00**

U-DRIVE® MASONRY ANCHOR SYSTEM

- Permanent and cost effective anchoring
- Quick, easy installation without special tools
- Requires only 1" (25mm) embedment
- Hot dip galvanized for maximum corrosion protection
- High pull out and shear strength

U-DRIVE® ANCHORS



One drill bit included with each package of 100 anchors



Part No.	Anchor Length	Fastens up to	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
INS 118	1-1/8	1/8	100	1,000	14	**19.00**
INS 112	1-1/2	1/2	100	1,000	20	**24.00**
INS 2	2	1	100	1,000	24	**28.00**
INS 212	2-1/2	1-1/2	100	1,000	29	**35.00**
INS 3	3	2	100	1,000	33	**40.00**
INS 312	3-1/2	2-1/2	100	1,000	40	**48.00**
INS 4	4	3	100	1,000	44	**55.00**
INS 412	4-1/2	3-1/2	100	600	30	**60.00**
INS 5	5	4	100	600	32	**66.00**

MAGNUM PACKS

Drill Bits not included

Part No.	Anchor Length	Fastens up to	Pkg. Qty.	Box Wt.	Case Wt.	Price /M
INS 118M	1-1/8	1/8	1,000	13	14	**135.00**
INS 112M	1-1/2	1/2	1,000	16	17	**175.00**
INS 2M	2	1	1,000	21	22	**215.00**
INS 212M	2-1/2	1-1/2	1,000	26	27	**275.00**
INS 3M	3	2	1,000	31	32	**310.00**
INS 312M	3-1/2	2-1/2	1,000	38	39	**375.00**
INS 4M	4	3	500	21	22	**425.00**
INS 412M	4-1/2	3-1/2	500	23	24	**475.00**
INS 5M	5	4	500	25	26	**520.00**

For best results use with IND/IDS bits

U-DRIVE DRILL BITS

Straight shank



Part No.	Size	Maximum. Fastener Length	Price /ea.
IND 312	.202 X 3-1/2	2	**3.75**
IND 412	.202 X 4-1/2	3	**5.05**
IND 512	.202 X 5-1/2	4	**6.45**
IND 712	.202 X 7-1/2	6	**11.60**
IND 812	.202 X 8-1/2	7	**11.60**

SDS BITS "ANSI"



IDS 4	.202 X 4	1-1/2	**14.00**
IDS 6	.202 X 6	3-1/2	**17.20**
IDS 9	.202 X 9-1/2	7	**19.00**

U-DRIVE STRESS PLATE

Required when fastening insulation

- Super low profile
- Can also be used with SCRU-IT



Part No.	Diameter	Type	Pkg. Qty.	Pkg. Wt.	Price /M
SP 1M	3"	Plastic	500	24	**325.90**

E.I.F.S. DISCS

- Made from high grade polymer for long service life
- Accepts screws and nails

TYPE PM

Universal disc for Polymer Modified (PM) and Modified PB EIFS to fasten rigid insulation to wood, steel, concrete, and masonry.



- Low surface profile

Part No.	Diameter	Pkg. Qty.	Price /M
EID 134M	1-3/4" (45MM)	1,000	**188.80**

TYPE PB

For installing Expanded Polystyrene (EPS) insulation board for Polymer Based (PB) EIFS to wood, steel, concrete and masonry.

- Stem sets into insulation



EIDS 2M	2" (50MM)	1,000	**207.90**

UCAN LV 360 LOW-VELOCITY TOOL



SEMI-AUTOMATIC
For .300 Flat-Head pins & UD pins

- Safe
- Low Recoil
- Low Noise Level
- Durable & Reliable
- Uses .27 Cal. Strip Loads - Max power level: Red
- Fasteners up to 2-1/2"
- Weighs only 5.2 lbs.

Complete Kit Includes Goggles, Ear Plugs, Cleaning Brushes, Wiper, Lubricant, Spare Parts, Training Manual and Heavy-Duty Carrying Case.

Part No.	Description	Price/ea.
LV 360K	Deluxe tool kit complete	640.50

FIELD REPLACEMENT PARTS FOR LV 360

301200	Piston assembly for flathead fasteners	38.30
301030	Piston for UN-UD fasteners	38.30
301208	Piston ring for 301200 piston	2.05
301009	Base plate	111.30
301010	Guide	46.10
301011	Shear clip	3.50
301012	Stop	18.00
301013	Steel ball	1.15
301014	Annular spring	3.95

UCAN LV 365 LOW-VELOCITY TOOL



SEMI-AUTOMATIC
with Adjustable Power Dial
For .300 Flat-Head pins & UD pins

- Safe
- Low Recoil
- Low Noise Level
- Durable & Reliable
- Adjustable Power Dial
- Uses .27 Cal. Strip Loads - Max power level: Red
- Fasteners up to 2-1/2"
- Weighs only 5.1 lbs.

Complete Kit Includes Goggles, Ear Plugs, Cleaning Brushes, Wiper, Lubricant, Spare Parts, Training Manual and Heavy-Duty Carrying Case.

Part No.	Description	Price/ea.
LV 365K	Deluxe tool kit complete	640.50

FIELD REPLACEMENT PARTS FOR LV 365

36514	Piston assembly	38.30
36515	Piston ring	2.05
36517	Base plate	112.40
36516	Guide	46.10
36538	Shear clip	3.50
36512	Stop	18.00
36537	Steel ball	1.15
36536	Annular spring	3.95

UCAN LV 470 LOW-VELOCITY TOOL



SEMI-AUTOMATIC
with Adjustable Power Dial
For PC pins and UTS studs up to 2-1/2"

- Safe
- Low Recoil
- Low Noise Level
- Adjustable Power Dial
- Uses .27 Cal. Strip Loads - Max recommended power level: Red
- Durable & Reliable
- Weighs only 7 lbs.

Complete Kit Includes Plastic Case, Goggles, Lubricant, 1-1/4" Steel Brush, Wood Brush, 5 Stop Rings, 3 Retaining Rings, Rod, Cleaning Cloth, Training Manual.

Part No.	Description	Price/ea.
LV 470K	Deluxe tool kit complete	784.30

FIELD REPLACEMENT PARTS FOR LV 470

C-05	Stop ring	3.60
C-06	Retaining ring, fastener guide	3.60
C-07	Piston for pins	56.20
C-07A	Piston for threaded studs	56.20
C-08	Piston ring	3.60
C-09	Piston guide	157.30
C-11	Retaining ring, piston guide	5.95

ACCESSORIES FOR LV TOOLS



Part No.	Description	Price/ea.
LVCK	Cleaning kit, (brushes, wiper, lub. spray)	33.80
LVBR1	1-3/8 Round brush	4.75
LVBR2	5/8 Round brush	4.55
LVBR3	Flat brush	4.55
LVBR4	5/16 Cleaning brush	4.75
LVSPR	PAT Tool spray lube 3FL.oz (85gms)	19.00
LVSAFE	Safety goggles	9.45
LVCASE-360	Carrying case only - for LV 360 & LV 365	36.00
LVCASE-470	Carrying case only	36.00

POWER LOADS

.22 CAL. TYPE A FOR LV 151

For low-velocity tools



Part No.	Power Level	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
CA1 GRA	Gray 1 - Light	100	10,000	20	**16.90**
CA2 BRO	Brown 2 Med.-Light	100	10,000	20	**16.90**
CA3 GRE	Green 3 Med.-Strong	100	10,000	20	**16.90**
CA4 YEL	Yellow 4 - Strong	100	10,000	20	**16.90**

.25 CAL. IN PLASTIC STRIPS

For low-velocity tools



Part No.	Power Level	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
CTS GRE	Green - Light	100	10,000	29	**23.30**
CTS YEL	Yellow - Medium	100	10,000	29	**23.30**
CTS RED	Red - Strong	100	10,000	29	**23.30**

.27 CAL. IN PLASTIC STRIPS

For UCAN LV360/365. Also for DX350 and DX36.

CHS G	Green - Light	100	10,000	32	**23.30**
CHS Y	Yellow - Medium	100	10,000	32	**23.30**
CHS R	Red - Strong	100	10,000	32	**23.30**

FOR UCAN LV470 AND FOR DX450

CHS R	Red - Strong	100	10,000	32	**23.30**
CHS P	Purple - Extra strong	100	10,000	32	**25.10**

.300 FLAT-HEADED ANGLE CLIP ASSEMBLY



Part No.	Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
ACC 32	1-1/4	100	600	42	**57.30**

.300 FLAT-HEADED CONDUIT CLIP ASSEMBLY



Part No.	Conduit Size	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
FCC 38	3/8"	100	600	32	**63.00**
FCC 12	1/2"	100	600	27	**65.20**
FCC 34	3/4"	100	600	32	**69.70**

.300 FLAT-HEADED FASTENERS

Super point



Fluted guide washers for steel and concrete

Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
AFH 13K	1/2 Knurled	100	1,000	5	**23.60**
AFH 16K	5/8 Knurled	100	1,000	6	**29.20**
AFH 19	3/4	100	1,000	6	**16.90**
AFH 25	1	100	1,000	7	**19.10**
AFH 32	1-1/4	100	1,000	8	**21.40**
AFH 37	1-1/2	100	1,000	9	**25.30**
AFH 47	1-7/8	100	1,000	12	**28.10**
AFH 57	2-1/4	100	1,000	14	**31.50**
AFH 62	2-1/2	100	1,000	15	**34.90**
AFH 72	2-7/8	100	1,000	17	**38.30**

25MM STEEL WASHER FASTENERS

Super point



Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
AWI 25	1"	100	1,000	20	**36.00**
AWI 32	1-1/4"	100	1,000	21	**39.40**
AWI 37	1-1/2"	100	1,000	25	**40.50**
AWI 50	2"	100	1,000	35	**42.80**
AWI 62	2-1/2"	100	600	16	**46.10**
AWI 75	3"	100	600	19	**55.10**

BULK PACKS

Part No.	Shank Length	Case Qty.	Case Wt.	Price/M
AWI 32M	1-1/4"	1000	24	**371.00**
AWI 37M	1-1/2"	1000	25	**383.00**

INSULATION PIN

Assembled with 30mm washer



Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
AWP 37	1-1/4"	100	600	13	**63.00**
AWP 47	1-7/8"	100	600	9	**65.20**
AWP 62	2-1/2"	100	600	10	**89.90**

8 mm HEADED FASTENERS

Super point with 8 mm nylon washer



For UCAN LV 360*, also for DX 350 & DX 36.

Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UD 19	3/4	100	1,000	6	**27.00**
UD 22	7/8	100	1,000	6	**28.10**
UD 27	1-1/8	100	1,000	7	**29.20**
UD 32	1-1/4	100	1,000	8	**32.60**
UD 37	1-1/2	100	1,000	9	**34.90**
UD 47	1-7/8	100	1,000	11	**39.40**
UD 57	2-1/4	100	1,000	13	**41.60**
UD 62	2-1/2	100	1,000	15	**43.90**
UD 72	2-7/8	100	1,000	16	**47.20**
KNURLED FOR STEEL					
UD 16K	5/8	100	1,000	5	**31.50**

*** Piston 301030 required when UD pins are used in LV 360 tool.**

COLLATED PINS - 10 PIN MAGAZINE

With super point for magazine type PA tools



Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UD 16KS	5/8	100	1,000	6	**20.80**
UD 19S	3/4	100	1,000	6	**20.80**
UD 22S	7/8	100	1,000	7	**22.90**
UD 27S	1-1/8	100	1,000	8	**22.90**
UD 32S	1-1/4	100	1,000	9	**25.00**
UD 37S	1-1/2	100	1,000	10	**27.00**
UD 47S	1-7/8	100	1,000	12	**29.20**
UD 57S	2-1/4	100	1,000	14	**32.60**
UD 62S	2-1/2	100	1,000	15	**36.00**
UD 72S	2-7/8	100	1,000	17	**38.30**

"TOP HAT" FASTENER



Part No.	Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
FTH 19	3/4	100	1,000	7	**32.10**

*** Piston 301030 required when FTH pins are used in LV 360 tool.**

6 mm HEADED FASTENERS

Super point with 12 mm steel washer



For UCAN LV 470, also for DX 400 & DX 450 tools.

Part No.	Shank Length	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
PC 22	7/8	100	1,000	7	**29.80**
PC 27	1-1/8	100	1,000	8	**30.90**
PC 32	1-1/4	100	1,000	9	**33.20**
PC 37	1-1/2	100	1,000	11	**36.00**
PC 42	1-5/8	100	1,000	11	**38.30**
PC 47	1-7/8	100	1,000	13	**40.50**
PC 57	2-1/4	100	1,000	15	**41.60**
PC 62	2-1/2	100	1,000	16	**43.90**
PC 72	2-7/8	100	1,000	18	**47.20**
PC 82	3-1/4	100	1,000	20	**58.50**
KNURLED FOR STEEL					
PC 16K	5/8	100	1,000	6	**33.80**
PC 19K	3/4	100	1,000	7	**36.00**

1/4"-20 THREADED STUDS

With 12 mm plastic guide washer
For LV 470, (use C-07A piston)



Part No.	Shank Length		Pkg. Qty.	Case Qty.	Case Wt.	Price /C
UTS 1032K	3/4	7/16 Knurled	100	1,000	10	**55.10**
UTS 245	3/4	1	100	1,000	11	**50.60**



SCREWDRIVER INSERT BITS



PHILLIPS BITS

Part No.	Description	Standard Pack	Price /ea.
PB11	No. 1 X 1 Phillips bit	25	**1.20**
PB21	No. 2 X 1 Phillips bit	25	**1.20**
PB31	No. 3 X 1 Phillips bit	25	**1.20**
PB12	No. 1 X 2 Phillips bit	25	**1.95**
PB22	No. 2 X 2 Phillips bit	25	**1.95**
PB32	No. 3 X 2 Phillips bit	25	**1.95**
PB13	No. 1 X 3 Phillips bit	25	**3.10**
PB23	No. 2 X 3 Phillips bit	25	**3.10**
PB33	No. 3 X 3 Phillips bit	25	**3.10**
PB14	No. 1 X 4 Phillips bit	25	**3.85**
PB24	No. 2 X 4 Phillips bit	25	**3.85**
PB34	No. 3 X 4 Phillips bit	25	**3.85**
PB16	No. 1 X 6 Phillips bit	1	**6.75**
PB26	No. 2 X 6 Phillips bit	1	**6.75**
PB36	No. 3 X 6 Phillips bit	1	**6.75**

DRYWALL BITS - REDUCED SHANK



PR21	No. 2 X 1 Phillips bit - Reduced shank	25	**1.20**
PR22	No. 2 X 2 Phillips bit - Reduced shank	25	**1.80**

SQUARE RECESS BITS - 2 PIECE HEX SHANK

- **Colour coded**

Black No. 3 Red No. 2 Green No. 1



RS11	No. 1 X 1 Square recess bit	25	**2.05**
RS21	No. 2 X 1 Square recess bit	25	**2.05**
RS31	No. 3 X 1 Square recess bit	25	**2.05**
RS12	No. 1 X 2 Square recess bit	25	**2.40**
RS22	No. 2 X 2 Square recess bit	25	**2.40**
RS32	No. 3 X 2 Square recess bit	25	**2.40**
RS13	No. 1 X 3 Square recess bit	25	**3.15**
RS23	No. 2 X 3 Square recess bit	25	**3.15**
RS33	No. 3 X 3 Square recess bit	25	**3.15**
RS14	No. 1 X 4 Square recess bit	25	**4.00**
RS24	No. 2 X 4 Square recess bit	25	**4.00**
RS34	No. 3 X 4 Square recess bit	25	**4.00**
RS16	No. 1 X 6 Square recess bit	1	**6.45**
RS26	No. 2 X 6 Square recess bit	1	**6.45**
RS36	No. 3 X 6 Square recess bit	1	**6.45**

SQUARE RECESS BITS - ONE PIECE ROUND SHANK



RB01	No. 0 X 1 Square recess bit	25	**1.30**
RB21	No. 2 X 1 Square recess bit	25	**1.30**
RB31	No. 3 X 1 Square recess bit	25	**1.30**
RB02	No. 0 X 2 Square recess bit	25	**1.95**
RB12	No. 1 X 2 Square recess bit	25	**1.95**
RB22	No. 2 X 2 Square recess bit	25	**1.95**
RB32	No. 3 X 2 Square recess bit	25	**1.95**
RB13	No. 1 X 3 Square recess bit	25	**3.00**
RB23	No. 2 X 3 Square recess bit	25	**3.00**
RB33	No. 3 X 3 Square recess bit	25	**3.00**
RB24	No. 2 X 4 Square recess bit	25	**3.50**
RB34	No. 3 X 4 Square recess bit	25	**3.50**
RB16	No. 1 X 6 Square recess bit	1	**6.75**
RB26	No. 2 X 6 Square recess bit	1	**6.75**
RB36	No. 3 X 6 Square recess bit	1	**6.75**

SLOTTED BITS



SL22	7/32 X 2 Slotted bit	1	**2.40**

SPRING NUT SETTERS

- **Ideal for Stainless Steel fasteners**
- **Prevents build up of steel shards**



Part No.	Description	Standard Pack	Price /ea.
SNS 14	1/4 X 2-1/2 Spring nut setter	10	**10.20**
SNS 516	5/16 X 2-1/2 Spring nut setter	10	**10.70**
SNS 38	3/8 X 2-1/2 Spring nut setter	10	**11.30**

MAGNETIC NUT SETTERS



MAGNETIC NUT SETTERS - SHORT

Part No.	Description	Standard Pack	Price /ea.
MNS 14S	1/4 X 1-11/16 Mag nut setter	10	**6.20**
MNS 516S	5/16 X 1-11/16 Mag nut setter	10	**6.60**
MNS 38S	3/8 X 1-3/4 Mag nut setter	10	**7.40**
MNS 716S	7/16 X 1-3/4 Mag nut setter	10	**7.90**
MNS 14	1/4 X 2-1/2 Mag nut setter	10	**8.50**
MNS 516	5/16 X 2-1/2 Mag nut setter	10	**9.10**
MNS 38	3/8 X 2-1/2 Mag nut setter	10	**9.60**
MNS 716	7/16 X 2-1/2 Mag nut setter	10	**10.20**
MNS 12	1/2 X 2-1/2 Mag nut setter	10	**11.90**

MAGNETIC NUT SETTERS - LONG



Part No.	Description	Price/ea.
MNS 14L	1/4 X 6 Mag nut setter	**16.90**
MNS 516L	5/16 X 6 Mag nut setter	**19.10**
MNS 38L	3/8 X 6 Mag nut setter	**21.40**
MNS 14XL	1/4 X 12 Mag nut setter	**43.90**
MNS 516XL	5/16 X 12 Mag nut setter	**46.10**
MNS 38XL	3/8 X 12 Mag nut setter	**48.40**

INSERT BIT HOLDERS

MAGNETIC BIT HOLDERS

Stainless Steel



Part No.	Description	Standard Pack	Price /ea.
MBH 3	1/4 X 3 Magnetic bit holder bit	10	**11.90**

QUICK CHANGE BIT HOLDER



Part No.	Description	Price/ea.
MBH 25Q	1/4 X 2-1/2 Quick change magnetic bit holder	**18.00**

U-DRILLS® BULK CASES
SELF DRILLING METAL SCREWS

- **U-DRILLS® Self Drilling Screws are made to the highest industry quality standards for outstanding performance.**
- **All screws are available painted or protective coated to order.**

SOCKET PAN HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TSP 638B	6-20 X 3/8	2	.090/13 ga	15,000	28	**28.60**
TSP 612B *	6-20 X 1/2	2	.090/13 ga	15,000	33	**29.80**
TSP 812B *	8-18 X 1/2	2	.100/12 ga	15,000	47	**36.60**
TSP 858B *	8-18 X 5/8	2	.100/12 ga	10,000	38	**39.40**
TSP 834B *	8-18 X 3/4	2	.100/12 ga	10,000	42	**42.80**
TSP 834BW	8-18 X 3/4 white hd	2	.100/12 ga	10,000	42	**80.90**
TSP 81B *	8-18 X 1	2	.100/12 ga	7,500	37	**50.00**
TSP 8112B *	8-18 X 1-1/2	2	.100/12 ga	6,000	44	**66.30**
TSP 82B	8-18 X 2	2	.100/12 ga	3,000	27	**88.80**
TSP 1012B *	10-16 X 1/2	2	.110/12 ga	10,000	45	**48.40**
TSP 1058B *	10-16 X 5/8	3	.175/7 ga	8,000	40	**54.00**
TSP 1034B *	10-16 X 3/4	3	.175/7 ga	8,000	45	**58.50**
TSP 101B *	10-16 X 1	3	.175/7 ga	5,000	35	**69.70**
TSP 10114B *	10-16 X 1-1/4	3	.175/7 ga	4,000	33	**82.10**
TSP 10112B *	10-16 X 1-1/2	3	.175/7 ga	4,000	39	**93.30**

*** Available in Super Pak Jar (See Page 28)**

RUSPRO® COATED

TRP 834B	8-18 X 3/4	2	.100/12 ga	10,000	42	**78.70**
TRP 1034B	10-16 X 3/4	3	.175/7 ga	8,000	45	**92.20**
TRP 101B	10-16 X 1	3	.175/7 ga	5,000	35	**101.20**
TRP 10112B	10-16 X 1-1/2	3	.175/7 ga	4,000	39	**148.40**
TRP 121B	12-14 X 1	3	.210/5 ga	5,000	47	**148.30**
TRP 12112B	12-14 X 1-1/2	3	.210/5 ga	3,000	39	**195.60**

PHILLIPS PAN HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TPP 812B	8-18 X 1/2	2	.100/12 ga	15,000	46	**36.60**
TPP 834B	8-18 X 3/4	2	.100/12 ga	10,000	42	**42.80**
TPP 81B	8-18 X 1	2	.100/12 ga	7,500	39	**50.00**
TPP 8112B	8-18 X 1-1/2	2	.100/12 ga	6,000	43	**66.30**
TPP 1012B	10-16 X 1/2	2	.110/12 ga	10,000	46	**48.40**
TPP 1034B	10-16 X 3/4	3	.175/7 ga	8,000	46	**58.50**
TPP 101B	10-16 X 1	3	.175/7 ga	5,000	33	**69.70**

PHILLIPS MODIFIED TRUSS HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TPW 812B *	8-18 X 1/2	2	.100/12 ga	10,000	40	**38.30**
TPW 8114B	8-18 X 1-1/4	2	.100/12 ga	5,000	32	**67.50**
TPW 1034B	10-16 X 3/4	3	.175/7 ga	8,000	46	**58.50**

*** Available in Super Pak Jar (See Page 28)**

HEX WASHER HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
THW 812B *	8-18 X 1/2	2	.100/12 ga	10,000	32	**38.30**
THW 812BW	8-18 X 1/2 white hd	2	.100/12 ga	10,000	34	**68.60**
THW 812BT	8-18 X 1/2 tan hd	2	.100/12 ga	10,000	34	**68.60**
THW 858B *	8-18 X 5/8	2	.100/12 ga	10,000	38	**42.80**
THW 834B *	8-18 X 3/4	2	.100/12 ga	10,000	43	**45.00**
THW 81B *	8-18 X 1	2	.100/12 ga	8,000	43	**54.00**
THW 8112B *	8-18 X 1-1/2	2	.100/12 ga	6,000	43	**70.90**
THW 1012B *	10-16 X 1/2	2	.110/12 ga	10,000	48	**50.60**
THW 1058B *	10-16 X 5/8	3	.175/7 ga	8,000	42	**55.60**
THW 1034B *	10-16 X 3/4	3	.175/7 ga	8,000	46	**58.50**
THW 1034BW	10-16 X 3/4white hd	3	.175/7 ga	8,000	46	**123.60**
THW 101B *	10-16 X 1	3	.175/7 ga	5,000	36	**72.00**
THW 10114B *	10-16 X 1-1/4	3	.175/7 ga	4,000	35	**85.40**
THW 10112B *	10-16 X 1-1/2	3	.175/7 ga	3,000	31	**97.80**
THW 102B	10-16 X 2	3	.175/7 ga	2,000	25	**123.60**
THW 10212B	10-16 X 2-1/2	3	.175/7 ga	1,500	22	**152.80**
THW 103B	10-16 X 3	3	.175/7 ga	1,000	17	**179.80**
THW 1234B *	12-14 X 3/4	3	.210/5 ga	6,000	47	**79.80**
THW 121B *	12-14 X 1	3	.210/5 ga	5,000	46	**92.20**
THW 12114B	12-14 X 1-1/4	3	.210/5 ga	4,000	44	**106.80**
THW 12112B *	12-14 X 1-1/2	3	.210/5 ga	3,000	40	**130.40**
THW 122B *	12-14 X 2	3	.210/5 ga	2,000	33	**164.10**
THW 12212B	12-14 X 2-1/2	3	.210/5 ga	1,500	30	**184.30**
THW 1434B *	1/4-14 X 3/4	3	.220/4 ga	4,000	48	**119.10**
THW 141B *	1/4-14 X 1	3	.220/4 ga	3,000	45	**134.90**
THW 141BW	1/4-14 X 1white hd	3	.220/4 ga	3,000	45	**157.30**
THW 141BT	1/4-14 X 1tan hd	3	.220/4 ga	3,000	45	**157.30**
THW 14114B *	1/4-14 X 1-1/4	3	.220/4 ga	2,000	34	**157.30**
THW 14114BY	1/4-14 X 1-1/4yellow zinc	3	.220/4 ga	2,000	34	**168.60**
THW 14112B *	1/4-14 X 1-1/2	3	.220/4 ga	2,000	38	**178.70**
THW 142B	1/4-14 X 2	3	.220/4 ga	1,500	36	**213.50**
THW 14212B	1/4-14 X 2-1/2	3	.220/4 ga	1,000	28	**297.80**
THW 143B	1/4-14 X 3	3	.220/4 ga	1,000	34	**320.30**
THW 144B	1/4-14 X 4	3	.220/4 ga	500	19	**500.00**
THW 146B	1/4-14 X 6	3	.220/4 ga	500	31	**1213.50**

*** Available in Super Pak Jar (See Page 28)**

RUSPRO® COATED

TRH 812B	8-18 X 1/2	2	.100/12ga	10,000	32	**94.40**
TRH 812BW	8-18 X 1/2	2	.100/12ga	10,000	32	**122.50**
TRH 1034B	10-16 X 3/4	3	.175/7 ga	8,000	46	**106.80**
TRH 10112B	10-16 X 1-1/2	3	.175/7 ga	3,000	31	**142.70**
TRH 1234B	12-14 X 3/4	3	.210/5 ga	6,000	47	**123.60**
TRH 121B	12-14 X 1	3	.210/5 ga	5,000	46	**142.70**
TRH 12114B	12-14 X 1-1/4	3	.210/5 ga	4,000	46	**166.40**
TRH 12112B	12-14 X 1-1/2	3	.210/5 ga	3,000	40	**191.10**
TRH 122B	12-14 X 2	3	.210/5 ga	2,000	33	**243.80**
TRH 141B	1/4-14 X 1	3	.220/4 ga	3,000	42	**213.50**
TRH 14201B	1/4-20 X 1	3	.220/4 ga	3,000	47	**213.50**
TRH 14114B	1/4-14 X 1-1/4	3	.220/4 ga	2,000	34	**267.50**
TRH 14112B	1/4-14 X 1-1/2	3	.220/4 ga	2,000	38	**273.10**
TRH 142B	1/4-14 X 2	3	.220/4 ga	1,500	36	**348.40**
TRH 143B	1/4-14 X 3	3	.220/4 ga	1,000	34	**404.50**

NEED SOMETHING SPECIAL?

We can offer timely delivery and very competitive prices on most types and sizes of custom screws.

U-DRILLS® BULK CASES
SELF DRILLING METAL SCREWS

HEX WASHER HEAD

Zinc Plated

With Bonded EPDM Washer



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
THW 1034BN	10-16 X 3/4	3	.175/7 ga	3,000	26	**166.40**
THW 1234BN	12-14 X 3/4	3	.210/5 ga	3,000	32	**178.70**
THW 121BN	12-14 X 1	3	.210/5 ga	3,000	37	**184.30**
THW 12114BN	12-14 X 1-1/4	3	.210/5 ga	2,000	28	**202.30**
THW 12112BN	12-14 X 1-1/2	3	.210/5 ga	2,000	31	**213.50**
THW 122BN	12-14 X 2	3	.210/5 ga	2,000	36	**314.70**
THW 1434BN	1/4-14 X 3/4	3	.220/4 ga	3,000	46	**213.50**
THW 141BN	1/4-14 X 1	3	.220/4 ga	2,000	42	**225.90**
THW 14114BN	1/4-14 X 1-1/4	3	.220/4 ga	2,000	40	**258.50**
THW 14112BN	1/4-14 X 1-1/2	3	.220/4 ga	1,000	23	**261.90**
THW 142BN	1/4-14 X 2	3	.220/4 ga	1,000	28	**320.30**
THW 143BN	1/4-14 X 3	3	.220/4 ga	1,000	37	**404.50**
THW 144BN	1/4-14 X 4	3	.220/4 ga	500	23	**584.30**

RUSPRO® COATED SCREWS + TYPE II CLAD EPDM WASHER



TRH 1234BN	12-14 X 3/4	3	.210/5 ga	3,000	32	**285.50**
TRH 121BN	12-14 X 1	3	.210/5 ga	3,000	37	**309.00**
TRH 12114BN	12-14 X 1-1/4	3	.210/5 ga	2,000	28	**345.00**
TRH 12112BN	12-14 X 1-1/2	3	.210/5 ga	2,000	31	**357.40**
TRH 141BN	1/4-14 X 1	3	.220/4 ga	2,000	42	**381.00**
TRH 14114BN	1/4-14 X 1-1/4	3	.220/4 ga	2,000	40	**451.70**
TRH 14112BN	1/4-14 X 1-1/2	3	.220/4 ga	1,000	23	**476.50**
TRH 142BN	1/4-14 X 2	3	.220/4 ga	1,000	28	**523.60**
TRH 143BN	1/4-14 X 3	3	.210/5 ga	700	26	**583.20**

Automated washer assembly available for most sizes not listed. **See page 25**

WOOD TO METAL APPLICATIONS

SOCKET WAFER HEAD WITHOUT REAMER

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TSW 101634B	10-16 X 3/4	3	.175/7 ga	8,000	45	**82.10**
TSW 1034B *	10-24 X 3/4	3	.175/7 ga	8,000	45	**82.10**
TSW 101B *	10-24 X 1	3	.175/7 ga	5,000	36	**89.90**
TSW 10114B *	10-24 X 1-1/4	3	.175/7 ga	3,000	26	**103.40**
TSW 10112B	10-24 X 1-1/2	3	.175/7 ga	3,000	31	**125.90**
TSW 122B	12-24 X 2	3	.210/5 ga	1,500	29	**178.70**
TSW 12212B	12-24 X 2-1/2	3	.210/5 ga	1,000	24	**245.00**
TSW 123B	12-24 X 3	3	.210/5 ga	1,000	22	**275.30**
TSW 124B	12-24 X 4	3	.210/5 ga	800	27	**500.00**
TSW 14112B	1/4-20 X 1-1/2	3	.210/5 ga	2,000	37	**242.70**
TSW 14212B	1/4-20 X 2-1/2	3	.210/5 ga	1,000	29	**332.60**
TSW 143B	1/4-20 X 3	3	.210/5 ga	1,000	34	**381.00**

SOCKET WAFER HEAD WITH REAMER



TSW 10112RB *	10-24 X 1-1/2	3	.175/7 ga	3,000	30	**166.40**
TSW 122RB *	12-24 X 2	4	.312/5/16"	1,500	28	**234.90**
TSW 12212RB *	12-24 X 2-1/2	4	.312/5/16"	1,000	23	**309.00**
TSW 123RB *	12-24 X 3	4	.312/5/16"	1,000	27	**357.40**
TSW 124RB	12-24 X 4	4	.312/5/16"	800	28	**583.20**

*** Available in Super Pak Jar** **(See Page 28)**

HEAVY GAUGE APPLICATIONS

HEX WASHER HEAD

RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRH 1278B4 *	12-24 X 7/8	4	.312/ 5/16"	5,000	44	**224.80**
TRH 12114B5 *	12-24 X 1-1/4	5	.500/ 1/2"	4,000	43	**331.50**
TRH 12112B5 *	12-24 X 1-1/2	5	.500/ 1/2"	3,000	39	**382.10**
TRH 122B5 *	12-24 X 2	5	.500/ 1/2"	1,500	25	**500.00**
TRH 143B5	1/4-28 X 3	5	.500/ 1/2"	1,000	37	**702.30**
TRH 144B5	1/4-28 X 4	5	.500/ 1/2"	500	24	**1011.30**
TRH 145B5	1/4-28 X 5	5	.500/ 1/2"	500	30	**1370.80**
TRH 146B5	1/4-28 X 6	5	.500/ 1/2"	500	36	**1595.60**
TRH 147B5	1/4-28 X 7	5	.500/ 1/2"	400	36	**2003.40**
TRH 148B5	1/4-28 X 8	5	.500/ 1/2"	400	35	**2123.60**

*** Available in Super Pak Jar** **(See Page 28)**

RUSPRO® COATED SCREWS + TYPE II CLAD EPDM WASHER



TRH 1278B4N	12-24 X 7/8	4	.312/ 5/16"	3,500	40	**404.50**
TRH 12114B5N	12-24 X 1-1/4	5	.500/ 1/2"	3,000	40	**536.00**
TRH 12112B5N	12-24 X 1-1/2	5	.500/ 1/2"	2,000	31	**583.20**
TRH 122B5N	12-24 X 2	5	.500/ 1/2"	1,500	29	**702.30**
TRH 143B5N	1/4-28 X 3	5	.500/ 1/2"	1,000	40	**952.90**
TRH 144B5N	1/4-28 X 4	5	.500/ 1/2"	500	26	**1213.50**
TRH 145B5N	1/4-28 X 5	5	.500/ 1/2"	500	32	**1657.40**
TRH 146B5N	1/4-28 X 6	5	.500/ 1/2"	500	36	**1813.50**
TRH 148B5N	1/4-28 X 8	5	.500/ 1/2"	400	36	**2373.10**

HEX WASHER HEAD - EXTRA DRILL CAPACITY

RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRH 12114MB5	12-24 X 1-1/4	5	0.500	4,000	48	**579.80**
TRH 12112MB5	12-24 X 1-1/2	5	0.500	3,000	43	**640.50**
TRH 122MB5	12-24 X 2	5	0.500	1,500	29	**730.40**
TRH 143MB5	1/4-28 X 3	5	0.500	1,000	32	**1101.20**
TRH 144MB5	1/4-28 X 4	5	0.500	500	22	**1224.80**
TRH 146MB5	1/4-28 X 6	5	0.500	500	32	**2685.40**

STITCH LAPPING SCREW

Zinc Plated



Available with Bonded EPDM Washer

New size in red

Part No.	Description	AF	Point	Case Qty.	Case Wt.	Price /M
SHW 1478B	1/4-14 X 7/8 HWH	5/16"	1	3,500	39	**152.80**
SHWN 1478B	1/4-14 X 7/8 w/ EPDM washer	5/16"	1	2,500	37	**230.40**
SHW 1478LB	1/4-14 X 7/8 HWH	3/8"	1	3,500	39	**168.60**
SHWN 1478LB	1/4-14 X 7/8 w/ EPDM washer	3/8"	1	2,500	41	**261.90**

ALUMINUM APPLICATIONS

RUSPRO® Coated



Specially designed point for optimum performance in aluminum.

Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRH 1234BA	12-14 X 3/4	3	.210/5 ga	6,000	47	**123.60**
TRH 121BA	12-14 X 1	3	.210/5 ga	5,000	46	**140.50**
TRH 122BA	12-14 X 2	3	.210/5 ga	2,000	33	**230.40**
TRH 141BA	1/4-14 X 1	3	.220/4 ga	3,000	42	**202.30**

OVAL COUNTERSINK HEAD - ZINC PLATED

TPO



TSO



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TPO 61B	6-20 X 1	2	.090/13 ga	12,000	36	**41.60**
TSO 6114B	6-20 X 1-1/4	2	.090/13 ga	10,000	40	**54.00**

U-DRILLS® 100 PACKS - ZINC PLATED

TSP



THW



SOCKET PAN HEAD


Part No.	Size	Point	Drilling Capacity	Pkg. Qty.	Case Qty.	Case Wt.	Price /C
TSP 612	6-20 X 1/2	2	.090/13 ga	100	1,000	3	**7.10**
TSP 812	8-18 X 1/2	2	.100/12 ga	100	1,000	5	**7.75**
TSP 858	8-18 X 5/8	2	.100/12 ga	100	1,000	5	**8.35**
TSP 834	8-18 X 3/4	2	.100/12 ga	100	1,000	5	**8.65**
TSP 81	8-18 X 1	2	.100/12 ga	100	1,000	6	**9.45**
TSP 1012	10-16 X 1/2	2	.110/12 ga	100	1,000	5	**9.45**
TSP 1034	10-16 X 3/4	2	.175/7 ga	100	1,000	7	**10.40**
TSP 101	10-16 X 1	2	.175/7 ga	100	1,000	7	**11.90**

HEX WASHER HEAD

THW 812	8-18 X 1/2	2	.100/12 ga	100	1,000	5	**7.75**
THW 858	8-18 X 5/8	2	.100/12 ga	100	1,000	5	**8.65**
THW 834	8-18 X 3/4	2	.100/12 ga	100	1,000	5	**8.65**
THW 81	8-18 X 1	2	.100/12 ga	100	1,000	6	**9.45**
THW 1012	10-16 X 1/2	2	.110/12 ga	100	1,000	6	**9.45**
THW 10112	10-16 X 1-1/2	3	.175/7 ga	100	1,000	10	**16.10**
THW 1034	10-16 X 3/4	3	.175/7 ga	100	1,000	7	**10.40**
THW 101	10-16 X 1	3	.175/7 ga	100	1,000	8	**11.90**
THW 1234	12-14 X 3/4	3	.210/5 ga	100	1,000	9	**12.80**
THW 121	12-14 X 1	3	.210/5 ga	100	1,000	11	**13.50**
THW 12112	12-14 X 1-1/2	3	.210/5 ga	100	1,000	14	**19.70**
THW 1434	1/4-14 X 3/4	3	.220/4 ga	100	1,000	13	**16.60**
THW 141	1/4-14 X 1	3	.220/4 ga	100	1,000	15	**19.70**
THW 14112	1/4-14 X 1-1/2	3	.220/4 ga	100	1,000	19	**21.90**

SOCKET WAFER HEAD

TSW



TSW - R



TSW 1034	10-24 X 3/4	3	.175/7 ga	100	1,000	7	**14.30**
TSW 101	10-24 X 1	3	.175/7 ga	100	1,000	7	**15.80**
TSW 10114	10-24 X 1-1/4	3	.175/7 ga	100	1,000	9	**17.70**
TSW 10112	10-24 X 1-1/2	3	.175/7 ga	100	1,000	10	**21.90**
TSW 122	12-24 X 2	3	.210/5 ga	100	1,000	18	**28.70**
TSW 10112R	10-24 X 1-1/2	3	.175/7 ga	100	1,000	11	**28.10**
TSW 122R	12-24 X 2	4	.312/5/16"	100	1,000	18	**38.80**
TSW 12212R	12-24 X 2-1/2	4	.312/5/16"	100	1,000	19	**51.20**
TSW 123R	12-24 X 3	4	.312/5/16"	100	1,000	26	**59.60**

SPECIALTY APPLICATIONS

SHARP POINT SCREWS

RUSPRO® Coated

SRP



SRU



SRF



Part No.	Size	Head Style	Case Qty.	Case Wt.	Price /M
SRP 1058B	10 X 5/8	Socket pan	8,000	41	**66.30**
SRP 102B	10 X 2	Socket pan	2,000	24	**146.10**
SRU 1034B	10 X 3/4	Socket flat undercut	8,000	44	**72.00**
SRF 10112B	10 X 1-1/2	Socket flat - Type"A"	4,000	32	**123.60**

THREAD CUTTING SCREW TYPE F

Square socket - RUSPRO® Coated



Part No.	Size	Head Style	Case Qty.	Case Wt.	Price /M
FRP 1012B	10-32 X 1/2	Truss head	10,000	46	**88.80**

MACHINE SCREWS

Square socket - RUSPRO® Coated



Part No.	Size	Head Style	Case Qty.	Case Wt.	Price /M
MST 1012B	10-32 X 1/2	Truss head	10,000	44	**83.20**
MSR 1434B	1/4-20 X 3/4	Round head	4,000	51	**150.60**
MSR 141B	1/4-20 X 1	Round head	3,000	48	**168.60**
MSR 142B	1/4-20 X 2	Round head	1,500	22	**300.00**
MSR 14212B	1/4-20 X 2 -1/2	Round head	1,000	12	**357.40**

SELF TAPPING SCREWS - ZINC PLATED



Part No.	Size	Head	Point	Case Qty.	Case Wt.	Price /M
AST 6112B	6 X 1-1/2	Truss	A	6,000	30	**45.00**
AHT 6112B	6 X 1-1/2	HWH	A	6,000	30	**45.00**

FLAT COUNTERSINK HEAD - ZINC PLATED



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TSF 858B	8-18 X 5/8	2	.100/13 ga	10,000	27	**39.40**

SPECIAL COATING

RUSPRO® and other coating can be applied to all screws.

PAINTED SCREW HEADS

"High solids" epoxy coating, in a wide range of colours, applied to screw heads.



U-DRILLS® STAINLESS STEEL - BULK CASES

All UCAN grade 410 hardened stainless steel fasteners are RUSPRO® coated to prevent discolouring due to exposure. RUSPRO® coating provides excellent resistance to atmospheric corrosion and road salt. (See specification on page 31)

HEX WASHER HEAD

410 STAINLESS STEEL HARDENED RUSPRO® COATED



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRH 812BSS *	8-18 X 1/2	2	.100/12 ga	10,000	34	**196.70**
TRH 1034BSS *	10-16 X 3/4	3	.175/7 ga	8,000	50	**284.30**
TRH 1234BSS	12-14 X 3/4	3	.210/5 ga	6,000	47	**428.10**
TRH 121BSS *	12-14 X 1	3	.210/5 ga	5,000	43	**500.00**
TRH 12112BSS	12-14 X 1-1/2	3	.210/5 ga	3,000	40	**655.10**
TRH 122BSS	12-14 X 2	3	.210/5 ga	2,000	33	**761.90**
TRH 1434BSS *	1/4-14 X 3/4	3	.220/4 ga	4,000	48	**589.90**
TRH 141BSS *	1/4-14 X 1	3	.220/4 ga	3,000	45	**667.50**
TRH 14114BSS	1/4-14 X 1-1/4	3	.220/4 ga	2,000	34	**768.60**
TRH 14112BSS	1/4-14 X 1-1/2	3	.220/4 ga	2,000	38	**839.40**
TRH 142BSS	1/4-14 X 2	3	.220/4 ga	1,500	36	**1042.80**
TRH 143BSS	1/4-14 X 3	3	.220/4 ga	1,000	34	**1421.40**

*** Available in SUPER PAK JAR (SEE PAGE 28)**

410 STAINLESS STEEL HARDENED RUSPRO® COATED

with Bonded EPDM 18-8 Stainless Steel Washer



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRH 1234BSSN	12-14 X 3/4	3	.210/5 ga	3,000	32	**532.60**
TRH 121BSSN	12-14 X 1	3	.210/5 ga	3,000	37	**601.20**
TRH 12112BSSN	12-14 X 1-1/2	3	.210/5 ga	2,000	31	**725.90**
TRH 141BSSN	1/4-14 X 1	3	.220/4 ga	2,000	42	**774.20**
TRH 14114BSSN	1/4-14 X 1-1/4	3	.220/4 ga	2,000	40	**863.00**
TRH 14112BSSN	1/4-14 X 1-1/2	3	.220/4 ga	1,000	23	**928.10**
TRH 142BSSN	1/4-14 X 2	3	.220/4 ga	1,000	28	**1168.60**
TRH 143BSSN	1/4-14 X 3	3	.210/5 ga	700	26	**1642.70**

STITCH LAPPING SCREW

410 STAINLESS STEEL HARDENED RUSPRO® COATED

Available with Bonded EPDM 18-8 Stainless Steel Washer



Part No.	Description	AF	Point	Case Qty.	Case Wt.	Price /M
SRH 1478BSS	1/4-14 X 7/8	5/16"	1	3,500	50	**631.50**
SRH 1478BSSN	1/4-14 X 7/8 w/EPDM washer	5/16"	1	2,500	37	**845.00**

SQUARE SOCKET PAN HEAD

410 STAINLESS STEEL HARDENED RUSPRO® COATED



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRP 612BSS	6-20 X 1/2	2	.090/13 ga	15,000	28	**185.40**
TRP 812BSS *	8-18 X 1/2	2	.100/12 ga	15,000	48	**202.30**
TRP 834BSS	8-18 X 3/4	2	.100/12 ga	10,000	42	**225.90**
TRP 81BSS	8-18 X 1	2	.100/12 ga	7,500	37	**268.60**
TRP 8114BSS	8-18 X 1-1/4	2	.100/12 ga	6,000	40	**316.90**
TRP 8112BSS	8-18 X 1-1/2	2	.100/12 ga	6,000	44	**354.00**
TRP 1034BSS *	10-16 X 3/4	3	.175/7 ga	8,000	47	**284.30**
TRP 101BSS	10-16 X 1	3	.175/7 ga	5,000	35	**367.40**
TRP 10114BSS	10-16 X 1-1/4	3	.175/7 ga	4,000	33	**449.50**
TRP 10112BSS	10-16 X 1-1/2	3	.175/7 ga	4,000	39	**516.90**
TRP 102BSS	10-16 X 2	3	.175/7 ga	2,000	24	**601.20**
TRP 121BSS	12-14 X 1	3	.210/5 ga	5,000	47	**458.50**

*** Available in Super Pak Jar (See Page 28)**

FLAT COUNTERSINK HEAD

410 STAINLESS STEEL HARDENED RUSPRO® COATED



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	Price /M
TRF 1034BSS	10-16 X 3/4	3	.175/7 ga	8,000	47	**274.20**
TRF 101BSS	10-16 X 1	3	.175/7 ga	5,000	35	**321.40**
TRF 10114BSS	10-16 X 1-1/4	3	.175/7 ga	4,000	33	**404.50**
TRF 10112BSS	10-16 X 1-1/2	3	.175/7 ga	4,000	39	**464.10**
TRF 12114BSS	12-14 X 1-1/4	3	.210/5 ga	4,000	44	**559.60**
TRF 12112BSS	12-14 X 1-1/2	3	.210/5 ga	3,000	40	**631.50**

SQUARE SOCKET PAN HEAD - TAPPING

18.8 STAINLESS STEEL PASSIVATED



Part No.	Size	Point		Case Qty.	Case Wt.	Price /M
STA 812BSS	8 X 1/2	A		15,000	31	**93.30**
STA 812BSSN	8 X 1/2	A	w/EPDM washer	7,000	36	**257.40**
STA 834BSSN	8 X 3/4	A	w/EPDM washer	6,000	34	**261.90**



UCAN offers automated assembly of many types of screw with bonded EPDM or neoprene washers. Please call for a quote. Capacity: Screw diameter # 8 – 14 Length 3/4" – 2-7/8"

SHARP POINT SELF-PIERCING

Zinc Plated

- **Twinfast thread design for sheet metal industry**



HEX WASHER HEAD

Part No.	Head Style	Size	Case Qty.	Case Wt.	Price /M
STHS 8916B	Hex/Socket	8 X 9/16	10,000	33	**39.40**
STH 8916B *	Hex	8 X 9/16	10,000	33	**33.80**
STH 834B	Hex	8 X 3/4	10,000	41	**41.60**
STH 81B	Hex	8 X 1	8,000	41	**46.10**
STH 8114B	Hex	8 X 1-1/4	7,000	43	**54.00**
STH 8112B	Hex	8 X 1-1/2	5,000	49	**79.80**
STH 1038B	Hex	10 X 3/8	10,000	43	**62.00**
STH 1012B	Hex	10 X 1/2	10,000	48	**67.00**
STH 1058B	Hex	10 X 5/8	8,000	42	**69.00**
STH 1034B	Hex	10 X 3/4	8,000	35	**80.90**

PAINTED HEAD

STH 638BW	Hex/White	6 X 3/8	15,000	31	**57.30**
STH 8916BW	Hex/White	8 X 9/16	10,000	33	**63.00**
STH 8114BAW	Hex/Arctic white	8 X 1-1/4	7,000	43	**92.20**
STH 8112BW	Hex/White	8 X 1-1/2	5,000	49	**98.90**
STH 102BW	Hex/White	10 X 2	2,000	24	**116.90**

SOCKET PAN HEAD

Zinc Plated



Part No.	Head Style	Size	Case Qty.	Case Wt.	Price /M
STP 638BW	Socket pan white	6 X 3/8	15,000	31	**41.60**
STP 658BW	Socket pan white	6 X 5/8	15,000	35	**41.60**
STP 658B	Socket pan	6 X 5/8	15,000	35	**23.60**
STP 8916B *	Socket pan	8 X 9/16	10,000	34	**33.80**
STP 834B	Socket pan	8 X 3/4	10,000	42	**41.60**
STP 81B	Socket pan	8 X 1	10,000	50	**47.20**
STP 8114B	Socket pan	8 X 1-1/4	7,000	43	**56.20**
STP 8112B	Socket pan	8 X 1-1/2	6,000	46	**64.10**

PHILLIPS MODIFIED TRUSS HEAD

Zinc Plated



New size in red

Part No.	Head Style	Size	Case Qty.	Case Wt.	Price /M
SPW 8916B *	Phillips	8 X 9/16	10,000	30	**34.90**
SPW 834B	Phillips	8 X 3/4	10,000	49	**41.60**
SPW 81B	Phillips	8 X 1	8,000	45	**47.20**
SPW 8114B	Phillips	8 X 1-1/4	5,000	33	**55.10**
SPW 8112B	Phillips	8 X 1-1/2	4,000	31	**61.80**
SPW 82B	Phillips	8 X 2	2,000	25	**82.10**
SPW 8212B	Phillips	8 X 2-1/2	2,000	24	**101.20**
SPW 83B	Phillips	8 X 3	1,000	33	**133.80**

PAINTED HEAD

SPW 8916BW	Phillips white	8 X 9/16	10,000	26	**64.10**
SPW 834BW	Phillips white	8 X 3/4	10,000	43	**82.10**
SPW 81BW	Phillips white	8 X 1	8,000	34	**75.30**
SPW 8114BW	Phillips white	8 X 1-1/4	5,000	32	**114.60**
SPW 102BW	Phillips white	10 X 2	2,000	25	**123.60**
SPW 82BW	Phillips white	8 X 2	2,000	25	**93.30**
SPW 8212BW	Phillips white	8 X 2-1/2	2,000	24	**106.80**
SPW 83BW	Phillips white	8 X 3	1,000	33	**139.90**

*** Available in Super Pak Jar (See Page 28)**

SIDE LAP - HVAC SCREWS

HEX WASHER HEAD

Zinc Plated

- **Attaches multiple layers of light gauge sheet metal**
- **Designed for connecting spiral duct sections**



Part No.	Head Style	Size	Case Qty.	Case Wt.	Price /M
UTH 812B	Hex	8 X 1/2	10,000	36	**48.40**
UTH 1034B	Hex	10 X 3/4	8,000	62	**76.50**

BONDED EPDM SEALING WASHERS

3 Types to suit most applications



TYPE I

Galvanized Steel - Z 27 spec. Normally used with zinc plated screws.

Part No.	Screw Size	Washer Dia.	Pkg Qty.	Case Qty.	Price /M
SW 10	8-10	12	500	5,000	**46.10**
SW 1012	10-12	14	500	5,000	**58.50**
SW 14	14	16	500	5,000	**64.10**
SW 10B	8- 10	12	—	22,000	**41.60**
SW 1012B	10-12	14	—	15,000	**54.00**
SW 14B	14	16	—	12,000	**59.60**
SW 1478B	14	22	—	5,000	**206.70**

TYPE II

Zinc Clad - Mechanical zinc on steel for superior corrosion protection. Recommended for use with RUSPRO® coated screws.

Part No.	Screw Size	Washer Dia.	Pkg Qty.	Case Qty.	Price /M
CW 10	8-10	12	500	5,000	**66.30**
CW 1012	10-12	14	500	5,000	**83.20**
CW 14	14	16	500	5,000	**89.90**
CW 10B	8-10	12	—	22,000	**61.80**
CW 1012B	10-12	14	—	15,000	**78.70**
CW 14B	14	16	—	12,000	**85.40**

TYPE III

Stainless Steel 18-8.
For use with stainless steel screws.

Part No.	Screw Size	Washer Dia.	Pkg Qty.	Case Qty.	Price /M
SW 10SS	8-10	12	500	5,000	**103.40**
SW 1012SS	10-12	14	500	5,000	**133.80**
SW 14SS	14	16	500	5,000	**160.70**
SW 10BSS	8-10	12	—	22,000	**98.90**
SW 1012BSS	10-12	14	—	15,000	**128.10**
SW 14BSS	14	16	—	12,000	**156.20**

GREAT FOR TRADESMEN

Clear plastic Super Paks are the most convenient and economical packaging for contractors and service people. Super Pak jars measure just 3½" X 3½" X 6" high so they fit easily on to service truck racking and tool carrier trays. A large 3¼ diameter screw on lid gives easy access and prevents waste due to spilled product.

A wide range of UCAN anchors and metal drilling screws are now available in Super Paks.





BLUE PLASTIC PLUGS

1 Drill bit in each jar



Part No.	Size	Drill Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
UBP 68K	6-8 X 3/4	3/16	1000	12	9	**32.10**
UBP 810K	8-10 X 7/8	3/16	1000	12	8	**34.90**
UBP 1012K	10-12 X 1	1/4	500	12	9	**27.00**

BLUE PLASTIC PLUGS BULK PACK

Part No.	Size	Drill Size	Case Qty.	Case Wt.	Price /M
UBP 68B	6-8 X 3/ 4	3/16	50,000	29	**14.40**
UBP 810B	8-10 X 7/8	3/16	40,000	25	**15.80**
UBP 1012B	10-12 X 1	1/4	20,000	26	**24.70**
UBP 1416B	14-16 X 1-3/8	5/16	10,000	25	**58.50**

YELLOW PLASTIC PLUGS

1 Drill bit in each jar



Part No.	Size	Drill Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
UYP 48K	4-8 X 7/8	3/16	1000	12	10	**47.20**
UYP 812K	8-12 X 1-14	1/4	400	12	10	**29.80**

YELLOW PLASTIC PLUGS BULK PACK

Part No.	Size	Drill Size	Case Qty.	Case Wt.	Price /M
UYP 48B	4-6-8 X 7/8	3/16	40,000	39	**32.60**
UYP 812B	8-10-12 X 1-1/4	1/4	18,000	25	**53.50**
UYP 1216B	12-14-16 X 1-1/2	5/16	10,000	25	**77.50**

CB SCREWS



Part No.	Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
CBS 114K	8 X 1-1/4	500	6	18	**50.00**
CBS 158K	8 X 1-5/8	500	6	23	**58.50**
CBS 214K	8 X 2-1/4	250	6	16	**41.10**
CBT 114K	8 X 1-1/4	500	6	19	**56.20**
CBT 158K	8 X 1-5/8	500	6	23	**60.70**

ACOUSTIC EYE LAG SCREW

1 Installation tool (DLS 3) in each jar



Part No.	Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TLS 142K	1/4 X 2	200	6	24	**105.70**
TLS 142KN	1/4 X 2	200	6	29	**129.30**

TWISTER ZAMAC DRYWALL ANCHOR



Part No.	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
JET 100K	150	6	14	**59.00**

TWISTER NYLON DRYWALL ANCHOR



Part No.	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
JET NYLK	200	6	6	**54.00**

ZAMAC PIN BOLTS



Part No.	Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
ZAM 31678K	3/16 X 7/8	350	6	26	**89.40**
ZAM 141K	1/4 X 1	200	6	24	**85.40**
ZAM 14114K	1/4 X 1-1/4	150	6	15	**69.20**



U-DRILLS® SUPER PAKS

SELF DRILLING METAL SCREWS

WOOD TO METAL APPLICATIONS

SOCKET WAFER HEAD WITHOUT REAMER

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TSW 1034K	10-24 X 3/4	3	.175/7 ga	500	6	18	**48.40**
TSW 101K	10-24 X 1	3	.175/7 ga	500	6	23	**51.70**
TSW 10114K	10-24 X 1-1/4	3	.175/7 ga	300	6	26	**37.10**

SOCKET WAFER HEAD REAMER SCREWS

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TSW 10112RK	10-24 X 1-1/2	3	.175/7 ga	300	6	19	**56.20**
TSW 122RK	12-24 X 2	4	.312/5/16"	200	6	24	**50.00**
TSW 12212RK	12-24 X 2-1/2	4	.312/5/16"	150	6	23	**50.00**
TSW 123RK	12-24 X 3	4	.312/5/16"	100	6	24	**37.10**

HEAVY GAUGE APPLICATIONS

HEX WASHER HEAD

RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TRH 1278K4	12-24 X 7/8	4	.312/ 5/16"	500	6	26	**113.50**
TRH 12114K5	12-24 X 1-1/4	5	.500/ 1/2"	500	6	37	**214.60**
TRH 12112K5	12-24 X 1-1/2	5	.500/ 1/2"	300	6	28	**146.10**
TRH 122K5	12-24 X 2	5	.500/ 1/2"	250	6	27	**134.90**

STAINLESS STEEL

SOCKET PAN HEAD

410 Stainless Steel Hardened RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TRP 812KSS	8-18 X 1/2	2	.100/12 ga	1,000	6	18	**184.30**
TRP 1034KSS	10-16 X 3/4	3	.175/7 ga	500	6	18	**134.90**

HEX WASHER HEAD

410 Stainless Steel Hardened RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TRH 812KSS	8-18 X 1/2	2	.100/12 ga	1,000	6	18	**185.40**
TRH 1034KSS	10-16 X 3/4	3	.175/7 ga	500	6	19	**136.00**
TRH 121KSS	12-14 X 1	3	.210/5 ga	500	6	30	**219.10**
TRH 1434KSS	1/4-14 X 3/4	3	.220/4 ga	300	6	23	**138.30**
TRH 141KSS	1/4-14 X 1	3	.220/4 ga	300	6	26	**154.00**

LIGHT - MEDIUM APPLICATIONS

SOCKET PAN HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TSP 612K	6-20 X 1/2	2	.090/13 ga	1000	6	13	**33.20**
TSP 812K	8-18 X 1/2	2	.100/12 ga	1000	6	20	**37.10**
TSP 858K	8-18 X 5/8	2	.100/12 ga	1000	6	23	**43.30**
TSP 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26	**47.80**
TSP 81K	8-18 X 1	2	.100/12 ga	1000	6	32	**54.00**
TSP 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22	**37.10**
TSP 1012K	10-16 X 1/2	2	.110/12 ga	1000	6	25	**52.30**
TSP 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	31	**55.10**
TSP 1034K	10-16 X 3/4	3	.175/7 ga	500	6	18	**30.40**
TSP 101K	10-16 X 1	3	.175/7 ga	500	6	22	**38.30**
TSP 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25	**43.90**
TSP 10112K	10-16 X 1-1/2	3	.175/7 ga	400	6	24	**41.60**

HEX WASHER HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
THW 812K	8-18 X 1/2	2	.100/12 ga	1000	6	21	**38.80**
THW 858K	8-18 X 5/8	2	.100/12 ga	1000	6	26	**45.00**
THW 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26	**49.50**
THW 81K	8-18 X 1	2	.100/12 ga	800	6	26	**47.20**
THW 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22	**38.30**
THW 1012K	10-16 X 1/2	2	.100/12 ga	1000	6	29	**51.70**
THW 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	32	**55.10**
THW 1034K	10-16 X 3/4	3	.175/7 ga	500	6	19	**30.40**
THW 101K	10-16 X 1	3	.175/7 ga	500	6	22	**38.30**
THW 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25	**45.00**
THW 10112K	10-16 X 1-1/2	3	.175/7 ga	300	6	19	**32.10**
THW 1234K	12-14 X 3/4	3	.210/5 ga	500	6	26	**42.80**
THW 121K	12-14 X 1	3	.210/5 ga	500	6	28	**48.90**
THW 12112K	12-14 X 1-1/2	3	.210/5 ga	300	6	23	**40.50**
THW 122K	12-14 X 2	3	.210/5 ga	250	6	14	**40.50**
THW 1434K	1/4-14 X 3/4	3	.220/4 ga	300	6	22	**37.10**
THW 141K	1/4-14 X 1	3	.220/4 ga	300	6	26	**43.30**
THW 14114K	1/4-14 X 1-1/4	3	.220/4 ga	300	6	30	**48.90**
THW 14112K	1/4-14 X 1-1/2	3	.220/4 ga	250	6	39	**50.00**

PHILLIPS MODIFIED TRUSS HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
TPW 812K	8-18 X 1/2	2	.100/12 ga	1,000	6	28	**43.30**

SHARP POINT SCREWS




Part No.	Head Style	Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
STH 8916K	IHWH	8 X 9/16	1,000	6	21	**39.40**
STP 8916K	soc.pan	8 X 9/16	1,000	6	22	**39.40**

PHILLIPS MODIFIED TRUSS HEAD SHARP POINT

Zinc Plated



Part No.	Size	Jar Qty.	Case Qty.	Case Wt.	Price /ea.
SPW 8916K	8 X 9/16	1,000	6	23	**38.30**





For more information on anchor selection and design criteria, as well as the latest performance data, please contact UCAN or visit our website at www.ucanfast.com

FASTENER SELECTION GUIDELINES

UCAN Fastening Products' anchoring line ranges from light duty plastic anchors to the most technically advanced types of heavy load anchors. This wide variety of high quality fasteners provides the user with the flexibility to select the anchor best suited for the application. For this reason, prior to selecting the type, size and quantity of fasteners required, the following factors should be considered:

- Type and the condition of the base material
- Installation procedure
- Corrosion considerations
- The desired load transfer by the fastener to the base material
- Dimensions of the base material
- Anchor spacing and edge distance
- Safety factor required
- Type of load(s) acting on the fastener (eg: static, dynamic, seismic)

In all applications, the design engineer or architect responsible for the project should verify the load bearing capacity and other performance criteria.

UCAN fasteners are designed to minimize the influence of the installation technique on the anchor's holding power. However, basic installation procedures listed for each anchor in our technical and sales literature should be followed, to ensure the integrity of the anchoring assembly.

- Correct hole geometry is important to guarantee published load performance. The UCAN carbide drill bit, manufactured to ISO (mm) and ANSI (in) standards, will produce holes which are optimal for metric or fractional anchors. Incorrect hole geometry can cause reduced holding power, and installation difficulties.
- Hole cleaning is an important and easy step to ensure maximum anchor performance. For most expansion and adhesive anchors, cleaning the hole with a nylon or wire brush and blow out pump is all that is required. These steps will remove concrete dust and debris from the hole which could reduce the effectiveness of the anchor.
- After placement of the anchor, turning the nut or hex bolt tightens down the assembly. For engineered or critical applications, specific torque should be applied using a calibrated torque wrench.

A safety factor must be used to compensate for variations in loading, material strength and installation conditions and to ensure minimum anchor displacement. It is the designer's responsibility to analyze all conditions and select the appropriate safety factor.

For predominantly static loading in allowable stress design, UCAN recommends the following safety factors:

- For mechanical and adhesive anchors 4:1
- For plastic anchors 5:1
- For PA system in concrete 8:1
- For PA system in steel 5:1

WEDGE ANCHOR LENGTH IDENTIFICATION SYSTEM

HEAD STAMP		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
Anchor Length (inches)	From	1-1/2	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	6-1/2	7	7-1/2	8	8-1/2	9	9-1/2	10	11	12
	Up to but not including	2	2-1/2	3	3-1/2	4	4-1/2	5	5-1/2	6	6-1/2	7	7-1/2	8	8-1/2	9	9-1/2	10	11	12	13

DRIVER SIZES FOR UCAN SCREWS

U-DRILLS®	Magnetic Nut Setter	Square Recess Bit	Phillips Bit
# 6	1/4	1	2
# 8	1/4	2	2
# 10	5/16	2	2
# 12	5/16	3	3
# 14	3/8	3	3
SUPER SCRU-IT®			
3/16	1/4	2	2
1/4	5/16	3	3


Note: For SHW 1478B use 5/16 Magnetic Nut Setter

U-DRILLS® PERFORMANCE DATA


STRENGTH CHARACTERISTICS

Screw Size	Minimum Breaking Torque (in/lbs)	Tensile Strength (lbs)	Shear Strength (lbs)	Recommended Drilling Speed (rpm)
#6	30	1,102	652	1,800 - 2,500
#8	42	1,529	967	
#10	65	2,181	1,439	1,000 - 1,800
#12	96	3,305	2,068	
1/4-14	150	4,275	2,540	


Kesternich (DIN 50018 - 2.0L SO_2) Test (Acidic Industrial Atmosphere)



Salt Spray Test ASTM B117



DRILL POINT CAPACITY



Corrosion data shown on this page are based on independent laboratory testing on the fasteners only. It is the user's responsibility to verify the fastener's suitability to any particular corrosive application condition.

CORROSION RESISTANCE DATA

ZINC PLATING

- **ASTM F 1941-00**
- **plating thickness: 0.0002" - 0.0003"**

RUSPRO®

The RUSPRO® multi layer coating provides outstanding resistance against road salt, humidity, solvents and other corrosive elements.

- **Exceptional corrosion resistance**
- **Excellent acid (SO2) resistance**
- **Bonded multi layer coating to resist abrasion**

Typical RUSPRO® coating composition:
4.0 microns (0.00016") zinc plating
1.0 microns (0.00004") phosphate
5.0 microns (0.0002") ceramic top coat

Colour: silver / blue

Salt Spray Resistance (ASTM B117 - 03)
1,000 hours (5-10% red rust)

Kesternich Test DIN 50028 - (2.0 liter SO2)
15-20 cycles (<10% red rust)

PLEASE NOTE:

- Items may not be exactly as depicted in this price list.
- The technical data shown in this price list are correct at the time of publishing.
- For the most up to date information and MSDS please visit our website at www.ucanfast.com.

DISCLAIMER OF WARRANTIES AND LIABILITY

UCAN Fastening Products (UCAN) accepts no responsibility in case of any damage, loss, or injury, direct, indirect, incidental or consequential that results from the use of, or the inability to use, the text and technical data contained in the current or any subsequent editions and/or versions of the price list, technical manual or any other UCAN publications. All recommendations or suggestions for use of UCAN products are made without guarantee. Furthermore, UCAN accepts no responsibility for the performance of its products since the conditions of use are not under its control. Goods proved to be defective will be replaced, but UCAN accepts no responsibility beyond the cost of the goods supplied. Furthermore, UCAN accepts no responsibility in case of damage that results from non-compliance with the manufacturer's installation instructions, improper sizing of anchor fastening by customer, inadequate load bearing properties of anchoring base material, improper applications, or any other factor not brought to the prior attention of UCAN.
Except as provided in this clause, UCAN accepts no liability with respect to delay in delivery or any injury, damage or loss resulting from the use of its products.

Limitation of damages – UCAN will not be liable to DISTRIBUTOR for loss for future sales, loss of profits or goodwill, loss of use or incidental, indirect, consequential or special damages. UCAN's liability under this agreement, including its indemnification obligations, will not individually or in the aggregate exceed the amounts paid to UCAN by DISTRIBUTOR for the products giving rise to such liability.
EXCEPT FOR THE APPLICABLE LIMITED WARRANTY, UCAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED (INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT) CONCERNING ANY PRODUCT, AND ALL OTHER GUARANTEES, WARRANTIES, CONDITIONS AND REPRESENTATIONS, EITHER EXPRESS OR IMPLIED, ARE EXCLUDED

UCAN Fastening Products is a division of
British Fastening Systems Limited·

About UCAN

UCAN Fastening Products has specialized in the production and distribution of concrete anchors and other fastening products for over 50 years. UCAN strives to provide the most practical and cost effective solutions to meet the anticipated needs of designers and contractors. UCAN takes pride in the consistent high quality of its' products as well as the in-depth knowledge and helpfulness of its' sales staff.

Timely Delivery

UCAN keeps its Toronto warehouse well stocked with over 1,100 stock types and sizes of anchors and accessories. As a result, over 97% of all regular orders are usually filled from inventory and shipped within 3-6 hours of being placed.

Technical Services


Our technical staff and knowledgeable inside and outside sales people are readily available to provide technical assistance, product support, and field tests when required.

Innovative Products

Through a constant program of R & D, UCAN develops and improves products to meet the genuine needs of designers and contractors.

Emphasis On Quality

UCAN products are made to the highest quality standards. Each production batch is strictly quality-controlled to assure consistent performance.



For the most current information on UCAN products please visit our website at www.ucanfast.com

UCAN FASTENING PRODUCTS

155 Champagne Drive, Unit 10
Toronto, Ontario M3J 2C6
Tel.: 416-631-9400
Fax: 416-631-9426
E-mail: sales@ucanfast.com
www.ucanfast.com

7 47004 90320 2

STAFDA ASSOCIATE

© 2016 UCAN FASTENING PRODUCTS

Subject to change without prior notice.