Kleen-Glo® Enviro-Friendly Gloves



- Meets EN388 Standard
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- Liner is made from recycled polyester and cotton
- Carded only; 144 pairs per case

53343
Size S/M

53344
Size M/L

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	1

Viking Handyman® Work Gloves



73344



73343

- Meets EN388 Standard
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Made from natural latex—a renewable resource
- Liner is made from recycled polyester and cotton
- Breathable, comfortable, and reduced hand fatigue
- In bulk only; 120 pairs per case

Size 7 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	1

Viking® MaxxGrip® Supported Work Gloves



73349



73347

- Meets EN388 standard
- Superior ergonomic fit and textured palm design provides dexterity and excellent gripping power
- Heavy-duty, strong gripping rubber palm dip on seamless poly/cotton knit
- Breathable, comfortable, and reduced hand fatigue
- 6 times the wear of split leather
- In bulk and carded: 72 pairs per case

Size 7 - 10

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	2
Tear Resistance	4
Puncture Resistance	2

Black	Carded
S	63388
M	63389
L	63390
XL	63391

Blue	Carded
S	63345
M	63346
L	63347
XL	63348

Viking® Thermo MaxxGrip® Supported Work Gloves

- Meets EN388 standard
- Textured rubber grip over seamless warm acrylic knit
- Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Contour-fit for excellent dexterity and gripping power
- Ideal for cold weather or padded glove applications
- In bulk and carded; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	2
Blade Cut Resistance	1
Tear Resistance	4
Puncture Resistance	2

Size 7 - 10	Black Carded		Orange Carded		Green Carded	
S	63371	S	63384	S	63380
M	63373	M	63385	M	63381
L	63374	L	63386	L	63382
XL	63375	XL	63387	XL	63383



Viking® Arctic MaxxGrip® Work Gloves

- Meets EN388 standard
- 7-gauge interior soft pile lining to maintain warmth
- Textured rubber grip over seamless warm acrylic knit
- Rubber-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Contour-fit for excellent dexterity and gripping power
- Ideal for extreme weather or padded glove applications
- Carded only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	1
Blade Cut Resistance	3
Tear Resistance	3
Puncture Resistance	1

73386 Size 7 - 10

73385 Size 8 - 10



Viking® Nitri-Dex Work Gloves

- Meets EN388 standard
- Nitrile-dipped palm on seamless polyester knit
- 6 times the wear of split leather
- Superior grip in oily applications, flexible, comfortable, and breathable
- Excellent for use in assembly and repair work on electric appliances, mechanical maintenance, engineering, and construction work
- 73376; in bulk and carded; 120 pairs per case
- 73365; in bulk only; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size 7 - 10	Black Carded
S	63376
M	63377
L	63378
XL	63379





73362

Viking® Foam Nitri-Dex Gloves

- Meets EN388 standard
- Nitrile-dipped palm on seamless nylon knit
- Foam Nitri-dex brings superior precision and flexibility, allowing for optimal comfort and dexterity while reducing hand fatigue
- Foam nitrile coating provides better grip on slippery surfaces
- Superior grip in oily applications, flexible, comfortable, and breathable
- Contour-fit for excellent gripping power
- Breathable, stretch knit wrist and back for comfort
- Carded only; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	3
Puncture Resistance	2

Size 8 - 10



73363

Viking® Nitri-Dex 360° Gloves

- Meets EN388 standard
- Nitrile double dipped palm on seamless nylon knit
- Optimal dexterity, grip, and comfort while delivering industrial grade performance in strength and durability, abrasion resistance, and protection against a wide range of chemical substances
- 360° nitrile coating provides liquid proof protection even on the back of the hand
- Highly durable, high dexterity, ergonomic shape for comfort
- Double coated palm improves strength, durability and abrasion resistance
- Outer foam nitrile layer also enables precision handling of small parts with increased flexibility and dexterity
- Knit wrist helps prevent dirt and debris from entering the gloves
- Carded only; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size 8 - 10



73377

Viking® Thermo Nitri-Dex Work Gloves

- Meets EN388 standard
- Dual layered protection—deal against cold weather or in padded glove applications
- 7 gauge interior soft pile lining to maintain warmth
- 15 gauge exterior nylon knit with nitrile coating for ultimate hand protection
- Contour-fit for excellent dexterity and gripping power
- Provides excellent puncture, wear and liquid protection
- Breathable stretch knit wrist and back for comfort
- In bulk only; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	2

Size 8 - 10

Viking® Cut Resistance NBR Palm Coated Gloves

- EN4343D
- ANSI-ISEA 105:2016 A4
- Good for steel/automobile, petro-chemicals, and jobs requiring metal/glass handling, precision or rough work.
- Multipurpose
- Non-slip coating
- Excellent for use in outdoor home repairs, gardening, furniture refinishing and cleaning
- In bulk only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	3D
Tear Resistance	4
Puncture Resistance	3

73381 Size 7 - 10

73382 Size 8 - 10



73381



73382

Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
  - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm²
  - TPP without spacer is 11.6 cal/cm²
- EN3342C, ANSI-ISEA 105:2016 A4
- Advanced ergonomic design for greather comfort, flexibility, and agility
- NBR-coated palm
- Materials utilized in the gloves are inherently flame-resistant providing protection for the entire life of the gloves
- Industries: Mining, oil refining, petrochemical, public utilities, construction, electric and gas utilities, resource manufacturing
- Snug knit wrist prevents dirt and debris from entering the gloves
- In bulk only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	3C
Tear Resistance	4
Puncture Resistance	2

Size 8 - 10



73383

Viking® Firewall FR® Cut Resistant Gloves

- Meets CGSB 155.20 for Protection Against Hydrocarbon Flash Fire
- Meets EN388 for Protection from Mechanical Risks
- Independently tested to meet the requirement of CGSB 155.20
  - TPP with spacer (Thermal Protective Performance) is 14.4 calories/cm²
  - TPP without spacer is 11.6 cal/cm²
- EN3342C, ANSI-ISEA 105:2016 A4
- Superior metacarpus and phalanges impact protection while delivering an industrial grade protection against hydrocarbon flash fire and cut resistance
- Armour padding protection utilizes an advanced design to dissipate forceful blows
- NBR-coated palm
- Materials utilized in the gloves are inherently flame-resistant providing protection for the entire life of the gloves
- Industries: Mining, oil refining, petrochemical, public utilities, construction, electric, and gas utilities, resource manufacturing
- Snug knit wrist prevents dirt and debris from entering the gloves
- Carded only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	3C
Tear Resistance	4
Puncture Resistance	2

Size 9 - 11



73384

Viking® Thermo Journeyman PVC Gloves



73374

- Meets EN388 Standard
- Dual layered protection: ideal against cold weather or in padded glove applications
- Extra thick brushed acrylic liner provides superior insulation from the cold
- Stretchy and form fitting design offers a high level of comfort and fit
- 15 gauge exterior nylon knit and an extra soft seamless 7 gauge interior lining allow for ultimate protection and excellent warmth and flexibility in sub-zero temperatures
- Textured PVC-coated palm for puncture, wear, and liquid protection
- Breathable stretch knit wrist and back for comfort
- Latex-free
- Carded only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	3
Blade Cut Resistance	2
Tear Resistance	2
Puncture Resistance	1

Size 7 - 10

Viking® Ultimate® PVC Work Gloves



73356

- Meets EN388 Standard
- Excellent for use in outdoor home repair gardening, furniture refinishing, and cleaning
- PVC-coated, and seamless knit 100% cotton lining
- Highly durable, high dexterity, ergonomic shape for comfort and dexterity
- Phthalate-free
- Machine washable
- Carded only; 72 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	4
Blade Cut Resistance	1
Tear Resistance	2
Puncture Resistance	1

Size 8 - 10

Open Road® Value Pack Gloves

- Sold in packs of 6 pairs; 240 pairs per case

Polyester Gloves with Nitrile Coating



52226-ELD53
52224-ELD53

52224-ELD41

52224-ELD42

52226-ELD422
52224-ELD422

- Superior grip with oily applications
- Flexible, comfortable, and breathable
- Contour fit for excellent dexterity and gripping power
- Nitrile coated protection provides great performance in wet conditions
- Ideal for cleaning, gardening, and household projects

52226-ELD53
Size S/M

52224-ELD53
52224-ELD41
52224-ELD42
Size L/XL

Polyester Gloves with Latex Coating

- Textured palm for great gripping power
- Breathable, with non-slip coating
- Ideal for assembly and repair work, mechanical maintenance, engineering and construction work

52226-ELD422
Size S/M

52224-ELD422
Size L/XL

Open Road® 3 Pack Thermo Gloves

- Meets EN388 Standard
- Textured rubber grip over seamless warm acrylic knit
- Rubber palm for puncture, wear and liquid protection
- Ideal for assembly and repair work, mechanical maintenance, engineering and construction work
- Sold in packs of 3 pairs; 120 pairs per case

Compliance EN388	
Test/Property	Level
Abrasion Resistance	2
Blade Cut Resistance	1
Tear Resistance	4
Puncture Resistance	2

Size S/M - L/XL



52221



52222

Viking® Heavy-Duty Latex Gloves

- Excellent for chemical handling, and agricultural work
- Cotton flock lining absorbs perspiration

155

- Straight cuff
- Black
- Heavy-duty rubber
- Diamond pattern, and flocklined
- 13" long; 27 mil
- 12 pairs per poly bag; 144 pairs per case

Size 8 - 11

208

- Straight cuff
- Orange
- Heavy-duty rubber
- Diamond pattern, and flocklined
- 13" long; 27 mil
- 12 pairs per poly bag; 144 pairs per case

Size 8 - 11



155



208





Viking Handyman® Nitrile Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Reference specification for size L: 4.0g (+/- 0.3g) (3.35 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

34603

Size S - XL



Viking® Nitrile Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Heavy-duty blue nitrile; reference specification for size L: 5g (+/- 0.3g) (4 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

34600

Size S - XL



Viking® Black Forte™ Nitrile Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Heavy-duty black nitrile; reference specification for size L: 5.5g (+/- 0.3g) (4.5 mil thick)
- 3x Stronger than latex/vinyl
- 10 dispensers of 100 gloves/case

34605

Size S - XL



Viking Professional® Black Forte™ Disposable Nitrile Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- Extra heavy-duty black nitrile; reference specification for size L: 11 g (+/- 0.3g) (8 mil thick)
- Textured finger tips for better grip, and extended cuff lengths for better protection
- 3x Stronger than latex/vinyl
- 10 dispensers of 50 gloves/case

34606

Size M - XL

LATEX DISPOSABLE GLOVES

Viking® Latex Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Lightly powdered
- Reference specification for size L: 5.5 g (+/- 0.3g) (4 mil thick)

01370 - 01373

- 10 dispensers of 100 gloves/case

Size S - XL



01370-01373

84051

- 10 dispensers of 50 gloves/case

Size One size



84051

Viking® Latex Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Powder-free
- Reference specification for size L: 6 g (+/- 0.3g) (5 mil thick)
- 10 dispensers of 100 gloves/case

Size S - XL



34900

NITRYL DISPOSABLE GLOVES

Viking® Nitryl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; powder-free
- 2x Stronger than latex/vinyl
- Superior chemical resistance compared to vinyl gloves
- Economic alternative to nitrile
- Reference specification for size L: 5.5 g (+/- 0.3g) (3.5 mil thick)
- 10 dispensers of 50 gloves/case

Size One size



84052

POLY DISPOSABLE GLOVES

Viking® Poly Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free
- 20 dispensers of 500 gloves/case

Size M - L



00142-00143



34100



34000

Phthalate-Free Vinyl Disposable Gloves

- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; phthalate-free
- Lightly powdered
- Reference specification for size L: 5 g (+/- 0.3g) (3.5 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case

34100

Size S - XL

34000

Size One size



01364 - 01367



01360 - 01363

Viking® Vinyl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; PVC contains no latex proteins. Safe for Type 1 allergies
- Powder-free
- Super soft for use comfort; stretchy; fatigue-free
- Durable, and tear-resistant
- Excellent for use in employee/occupational health servces and non-surgical clinics, infant services, food handling, public services, kitchen work, sanitary activities, light-duty cleaning, office cleaning, and janitorial services
- Reference specification for size L: 6g (+/- 0.3g) (4.5 mil thick)
- 10 dispensers of 100 gloves/case

01364 - 01367

- Blue vinyl

Size S - XL

01360 - 01363

- White vinyl

Size S - XL



01356 - 01359

Viking® Phthalate-Free Vinyl Disposable Gloves

- Food safe
- Multipurpose, and lightweight
- Liquid-proof
- Ambidextrous
- Latex-free; phthalate-free; powder-free
- Reference specification for size L: 5.5g (+/- 0.3g) (4 mil thick)
- Reduced environmental impact, and reduced health risk
- 10 dispensers of 100 gloves/case

Size S - XL